

WALGREENS BLACK ELDERBERRY COLD AND FLU RELIEF- bryonia alba, gelsemium sempervirens, sambucus nigra, sulphur, zincum gluconicum tablet, orally disintegrating Walgreen Co.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Walgreens Black Elderberry Cold and Flu Relief

Active Ingredients

Active ingredients (In each tablet) *

Bryonia 6X HPUS

Gelsemium sempervirens 6X, 12X, 30X HPUS

Sambucus nigra 3X, 6X HPUS

Sulphur 12X HPUS

Zincum gluconicum 2X, 6X HPUS

*The letters 'HPUS' indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose

Bryonia HPUS - Fever, chills, scratchy throat, muscle soreness

Gelsemium sempervirens HPUS - Sneezing, non-productive cough, bronchial irritation

Sambucus nigra HPUS - Fever, nasal congestion, coughing

Sulphur HPUS - Sinus pressure, sore throat, nasal pressure

Zincum gluconicum HPUS - Nausea, tiredness, exhaustion, bronchial constriction

Uses*

According to homeopathic indications, these ingredients provide temporary relief of cold and flu symptoms such as: • Nasal and sinus congestion, runny nose, sore coughing, sneezing, and chills and fever, after serious causes have been ruled out by a physician.

* These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

Sore throat warning - Severe or persistent sore throat or sore throat accompanied by

high fever, headache, nausea, and vomiting may be serious. Consult phys Do not use more than 2 days or administer to children under 4 years of age unless directed by a physician. • This product is intended to complement, not replace, medical treatment. • Initial worsening of symptoms may occur.

Pregnant or breast-feeding

- If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

- **Keep out of reach of children.** • In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use

Stop use and ask a doctor if:

- You experience worsening symptoms. • Any new symptoms appear. • Symptoms last longer than 7 days.

Directions

Directions

- Suitable for adults and children ages 4 and over. Children under the age of 4: Consult a physician before use. • For best results, take at the start of the symptoms for cold or flu and continue to take for another 48 hours after the symptoms end. • Dissolve entire tablet under tongue OR chew tablet and swallow. • Do not swallow tablet whole. • Take 1 tablet every three hours. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

- **Do not use if blister seal is broken.** • Store at room temperature 15o to 30o C (59o to 86o F). • Active ingredients are micro-diluted in accordance with the Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Retain carton for full drug facts.

Inactive ingredients


Black carrot extract (colorant), Croscarmellose sodium, Elderberry flavor, Lactose, Magnesium stearate, Maltodextrin, Microcrystalline cellulose, Sucrose.

Questions or comments?

Questions or comments?

•1-800-925-4733 •9am-5pmEST•Monday-Friday

Principal Display Panel



WALGREENS BLACK ELDERBERRY COLD AND FLU RELIEF

bryonia alba, gelsemium sempervirens, sambucus nigra, sulphur, zincum gluconicum tablet, orally disintegrating

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9791
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	2 [hp_X]
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X]
SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	3 [hp_X]
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	6 [hp_X]
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
BLACK CARROT ANTHOCYANINS (UNII: 971DA56IOL)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SUCROSE (UNII: C151H8M554)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
EUROPEAN ELDERBERRY JUICE (UNII: Z4IFJ0AK1E)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics

Color	purple (OFF PURPLE OFF GREY COLOR WTH SPECKS)	Score	score with uneven pieces
Shape	ROUND	Size	10mm
Flavor	BERRY (ELDERBERRY)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9791-14	1 in 1 CARTON	05/13/2022	
1		60 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/13/2022	

Labeler - Walgreen Co. (008965063)