

MEDLINE- ethyl alcohol swab
Medline Industries, LP

133 Medline Retail Nasal Swabs

Active ingredient

Ethyl alcohol 62% v/v

Purpose

Antiseptic

Uses

- • helps reduce bacteria that can cause skin infections

Warnings

For external use only.

Flammable, keep away from fire or flame.

Do not use

- • in the eyes
- • on children under 2 years of age unless directed by a doctor

Ask a doctor before use if injuries are

- • deep or puncture wounds
- • serious burns



Stop use and ask a doctor if

- • redness, irritation, swelling or pain persists or increases
- • infection occurs

Keep out of reach of children.

If accidentally swallowed, seek medical assistance or immediately contact a Poison Control Center.

Directions



- 1. use a tissue to clean the inside of both nostrils, including the inside tip of nostril. Discard
- 2. insert swab comfortably into tip of right nostril and rotate for 30 seconds, covering all surfaces
- 3. using same swab, repeat step 2 with tip of left nostril
- 4. do not blow nose. If solution drips, gently wipe with a tissue

Other information

- • protect from freezing and avoid excessive heat
- • not made with natural rubber latex

Inactive ingredients

ascorbyl palmitate, benzyl alcohol, BHT, ricinus communis (castor) seed oil, fragrance, isopropyl alcohol, menthol, polyaminopropyl biguanide, purified water

Manufacturing Information

Manufactured by:

Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

Made in USA


1-800-MEDLINE (633-5463)

REF: MDSR1971

V2 RJ21APL

Package Label

NDC 53329-133-78



Antiseptic Nasal Swabs

Ethyl Alcohol 62%



Helps reduce bacteria that can cause infections

- Non-sterile
- Single use only
- Not made with natural rubber latex

Protect from freezing. Avoid excessive heat.

Do not store above 105°F (40°C).

Temperature limits: 77-105°F (25-40°C)




1 4-INCH SATURATED SWABSTICK

LOT

Exp:

Directions Nasal Application



1. Use a tissue to clean the inside of both nostrils, including the inside tip of nostril. Discard.
2. Insert swab comfortably into tip of right nostril and rotate for 30 seconds, covering all surfaces.
3. Using same swab, repeat step 2 with tip of left nostril.
4. Do not blow nose. If solution drips, gently wipe with a tissue.

See outer packaging for complete Drug Facts information.
Not for individual sale.

REF MDSR1971

www.medline.com
©2021 Medline Industries, LP
Manufactured by Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA.
1-800-MEDLINE V2 RJ21APL

MEDLINE

ethyl alcohol swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-133
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
MENTHOL (UNII: L7T10EIP3A)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CASTOR OIL (UNII: D5340Y2I9G)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
WATER (UNII: 059QF0KO0R)	
POLYAMINOPROPYL BIGUANIDE (UNII: DT9D8Z79ET)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-133-27	10 in 1 BOX	01/01/2022	01/31/2025
1	NDC:53329-133-78	6 mL in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:53329-133-78	6 mL in 1 PACKET; Type 0: Not a Combination Product	01/01/2022	01/31/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/01/2022	01/31/2025

Labeler - Medline Industries, LP (025460908)**Registrant** - Medline Industries, LP (025460908)