

**SMART CARE MINERAL-ENHANCED SUNSCREEN SPF 50- homosalate, octisalate, octocrylene, zinc oxide aerosol, spray  
Ashtel Studios, Inc.**

-----  
**Smart Care® Mineral-Enhanced SUNSCREEN SPRAY**

***Drug Facts***

***Active ingredients***

Homosalate 9.0%  
Octisalate 3.0%  
Octocrylene 6.0%  
Zinc Oxide 7.3%

***Purpose***

Sunscreen

***Uses***

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Flammable:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, call Poison Help at 1-800-222-1222 or go to PoisonHelp.org

***Directions***

• Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into the face. Spray into hands then apply to the face

- Do not apply in windy conditions • Use in a well-ventilated area
- reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### ***Inactive ingredients***

Butane, Isobutane, Propane, Aqua (Water), Isododecane, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Propylene Glycol, Phenoxyethanol, Stearic Acid, Polyglyceryl-10 Myristate, Dimethicone, Triethanolamine

### ***Questions or comments?***

Call toll free **1-877-274-8358**

### **UVA/UVB PROTECTION**

### **BROAD SPECTRUM**

### **Water Resistant (80 Minutes)**

### **DESIGNED IN U.S.A.**

### **MADE IN INDIA**

SmartCare®

WWW.SMARTCAREUS.COM

1-909-434-0911 INTERNATIONAL

PATENTS, COPYRIGHTS AND TRADEMARKS GRANTED OR PENDING WORLDWIDE

DISTRIBUTED BY ASHTEL STUDIOS INC.

ONTARIO, CA 91761

### **Packaging**

Smart Care®

Mineral-Enhanced  
SUNSCREEN SPRAY

Smart Care®

**Drug Facts****Active ingredients**Homosalate 9.0%  
Octisalate 3.0%  
Octocrylene 6.0%  
Zinc Oxide 7.3%**Purpose**

Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun**Warnings****For external use only****Flammable:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** ■ on damaged or broken skin.**When using this product** ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it. ■ do not puncture or incinerate. Contents under pressure. ■ do not store at temperatures above 120°F.**Stop use and ask a doctor if** ■ rash occurs.**Keep out of reach of children.** If swallowed, call Poison Help at 1-800-222-1222 or go to PoisonHelp.org**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Hold can 4–6 inches away from the skin to apply ■ Do not spray directly into the face. Spray into hands then apply to the face
- Do not apply in windy conditions ■ Use in a well-ventilated area
- reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
- children under 6 months of age Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. to 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**

Butane, Isobutane, Propane, Aqua (Water), Isododecane, Butylolyl Salicylate, Caprylic/Capric Triglyceride, Propylene Glycol, Phenoxethanol, Stearic Acid, Polyglyceryl-10 Myristate, Dimethicone, Triethanolamine

**Questions or comments?** Call toll free 1-877-274-8358Mineral-Enhanced  
SUNSCREEN SPRAYSPF  
50

UVA/UVB PROTECTION

BROAD SPECTRUM  
SPF 50 SPRAY

Water Resistant (80 Minutes)

NET WT 5.5 OZ (156g)

DESIGNED  
IN U.S.A.  
MADE IN INDIA

Smart Care®  
WWW.SMARTCAREUS.COM  
QUESTIONS OR COMMENTS?  
1-877-274-8358 TOLL FREE IN U.S.A.  
1-909-434-0911 INTERNATIONAL  
PATENTS, COPYRIGHTS AND TRADEMARKS  
GRANTED OR PENDING WORLDWIDE  
DISTRIBUTED BY ASHTEL STUDIOS INC.  
ONTARIO, CA 91761

**SMART CARE MINERAL-ENHANCED SUNSCREEN SPF 50**

homosalate, octisalate, octocrylene, zinc oxide aerosol, spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70108-271
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7.3 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>PROPANE</b> (UNII: T75W9911L6)	

<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-10 MYRISTATE</b> (UNII: Y9WL8QN3ZB)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70108-271-01	156 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	11/24/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/24/2025	

**Labeler** - Ashtel Studios, Inc. (148689180)

Revised: 2/2026

Ashtel Studios, Inc.