

ISOPROPYL ALCOHOL 70%- isopropyl alcohol solution
Vedco, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ISOPROPYL ALCOHOL 70%
LIVESTOCK DRUG

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL USE ONLY

INDICATIONS:

For external use only as an antiseptic, disinfectant, and rubefacient.

FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE:

Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION:

In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.



ACTIVE INGREDIENT:

Isopropyl Alcohol 70% v/v

INERT INGREDIENT:

Water 30% v/v
Total 100%

WARNING:

Ingestion may cause gastrointestinal irritation, nausea and vomiting.

STORAGE:

Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.

Net Contents:

32 fl oz (946 mL) VINV-IPA7-16QT

Distributed By
VEDCO, INC.

St. Joseph, MO 64507

Packaging

INDICATIONS: For external use only as an antiseptic, disinfectant, and rubefacient.

FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.



Distributed By
VEDCO, INC.
St. Joseph, MO 64507

Rev. 03-21
VINV-IPA7-16QT



ACTIVE INGREDIENT:
Isopropyl Alcohol 70% v/v
INERT INGREDIENT:
Water. 30% v/v
Total 100%

WARNING: Ingestion may cause gastrointestinal irritation, nausea, and vomiting.

STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.



Lot No. Exp. Date

No Varnish

ISOPROPYL ALCOHOL 70%

isopropyl alcohol solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50989-307
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50989-307-27	946 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/07/2021	

Labeler - Vedco, Inc. (021634266)**Establishment**

Name	Address	ID/FEI	Business Operations
AEC Consumer Products, LLC		080994102	manufacture, label

Revised: 5/2021

Vedco, Inc.