

MUCUS RELIEF DM MAXIMUM STRENGTH- guaifenesin, dextromethorphan hbr tablet

Chain Drug Consortium, LLC

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 60 mg

Guaifenesin 1200 mg

Purpose

Cough Suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product,

do not use more than directed.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&Cyellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

*COMPARE TO THE ACTIVE INGREDIENTS IN MAXIMUM STRENGTH MUCINEX® DM
MAXIMUM STRENGTH

Mucus Relief DM

GUAIFENESIN 1200 MG

EXPECTORANT

DEXTROMETHORPHAN HBr 60 MG

COUGH SUPPRESSANT

- Controls Cough
- Thins & Loosens Mucus

Extended release tablets

*This product is not manufactured or distributed Reckitt Benckiser LLC, distributor of Maximum Strength Mucinex® DM.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: Pharmacy Value Alliance, LLC
 407 East Lancaster Avenue,
 Wayne, PA 19087

Package Label

Drug Facts	
Active ingredients (in each extended-release tablet)	Purposes
Dextromethorphan HBr 60 mg.....	Cough Suppressant
Guaifenesin 1200 mg.....	Expectorant
Uses	
<ul style="list-style-type: none"> ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive ■ temporarily relieves ■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants ■ the intensity of coughing ■ the impulse to cough to help you get to sleep 	
Warnings	
<p>Do not use ■ for children under 12 years of age</p> <p>■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by too much phlegm (mucus) <p>When using this product, do not use more than directed.</p> <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	
Directions	
<ul style="list-style-type: none"> ■ do not crush, chew, or break tablet ■ take with a full glass of water ■ this product can be administered without regard for timing of meals ■ adults and children 12 years of age and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours ■ children under 12 years of age: do not use 	
Other information ■ store between 20° to 25°C (68° to 77°F)	
Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Maximum Strength Mucinex® DM.

Distributed By: Pharmacy Value Alliance, LLC
 407 East Lancaster Avenue,
 Wayne, PA 19087

PLD-B520A FC008873 Product of India

8 40986 03667 5

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

MAXIMUM STRENGTH

Mucus Relief DM

**GUAIFENESIN 1200 MG
 EXPECTORANT
 DEXTROMETHORPHAN HBr 60 MG
 COUGH SUPPRESSANT**

- Controls cough
- Thins and loosens mucus

Actual Size

MAXIMUM STRENGTH

Mucus Relief DM

COMPARE TO THE ACTIVE INGREDIENTS IN MAXIMUM STRENGTH MUCINEX® DM

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
 Exp. Date:

PREMIER VALUE Maximum Strength Mucus Relief DM

MUCUS RELIEF DM MAXIMUM STRENGTH
 guaifenesin, dextromethorphan hbr tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-674
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	60 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	1200 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 934 (UNII: Z135WT9208)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	yellow	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	AN039
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-674-14	14 in 1 CARTON	11/29/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:68016-674-28	28 in 1 CARTON	11/29/2019	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209692	11/29/2019	

Labeler - Chain Drug Consortium, LLC (101668460)

Revised: 10/2023

Chain Drug Consortium, LLC