SENNA LAXATIVE- sennosides tablet Cardinal Health (Leader) 49781

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement within 6-12 hours.

Warnings

Do not use

• laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before using if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks.

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day

children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: calcium 25 mg
- store at 25° C (77° F); excursions permitted between 15–30°C (59–86°F)

Inactive Ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, liquid paraffin*, magnesium stearate, maltodextrin*, microcrystalline cellulose, mineral oil*, polyethylene glycol*, polyvinyl alcohol*, silicon dioxide*, sodium lauryl sulfate*, stearic acid*, talc*

*contains one or more of these ingredients

Questions or comments?

Call free 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Senokot® active ingredient⁺

Senna Laxative

Sennosides, 8.6 mg

Natural Vegetable laxative ingredient

gentle, overnight relief

Tablets

†This product is not manufactured or distributed by Purdue Products L.P., distributor of Senokot®.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY: CARDINAL HEALTH DUBLIN, OHIO 43017 www.myleader.com

Product Label



Leader Senna Laxative Brown Tablets

ben of 2 peoplide	and at the set	unde a gener teldet t	uph a point staldat 0
adults and childre	dren 12 years of age and over	2 tablets once a day	4 tablets twice a day
əğe		starting dosage	agesob mumixem
■ take preferably a	r at bedtime or as directed by a do	octor	
	reast-feeding, ask a health profest sh of children. In case of overdoe	ssional before use. 9, get medical help or contact a Pois	on Control Center right away.
Stop use and ask in the section of t	-	mavom lawod a svart ot list oo poibe	ysm seart .svitsxal a to seu rafte fin
stomach pain	fore use if you have ■ nausea ■ vomiting en change in bowel habits that co	syeew 2 to beind a reve semitim	
Warnings Do not use Exative products	sseinu veek insut rooger than i week unless	directed by a doctor	
	onal constipation (irregularity) uces a bowel movement in 6 -12	hours	
	(təldet dəsə ni) taəlb		920qnuq evitexe.l
Drug Facts			

ssk a doctor children under 2 years ask a doctor children 2 to under 6 years 1 tablet twice a day 1/2 tablet once a day Z ISDIELS TWICE & Day l rediet once a day culiqueu e to nuger 15 years

contains one or more of these ingredients dioxide*, sodium lauryl sulfate*, stearic acid*, talc* Inactive ingredients croscemellose sodium, dibasic calcium phosphate dihydrate, hypromellose*, liquid paraffin*,

magnesium stearate, maltodextrin*, microcrystalline cellulose, mineral oil*, polyethylene glycol*, polyvinyl alcohol*, silicon

This product is not manufactured or distributed by Purdue Products L.P., distributor of Senokot^e.

store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Compare to

Senokot®

active ingredient!

each tablet contains: calcium 25 mg

Other information

(panuguoo) saos for and

TS3 M92-MA9 vs comments? Call 1-53-3935 Monday-Friday 9AM-5PM EST

LEADER

Sennosides, 8.6 mg

1-800-500-6313 www.myleader.com Bev. 2/16 DUBLIN, OHIO 43017 DUBLIN, OHIO 43017

to place of purchase for a full refund. 100% satisfaction guaranteed or return All Leader® Brand Products are

100 TABLETS

Natural Vegetable Laxative ingredient Gentle, Overnight Relief



NDC 49781-148-51

0

n

1

ο

FC003015 PLD-022X Exp. Date: Lot No.:

P	roduct Inform	ation					
	oduct T ype		HUMAN OTC DRUG	Item Code (Source)	NDC:497	81-148	
	oute of Administ	ration	ORAL				
R	Jute of Administ		OME				
A	ctive Ingredie	nt/Active Moi	etv				
			redient Name	Basis of St	rength	Strength	
SE	NNOSIDES (UNII:	•	NNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES		8.6 mg	
In	active Ingred	ients					
			Ingredient Name			Strength	
CF	OSCARMELLOS	E SODIUM (UNII:	M28OL1HH48)				
			IYDRATE (UNII: O7TSZ97GEP)				
HJ	PROMELLOSES	(UNII: 3NXW29V3	BWO)				
	AGNESIUM STEA		,				
	ALTO DEXTRIN (U						
			E (UNII: OP1R32D61U)				
	NERAL OIL (UNI						
	LICON DIO XIDE		J4)				
	EARIC ACID (UN						
	LC (UNII: 7SEV7J						
	DIUM LAURYL S						
			CIFIED (UNII: 3WJQ0SDW1A)				
PU	OLYVINYL ALCO	HOL, UNSPECIFI	ED (UNII: 532B59J990)				
Pı	roduct Charac	teristics					
Co	lor	BROWN	Score	no score	no score		
Sh	ape	ROUND	Size	9 mm	9 mm		
Fla	avor		Imprint Code	0813;AV;TCL080;S8	0813;AV;TCL080;S8		
Co	ontains						
Pa	ackaging						
#	Item Code		Package Description	Marketing Start Date	Mar	keting End Date	
	NDC:49781-148- 51	1 in 1 BOX		02/29/2016	12/31/20)22	
1		100 in 1 BOTTLE Product	, PLASTIC; Type 0: Not a Combin	ation			
M	larketing In	formation					
Μ	l <mark>arketing In</mark> Marketing Cat		ication Number or Monograp	h Citation Marketing Start Da	te Marke	ting End Da	

Labeler - Cardinal Health (Leader) 49781 (097537435)

Revised: 11/2019

Cardinal Health (Leader) 49781