

**MIDOL COMPLETE- acetaminophen, caffeine, and pyrilamine maleate tablet**  
**MIDOL COMPLETE, TRAVEL BASIX- acetaminophen, caffeine, and pyrilamine maleate tablet**  
**Lil' Drug Store Products, Inc**

-----  
**Midol ® Complete**

***Drug Facts***

<b><i>Active ingredients (in each caplet)</i></b>	<b><i>Purpose</i></b>
Acetaminophen 500 mg	Pain reliever
Caffeine 60 mg	Diuretic
Pyrilamine maleate 15 mg	Antihistamine

**Uses**

for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- bloating
- water-weight gain
- headache
- backache
- muscle aches
- fatigue

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- hives
- facial swelling
- asthma (wheezing)
- shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- do not take more than the recommended dose
- adults and children 12 years and older:
  - take 2 caplets with water
  - repeat every 6 hours, as needed
  - do not exceed 6 caplets per day
- children under 12 years: consult a doctor

## Other information

- Store at room temperature.

Avoid excessive heat above 40°C (104°F).

## Inactive ingredients

carnauba wax, croscarmellose sodium, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, propylene glycol, shellac, titanium dioxide, triacetin

## Questions or comments?

1-800-331-4536 (Mon-Fri 9AM-5PM EST)

Midol® Complete 6ct, Lil' Drug Store® - PDP/Package

Midol®

Complete

Acetaminophen/Caffeine/Pyrimidine Maleate

Pain Reliever/Diuretic/Antihistamine

**MULTI-SYMPATOM RELIEF OF**

**CRAMPS • BLOATING • FATIGUE**

**HEADACHE • BACKACHE**

[Bayer cross]

[caplet image]

6

Caplets

[Lil' Drug Store® logo]

**Drug Facts (continued)**

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

- liver disease • glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- you may get drowsy • avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur • redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

**Drug Facts (continued)**

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

- liver disease • glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- you may get drowsy • avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur • redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

**Drug Facts**

Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever
Caffeine 60 mg	Diuretic
Pyrimidine maleate 15 mg	Antihistamine

**Uses** for the temporary relief of these symptoms associated with menstrual periods:

- cramps • bloating
- water-weight gain • headache
- backache • muscle aches
- fatigue

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product.
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy alert: acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening • blisters • rash • hives
- facial swelling • asthma (wheezing) • shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

LIFT PANEL FOR CONTINUED DRUG FACTS

**Midol® Complete 4ct, TRAVEL BASIX - PDP/Package**

**Midol®**

**COMPLETE**

**Acetaminophen/Caffeine/Pyrilamine Maleate**

Pain Reliever/Diuretic/Antihistamine

**MULTI-SYMPATOM RELIEF OF  
CRAMPS • BLOATING • FATIGUE  
HEADACHE • BACKACHE**

[BAYER cross]

[caplets image]

**4**

Caplets

[TRAVEL BASIX logo]



**Midol® Complete , 25ct Dispens-It - PDP/Package**

**Midol®**

**Complete**

Acetaminophen/Caffeine/Pyrilamine Maleate  
Pain Reliever/Diuretic/Antihistamine

[Bayer cross]


**MULTI-SYMPPTOM RELIEF OF  
CRAMPS · BLOATING  
FATIGUE · HEADACHE · BACKACHE**

[caplets (2) image]

**25 POUCHES**

**2 CAPLETS EACH**

[Lil' Drug Store logo]



**Midol® Complete 30ct Dispens-It Carton - PDP/Package**

**Midol®  
Complete**

Acetaminophen/Caffeine/Pyrilamine Maleate  
Pain Reliever/Diuretic/Antihistamine

[Bayer cross]

**MULTI-SYMPPTOM RELIEF OF  
CRAMPS · BLOATING  
FATIGUE · HEADACHE · BACKACHE**

[caplets (2) image]

**30 POUCHES**

**2 CAPLETS EACH**

[Lil' Drug Store logo]

Do not use if pouch is open or torn.

**Drug Facts**

**Active ingredients (in each caplet)**

Acetaminophen 500 mg	Pain reliever
Caffeine 60 mg	Diuretic
Pyrilamine maleate 15 mg	Antihistamine

**Uses**

For the temporary relief of these symptoms associated with menstrual periods:

- cramps
- bloating
- water-weight gain
- headache
- backache
- muscle aches
- fatigue

**Warnings**

**Label warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Other information**

Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Other information**

Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Inactive ingredients**

croscarmellose sodium, FD&C blue #2, aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, propylene glycol, shellac, titanium dioxide, triacetin.

**Questions or comments?**

1-800-254-6262 Mon-Fri 8AM-5PM EST

**Bayer** Bayer HealthCare LLC, Whispery, NJ 07981

This product is packaged by U.F. Drug Store Products, Inc. 5000 Earhart Lane SW, Cedar Rapids, IA 52404 1-877-507-6516, Mon-Fri 8 AM-4:30 PM CT, from a product manufactured by Bayer.

Bayer, the Bayer Cross and Midol are registered trademarks of Bayer, used with permission.

Date Stamp Area  
No Varnish

**Acetaminophen/Caffeine/Pyrilamine Maleate**  
Pain Reliever/Diuretic/Antihistamine

**MULTI-SYMPTOM RELIEF OF**  
CRAMPS - BLOATING  
FATIGUE - HEADACHE - BACKACHE

**Acetaminophen/Caffeine/Pyrilamine Maleate**  
Pain Reliever/Diuretic/Antihistamine

**MULTI-SYMPTOM RELIEF OF**  
CRAMPS - BLOATING  
FATIGUE - HEADACHE - BACKACHE

**Acetaminophen/Caffeine/Pyrilamine Maleate**  
Pain Reliever/Diuretic/Antihistamine

**MULTI-SYMPTOM RELIEF OF**  
CRAMPS - BLOATING  
FATIGUE - HEADACHE - BACKACHE

**30 POUCHES**  
**2 CAPLETS EACH**

**30 POUCHES**  
**2 CAPLETS EACH**

**Acetaminophen/Caffeine/Pyrilamine Maleate**  
Pain Reliever/Diuretic/Antihistamine

**MULTI-SYMPTOM RELIEF OF**  
CRAMPS - BLOATING  
FATIGUE - HEADACHE - BACKACHE

**30 POUCHES**  
**2 CAPLETS EACH**

# MIDOL COMPLETE

acetaminophen, caffeine, and pyrilamine maleate tablet

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-9745
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)		CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)		PYRILAMINE MALEATE	15 mg

Inactive Ingredients		Strength
Ingredient Name		Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)		
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
MAGNESIUM STEARATE (UNII: 70097M6130)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
STARCH, CORN (UNII: O8232NY3SJ)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
SHELLAC (UNII: 46N107B710)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
TRIACETIN (UNII: XHX3C3X673)		
CARNAUBA WAX (UNII: R12CBM0EIZ)		

Product Characteristics		
<b>Color</b>	white	<b>Score</b>
		no score

<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	Midol
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9745-2	2 in 1 CARTON	12/01/2011	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/01/2011	

## MIDOL COMPLETE, TRAVEL BASIX

acetaminophen, caffeine, and pyrilamine maleate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-6445
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	Midol
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6445-2	2 in 1 CARTON	11/29/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-6445-7	25 in 1 CARTON	04/19/2022	10/31/2028
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-6445-8	30 in 1 CARTON	04/19/2022	
3		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/19/2022	

**Labeler** - Lil' Drug Store Products, Inc (093103646)

Revised: 12/2025

Lil' Drug Store Products, Inc