

**NIX- permethrin rinse**  
**Insight Pharmaceuticals LLC**

-----  
**Nix Creme Rinse - 63736-030**

***Drug Facts***

***Active ingredient (in each fluid ounce)***

Permethrin 280 mg (1%)

***Purpose***

Lice treatment

**Use**

treats head lice

**Warnings**

**For external use only**

**Do not use**

- on children under 2 months of age
- near the eyes
- inside the nose, ear, mouth, or vagina
- on lice in eyebrows or eyelashes. See your doctor.

**Ask a doctor before use if you are**

allergic to ragweed. May cause breathing difficulty or an asthmatic episode.

**When using this product**

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into the eyes, immediately flush with large amounts of water
- scalp itching or redness may occur

**Stop use and see a doctor if**

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

## **Important: Read warnings before use**

### ■ **Adults and children 2 months of age and over:**

#### **Inspect**

- all household members should be checked by another person for lice and/or nits (eggs)
- use a magnifying glass in bright light to help you see the lice and nits (eggs)
- use a tool, such as a comb or two unsharpened pencils to lift and part the hair
- look for tiny nits near the scalp, beginning at the back of the neck and behind the ears
- small sections of hair (1-2 inches wide) should be examined at a time
- unlike dandruff, nits stick to the hair. Dandruff should move when lightly touched.
- if either lice or nits (eggs) are found, treat with Nix<sup>®</sup> Creme Rinse

#### **Treat**

- wash hair with a shampoo without conditioner. Do not use a shampoo that contains a conditioner or a conditioner alone since this may decrease the activity of Nix<sup>®</sup>. Rinse with water.
- towel dry hair so it is damp but not wet
- shake the bottle of Nix<sup>®</sup> well
- completely saturate the hair and scalp with Nix<sup>®</sup>. Begin to apply Nix<sup>®</sup> behind the ears and at the back of the neck.
- keep Nix<sup>®</sup> out of the eyes. Protect the eyes with a washcloth or towel.
- leave Nix<sup>®</sup> on the hair for 10 minutes, but no longer
- rinse with warm water
- towel dry hair and comb out tangles
- if live lice are seen seven days or more after the first treatment, a second treatment should be given

#### **Remove Lice/Nits**

- remove nits by combing the hair with the special small tooth comb provided. Remaining nits may be removed by hand (using a throw-away glove), or cutting the nits out.
- use the nit comb provided and make sure the hair remains slightly damp while removing nits
- if the hair dries during combing, dampen it slightly with water
- part the hair into 4 sections. Work on one section at a time. Longer hair may take more time (1-2 hours).
- start at the top of the head on the section you have picked
- with one hand, lift a 1-2 inch wide strand of hair. Get the teeth of the comb as close to the scalp as possible and comb with a firm, even motion away from the scalp to the end of the hair.
- use clips to pin back each strand of hair after you have combed out the nits
- clean the comb completely as you go. Wipe the nits from the comb with a tissue and throw away the tissue in a sealed plastic bag to prevent the lice from coming back.
- after combing, recheck the entire head for nits and repeat combing if necessary
- check the affected head daily to remove any nits that you might have missed

#### **Other information**

- read all the directions in the Consumer Information Insert and warnings before use. Keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77°F)

#### **Inactive ingredients**

canada balsam, cetyl alcohol, citric acid, FD&C yellow no. 6, fragrance, hydrolyzed animal protein, hydroxyethylcellulose, polyoxyethylene 10 cetyl ether, propylene glycol, stearylalkonium chloride, water, isopropyl alcohol, methylparaben, and propylparaben

**Questions or comments?**

**Call 1-888-LICE LINE (1-888-542-3546), Monday to Friday, 9 AM - 5 PM EST**


**PRINCIPAL DISPLAY PANEL**

**Nix®**  
**Lice Killing Creme Rinse**  
 includes 1 bottle plus 1 nit comb  
 NET WT 2 FL OZ (59 mL)



**PRINCIPAL DISPLAY PANEL**

**Nix®**  
**Creme Rinse – Family Pack**  
 Permethrin /Lice Treatment  
 Family Pack - NET WT 4 FL OZ (2 - 2 FL OZ (59 mL))



## NIX

permethrin rinse

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63736-030
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PERMETHRIN (UNII: 509 F88 P9 S Z) (PERMETHRIN - UNII:509 F88 P9 S Z)	PERMETHRIN	1 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
CANADA BALSAM (UNII: K304VI98 I3)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARALKONIUM CHLORIDE (UNII: 0OUO26BB88)	

<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>METHYLPARABEN</b> (UNII: A2I8C7H9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	

### Product Characteristics

<b>Color</b>	ORANGE (Light Orange)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-030-01	1 in 1 CARTON	11/15/2013	
1		59 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:63736-030-02	2 in 1 CARTON	11/15/2013	
2		59 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019918	11/15/2013	

**Labeler** - Insight Pharmaceuticals LLC (055665422)

Revised: 4/2020

Insight Pharmaceuticals LLC