NEUTROGENA STUBBORN ACNE AM TREATMENT- benzoyl peroxide gel Kenvue Brands LLC

Neutrogena [®] STUBBORN ACNE AM TREATMENT

Drug Facts

Active ingredient

Benzoyl Peroxide (2.5%)

Purpose

Acne treatment

Use

For the treatment of acne.

Warnings

For external use only.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth. If contact occurs, flush thoroughly with water
- avoid contact with hair or dyed products, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide.

Stop use and ask a doctor if

• Irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other Information

• Store at 20°C to 25°C (68°F - 77°F)

Inactive ingredients

Water, Carbomer Homopolymer type B, Ethylhexylglycerin, Sodium Hydroxide, Chlorphenesin, Disodium EDTA, Laureth-4, Hydroxypropyl Methylcellulose

Questions?

800-582-4048; Outside US, dial collect 215-273-8755 or visit www.neutrogena.com

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 56 g Tube Carton

New Neutrogena[®] DERMATOLOGIST RECOMMENDED BRAND **STUBBORN** ACNE AM TREATMENT Benzoyl Peroxide Acne treatment

works all day to help eliminate stubborn acne

2.5% Micronized BPO

NET WT. 2.0 OZ (56 g)

NEW

Neutrogena

DERMATOLOGIST RECOMMENDED BRAND

Our recommended regimen for stubborn acne and post-acne marks:



Stubborn Acne AM Treatment



Stubborn Marks PM Treatment

When used together, the Retinol helps release pore-clogging dead skin cells, giving Benzoyl Peroxide a clear path to effectively target acnecausing bacteria.



2.5% Micronized Benzoyl Peroxide A recommended first line

A recommended first line of treatment by dermatologists

Clinically Proven Formula

Formulated Without parabens, oil, phthalates, dyes and fragrances.

STUBBORN ACNE

AM TREATMENT 🔆 Benzoyl Peroxide Acne Treatment

works all day to help eliminate stubborn acne

2.5% Micronized BPO

NET WT. 2.0 OZ (56 g) Netrogenar STUBBORN ACNE Netrogenar

Inspired by dermatologist recommended regimen for clear skin

ل 🔆

Neutrogena Stubborn Acne™ AM Treatment

Vanishing formula reduces size and redness of acne in just hours, with a dermatologist recommended approach.

Use on your full face not just on breakouts. Contains micronized benzoyl peroxide to penetrate deep into pores and kill acne-causing bacteria at the source.

Purpose

颷

Acne treatment

Drug Facts

Active ingredient Benzoyl Peroxide (2.5%)

Use For the treatment of acne.

Warnings

For external use only.

When using this product I skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. I avoid unnecessary sun exposure and use sunscreen I avoid contact with the eyes, lips, and mouth. If contact occurs, flush thoroughly with water. I avoid contact with hair and dyed products, which may be bleached by this product I skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use if you have very sensitive skin are sensitive to benzoy peroxide.

Stop use and ask a doctor if = irritation becomes severe,

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away,

Directions = clean the skin thoroughly before applying this product

cover the entire affected area with a thin layer one to three times daily
because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor if bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information Store at 20°C to 25°C (68°F - 77°F)

Inactive ingredients Water, Carbomer Homopolymer type B, Ethylhexylglycerin, Sodium Hydroxide, Chlorphenesin, Disodium EDTA, Laureth-4, Hydroxypropyl Methylcellulose

Questions? 800-582-4048; Outside US, dial collect 215-273-8755 or visit www.neutrogena.com

Distributed by: JOHNSON & JOHNSON CONSUMER INC, Skillman, NJ 08558 9 J&JCI 2020 30047429 Made in Canada.

ACTUAL SIZE





NEUTROGENA STUBBORN ACNE AM TREATMENT

benzoyl peroxide gel

Product Information

Route of Administration

Product Type

TOPICAL

HUMAN OTC DRUG

Item Code (Source)

NDC:69968-0653

Active migrealent/Active molecy	Active	Ingredient/Active	Moiety
---------------------------------	--------	-------------------	--------

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZ N9A0GM) (BENZOYL PEROXIDE - UNII:W9WZ N9A0GM)	BENZOYL PEROXIDE	25 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL OR ALLYL SUCROSE CROSSLINKED) (UNII: K6MOM3T5YL)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
CHLORPHENESIN (UNII: 1670DAL4SZ)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LAURETH-4 (UNII: 6HQ855798J)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

5 5				
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968- 0653-2	1 in 1 CARTON	08/03/2020	
1		56 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968- 0653-1	12 in 1 PACKAGE	08/03/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M006	08/03/2020		

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024

2

Kenvue Brands LLC