

# **NEUTROGENA STUBBORN ACNE AM TREATMENT- benzoyl peroxide gel**

**Kenvue Brands LLC**

-----

## **Neutrogena® STUBBORN ACNE AM TREATMENT**

### **Drug Facts**

#### **Active ingredient**

Benzoyl Peroxide (2.5%)

#### **Purpose**

Acne treatment

#### **Use**

For the treatment of acne.

#### **Warnings**

**For external use only.**

#### **When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth. If contact occurs, flush thoroughly with water
- avoid contact with hair or dyed products, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

#### **Do not use** if you

- have very sensitive skin
- are sensitive to benzoyl peroxide.

#### **Stop use and ask a doctor if**

- Irritation becomes severe.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

### **Other Information**

- Store at 20°C to 25°C (68°F - 77°F)

### **Inactive ingredients**

Water, Carbomer Homopolymer type B, Ethylhexylglycerin, Sodium Hydroxide, Chlorphenesin, Disodium EDTA, Laureth-4, Hydroxypropyl Methylcellulose

### **Questions?**

**800-582-4048**; Outside US, dial collect **215-273-8755** or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:  
Kenvue Brands LLC  
Summit, NJ 07901

### **PRINCIPAL DISPLAY PANEL - 56 g Tube Carton**

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

### **STUBBORN**

### **ACNE**

### **AM TREATMENT**

### **Benzoyl Peroxide Acne treatment**

**works all day to help  
eliminate stubborn acne**

**2.5% Micronized BPO**

**Fragrance-Free**

**NET WT. 2.0 OZ  
(56 g)**



# NEUTROGENA STUBBORN ACNE AM TREATMENT

benzoyl peroxide gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0653
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOYL PEROXIDE</b> (UNII: W9WZ N9A0GM) (BENZOYL PEROXIDE -	BENZOYL PEROXIDE	25 mg

UNII:W9WZ N9A0GM) BENZOTL PEROXIDE in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL OR ALLYL SUCROSE CROSSLINKED)</b> (UNII: K6MOM3T5YL)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>LAURETH-4</b> (UNII: 6HQ855798J)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0653-2	1 in 1 CARTON	08/03/2020	
1		56 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0653-1	12 in 1 PACKAGE	08/03/2020	
2		9 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	08/03/2020	

**Labeler** - Kenvue Brands LLC (118772437)