

**GENEXA ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet, coated  
Genexa Inc.**

-----  
**Acetaminophen Extra Strength Caplets**

***Drug Facts***

***Active ingredient (in each caplet)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen.

Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see Overdose warning)**

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days, unless directed by a doctor

children under 12 years

ask a doctor

**Other information**

- each caplet contains: **calcium 12 mg**
- store between 20-25°C (68-77°F)

**Inactive ingredients**

acacia gum‡, agave fiber‡, agave syrup‡, calcium carbonate‡, organic carnauba wax, cellulose‡, dextrose‡, dibehenin (vegetable source)‡, glycerin‡, guar gum‡, maltodextrin‡, rice extract‡, rice hulls‡, sodium bicarbonate‡, organic sunflower lecithin, sunflower oil‡

‡natural

**Questions? 1-855-436-3921**

**DO NOT use if seal on top and bottom of carton or under cap of bottle is disturbed or missing.**

Made in the USA with globally sourced ingredients

Patent Pending | Distributed by: Genexa Inc.

Atlanta, GA 30324 | genexa.com

\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol<sup>®</sup> Extra Strength Caplets.

NDC 69676-0059-5

Genexa®

Same active ingredient as Tylenol®\*

0% Artificial Additives

MEDICINE MADE CLEAN

For Adults

Acetaminophen Extra Strength

Pain Reliever

Fever Reducer

50 Caplets | 500 mg each

exxueleb®

**Drug Facts (continued)**

- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see Overdose warning)

|                                       |   |
|---------------------------------------|---|
| adults and children 12 years and over | <ul style="list-style-type: none"> <li>• take 2 caplets every 6 hours while symptoms last</li> <li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>• do not use for more than 10 days, unless directed by a doctor</li> </ul> |
| children under 12 years               | ask a doctor  |

**Drug Facts (continued)**

**Other information**

- each caplet contains: calcium 12 mg
- store between 20-25°C (68-77°F)

**Inactive ingredients**

acacia gum<sup>‡</sup>, agave fiber<sup>‡</sup>, agave syrup<sup>‡</sup>, calcium carbonate<sup>‡</sup>, organic carnauba wax, cellulose<sup>‡</sup>, dextrose<sup>‡</sup>, dibehenin (vegetable source)<sup>‡</sup>, glycerin<sup>‡</sup>, guar gum<sup>‡</sup>, maltodextrin<sup>‡</sup>, rice extract<sup>‡</sup>, rice hulls<sup>‡</sup>, sodium bicarbonate<sup>‡</sup>, organic sunflower lecithin, sunflower oil<sup>‡</sup>

<sup>‡</sup>natural

**Questions?** 1-855-436-3921

**DO NOT** use if seal on top and bottom of carton and under cap of bottle is disturbed or missing.

Made in the USA with globally sourced ingredients

Patent Pending | Distributed by: Genexa Inc. Atlanta, GA 30324 | genexa.com

\* This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol® Extra Strength Caplets.

R-20250124 NDC 69676-0059-5

We hope you feel better

Keep outer package for complete product information

**Drug Facts**

| Active ingredient    | Purpose                         |
|----------------------|---------------------------------|
| Acetaminophen 500 mg | Pain reliever/<br>fever reducer |

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold • headache • backache
  - minor pain of arthritis
  - toothache • muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Genexa®

MEDICINE MADE CLEAN

Acetaminophen Extra Strength

Pain Reliever Fever Reducer

50 caplets | 500 mg each

Please recycle

8 50015 73636 0

## GENEXA ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet, coated

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:69676-0059

Route of Administration ORAL

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN     | 500 mg   |

### Inactive Ingredients

| Ingredient Name                          | Strength |
|--|----------|
| INULIN (UNII: JOS53KRJ01)                |          |
| ACACIA (UNII: 5C5403N260)                |          |
| GUAR GUM (UNII: E89I1637KE)              |          |
| AGAVE TEQUILANA JUICE (UNII: GVG8G0207O) |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)          |          |
| DEXTROSE (UNII: IY9XDZ35W2)              |          |
| MALTODEXTRIN (UNII: 7CVR7L4A2D)          |          |
| SODIUM BICARBONATE (UNII: 8MDF5V39QO)    |          |
| LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)   |          |
| CALCIUM CARBONATE (UNII: H0G9379FGK)     |          |
| RICE BRAN (UNII: R60QEP13IC)             |          |
| GLYCERYL DIBEHENATE (UNII: R8WTH25YS2)   |          |
| SUNFLOWER OIL (UNII: 3W1JG795YI)         |          |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M)    |          |
| GLYCERIN (UNII: PDC6A3C0OX)              |          |

### Product Characteristics

|          |                                  |              |          |
|----------|----------------------------------|--------------|----------|
| Color    | white (LIGHT BEIGE WTH SPECKLES) | Score        | no score |
| Shape    | OVAL (Oblong)                    | Size         | 18mm     |
| Flavor   |                                  | Imprint Code | G4       |
| Contains |                                  |              |          |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69676-0059-2 | 1 in 1 CARTON                                      | 02/17/2022           |                    |
| 1 |                  | 100 in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:69676-0059-5 | 1 in 1 CARTON                                      | 02/17/2022           |                    |
| 2 |                  | 50 in 1 BOTTLE; Type 0: Not a Combination Product  |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|--------------------|--|----------------------|--------------------|

|                    |      |            |  |
|--------------------|------|------------|--|
| OTC Monograph Drug | M013 | 02/17/2022 |  |
|--------------------|------|------------|--|

**Labeler** - Genexa Inc. (079751024)

Revised: 6/2025

Genexa Inc.