

CHILDRENS LORATADINE SUGAR FREE- loratadine solution H E B

Children's Loratadine Oral Solution Sugar Free

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup

adults and children 6	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24
-----------------------	--

years and over	more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.**
- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

Questions?

Call **1-866-923-4914**

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

Compare to the active ingredient in **Children's Claritin**®*

NDC 37808-131-08

Original Prescription Strength

Non-Drowsy†

H-E-B®

Children's Allergy

Loratadine
Oral Solution USP,
5 mg/5 mL

(Antihistamine) ALLERGY

Indoor & Outdoor Allergies

Ages 2 years and older

Relief of:

- **Sneezing • Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose**

24

Hour

DYE

FREE

Alcohol Free

Sugar Free

Dosing Cup Enclosed

Grape

Flavor

†When taken as directed.

See Drug Facts Panel.

4 FL OZ (120 mL)



PPK-8708-0
0418-0
22

NO VARNISH/ NO AQ
NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

T181C
B98.2
ENG19.59



CHILDRENS LORATADINE SUGAR FREE

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-131
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)		LORATADINE	5 mg in 5 mL

Inactive Ingredients		Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)		
GLYCERIN (UNII: PDC6A3C0OX)		
SORBITOL (UNII: 506T60A25R)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PHOSPHORIC ACID (UNII: E4GA8884NN)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM PHOSPHATE, MONOBASIC, DIHYDRATE (UNII: 5QWK665956)		

Product Characteristics			
Color	yellow	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-131-08	1 in 1 CARTON	04/16/2018	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	03/17/2017	

Labeler - H E B (007924756)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(37808-131)