

SUNSCREEN FOR KIDS SPF 50- avebonzone, homosalate, octisalate spray
Chain Drug Marketing Association

Quality Choice D42.000/D42AA
Sunscreen Spray for Kids SPF 50

Active ingredients

Avobenzzone 3%

Homosalate 12%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Keep away from fire or flame.

- after application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120° F.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

Disclaimer

May stain or damage some fabrics or surfaces

*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone[®] Sunscreen Spray Kids Broad Spectrum SPF 50.

Adverse reaction

100% QC SATISFACTION GUARANTEED

Distributed by CDMA, Inc.

Novi, MI 48375

www.qualitychoice.com

Questions: 800-935-2362

Principal display panel

NDC 83324-184-05

QC ®

Quality

Choice

*Compare to COPPERTONE ® KIDS

Kids

Sunscreen

Spray

Broad Spectrum SPF 50

UVA/UVB Sunscreen

Water Resistant (80 Minutes)

Continuous Spray From Any Angle

SPF 50

NET WT 5.5 oz (156 g)

Drug Facts

Active ingredients	Purpose
Avebonzone 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

Uses
 ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
 For external use only
 Flammable: Keep away from fire or flame. ■ after application, wait until product dries before approaching a source of heat or flame, or before smoking
 Do not use ■ on damaged or broken skin
 When using this product ■ keep out of eyes. Rinse with water to remove. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.
 Stop use and ask a doctor if ■ rash occurs
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ spray liberally and spread evenly by hand 15 minutes before sun exposure
 ■ apply to all skin exposed to the sun ■ hold container 4 to 6 inches from the skin to apply
 ■ do not spray directly into face. Spray on hands then apply to face.
 ■ do not apply in windy conditions ■ use in a well-ventilated area and avoid inhalation
 ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after toweling drying ■ at least every 2 hours
 ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m.-2 p.m.
 ■ wear long-sleeved shirts, pants, hats and sunglasses
 ■ children under 6 months of age. Ask a doctor

Other information
 ■ protect the product in this container from excessive heat and direct sun

Inactive ingredients alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/cycloheximide copolymer, butylcetyl salicylate, neopentyl glycol diheptanoate, fragrance, amyl cinnamal, hydroxybenzoinol, limonol, tocopheryl acetate

May stain or damage some fabrics or surfaces

100% SATISFACTION GUARANTEED

Distributed by CDMA, Inc.
 Novi, MI 48375
 www.qualitychoice.com
 Questions: 800-935-2362

NDC 83324-184-05

Kids Sunscreen Spray

Broad Spectrum SPF 50

UVA/UVB Sunscreen

Water Resistant (80 Minutes)
Continuous Spray From Any Angle

SPF
50

NET WT 5.5 oz (156 g)

*This product is not manufactured or distributed by Coppertone®/A distributor of Coppertone® Kids Broad Spectrum SPF 50.

L002 (REV 01/10)

6 35515 49983 1

SUNSCREEN FOR KIDS SPF 50

avebonzone, homosalate, octisalate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-184
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-184-05	156 g in 1 CAN; Type 0: Not a Combination Product	07/08/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

Labeler - Chain Drug Marketing Association (011920774)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(83324-184)

Revised: 3/2025

Chain Drug Marketing Association