

**SUNSCREEN FOR KIDS SPF 50- avebonzone, homosalate, octisalate spray**  
**Chain Drug Marketing Association**

-----  
**Quality Choice D42.000/D42AA**  
**Sunscreen Spray for Kids SPF 50**

**Active ingredients**

Avobenzzone 3%

Homosalate 12%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable:** Keep away from fire or flame.

- after application, wait until product dries before approaching a source of heat or flame, or before smoking

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120° F.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

- protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

## **Disclaimer**

May stain or damage some fabrics or surfaces

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone<sup>®</sup> Sunscreen Spray Kids Broad Spectrum SPF 50.

## **Adverse reaction**

100% QC SATISFACTION GUARANTEED

Distributed by CDMA, Inc.

Novi, MI 48375

[www.qualitychoice.com](http://www.qualitychoice.com)

Questions: 800-935-2362

## **Principal display panel**

NDC 83324-184-05

QC ®

Quality

Choice

\*Compare to COPPERTONE ® KIDS

Kids

Sunscreen

Spray

Broad Spectrum SPF 50

UVA/UVB Sunscreen

Water Resistant (80 Minutes)

Continuous Spray From Any Angle

SPF 50

NET WT 5.5 oz (156 g)

NDC 83324-184-05



\*Compare to COPPERTONE® KIDS  
4

# Kids Sunscreen Spray

**Broad Spectrum SPF 50**

**UVA/UVB Sunscreen**

Water Resistant (80 Minutes)  
Continuous Spray From Any Angle

**SPF 50**



**NET WT 5.5 oz (156 g)**

### Drug Facts

Active ingredients	Purpose
Avebenzone 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

### Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

**Flammable:** Keep away from fire or flame. ■ after application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if ■ rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

■ spray liberally and spread evenly by hand 15 minutes before sun exposure

■ apply to all skin exposed to the sun ■ hold container 4 to 6 inches from the skin to apply

■ do not spray directly into face. Spray on hands then apply to face.

■ do not apply in windy conditions ■ use in a well-ventilated area and avoid inhalation

■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying

■ at least every 2 hours

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ limit time in the sun, especially from 10 a.m.–2 p.m.

■ wear long-sleeved shirts, pants, hats and sunglasses

■ children under 6 months of age. Ask a doctor

### Other information

■ protect the product in this container from excessive heat and direct sun

**Inactive ingredients** alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/crylamide copolymer, butylcetyl salicylate, neopentyl glycol diheptanoate, fragrance, amyl cinnamal, hydroxyethanoinol, limonol, tocopheryl acetate

May stain or damage some fabrics or surfaces



Distributed by CDMA, Inc.  
Novi, MI 48375  
www.qualitychoice.com  
Questions: 800-935-2362

\*This product is not manufactured or distributed by Coppertone®. All distributor of Coppertone® Sunscreen Spray Kids Broad Spectrum SPF 50.



## SUNSCREEN FOR KIDS SPF 50

avebonzone, homosalate, octisalate spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83324-184
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06S V4M95S) (HOMOSALATE - UNII:V06S V4M95S)	HOMOSALATE	120 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW)</b> (UNII: 7LL6SY9YFV)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>.ALPHA.-AMYLCINNAMALDEHYDE</b> (UNII: WC51CA3418)	
<b>HYDROXYCITRONELLAL</b> (UNII: 8SQ0VA4YUR)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-184-05	156 g in 1 CAN; Type 0: Not a Combination Product	07/08/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

**Labeler** - Chain Drug Marketing Association (011920774)

**Registrant** - Nice-Pak Products, LLC (119091520)

### Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(83324-184)