STERILE WATER- sterile water for injection injection VetTek

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

STERILE WATER FOR INJECTION

STERILE WATER- sterile water for injection

ACTIVE INGREDIENT

Contains:

Water For Injection, USP...... 100%

INDICATIONS:

Sterile water for injection is intended for use as a sterile diluent for preparation of injectable solutions.

CAUTION:

Sterile water for injection is not suitable for intravascular injection without first having been made isotonic by the addition of suitable solute.

STORAGE

Store between 15°C and 30°C (59°F-86°F).

KEEP OUT OF REACH OF CHILDREN

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

WARNING:

Do not use this product if seal is broken or if solution is not clear. This is a sterile single dose vial. No preservatives have been added. Discard unused portion after use. Solutions made from this water should be used promptly or sterilized with adequate precautions for maintaining sterility.

ITAKE TIME OBSERVE LABEL DIRECTIONS.

Terminally Sterilized to provide a greated degree of sterilization.

Manufactured for:

VetTek

Blue Springs, MO, 64014

REV 06-19

ISS19XB04

PRINCIPAL DISPLAY PANEL

NDC 60270-133-13

Sterile Water for Injection

Dura-Ster TS

TERMINALLY STERILIZED

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Net Contents: 250 mL (8.45 fl. oz.)

VETTEKTM

Manufactured for: VetTek, Blue Springs, MO, 64014

Contains:

Water for Injection, USP...... 100%

INDICATIONS: Sterile water for injection is intended for use as a sterile diluent for preparation of injectable solutions.

CAUTION: Sterile water for injection is not suitable for intravascular injection without first having been made isotonic by the addition of suitable solute.

Store between 15°C and 30°C (59°F-86°F)



Manufactured for: **VetTek**Blue Springs, MO 64014
REV 06-19
ISS19XB04



NDC 60270-133-13

Sterile Water for Injection

Dura-Ster TSTERMINALLY STERILIZED

CAUTION: Federal law restricts this drug to use by or on

the order of a licensed veterinarian.

FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

Net Contents: 250 mL (8.45 fl. oz.)



Manufactured for: VetTek, Blue Springs, MO 64014

WARNING: Do not use this product if seal is broken or if solution is not clear. This is a sterile single dose vial. No preservatives have been added. Discard unused portion after use. Solutions made from this water should be used promptly or sterilized with adequate precaution for maintaining sterility.





Terminally Sterilized to provide a greater degree of sterilization.

OBSERVE LABEL DIRECTIONS

STERILE WATER

sterile water for injection injection

Product Information

| Product Type | PRESCRIPTION ANIMAL DRUG | Item Code (Source) | NDC:60270-133 |
|-------------------------|--------------------------|--------------------|---------------|
| Route of Administration | PARENTERAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | | Basis of Strength | Strength | |
|-----------------|---|-------------------|------------------|--|
| I | WATER (UNII: 059 OF0 KOOR) (WATER - UNII: 059 OF0 KOOR) | WATER | 100 mL in 100 mL | |

| | ka | | |
|--|----|--|--|
| | | | |
| | | | |

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
| | | | | |

| 1 NDC:60270-133-13 | 250 mL in 1 BOTTLE, PLASTIC | | | | |
|-----------------------|--|----------------------|--------------------|--|--|
| | | | | | |
| | | | | | |
| Marketing Information | | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| unapproved drug other | | 12/23/2019 | | | |
| | | | | | |

Labeler - VetTek (056387798)

Registrant - VetTek (056387798)

Revised: 12/2019 VetTek