SINUS AND ALLERGY- chlorpheniramine maleate, phenylephrine hcl tablet Hy-Vee

Drug Facts

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg
Phenylephrine HCl 10 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
 - sinus congestion and pressure
 - nasal congestion

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- do not exceed recommended dose
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use this product in children under 12 years of age

Other information

- each tablet contains: calcium 10 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

Call toll free 1-800-289-8343 Monday-Friday 9AM-4PM CST

Principal Display Panel

*Compare to the Active Ingredients of Sudafed PE® Sinus + Allergy

Sinus + Allergy

Chlorpheniramine Maleate, 4 mg ANTIHISTAMINE

Phenylephrine HCl, 10 mg NASAL DECONGESTANT

Maximum Strength

Relieves:

- Sinus Pressure
- Sneezing
- Sinus & Nasal Congestion
- Itchy, Watery Eyes

Tablets

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Sudafed PE® Sinus + Allergy.

DISTRIBUTED BY HY-VEE, INC., WEST DES MOINES, IA 50266 www.hy-vee.com

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Product Label

Call toll free 1-800-289-8343 Monday-Friday 9AM-4PM CST Questions or comments?

cellulose, mineral oil, pregelatinized starch, sodium starch glycolate, stearic phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline Inactive ingredients colloidal silicon dioxide, dibasic calcium

■ store at 20°-25°C (68°-77°F)

esch tablet contains: calcium 10 mg

Other information

- children under 12 years: do not use this product in children under 12 take more than 6 tablets in 24 hours.
- adults and children 12 years and over: take 1 tablet every 4 hours. Do not Directions

contact a Poison Control Center right away.

Keep out of reach of children. In case of overdose, get medical help or If pregnant or breast-feeding, ask a health professional before use.

- symptoms do not improve within 7 days or occur with a fever
 - uervousness, dizziness, or sleeplessness occur Stop use and ask a doctor if
- pe cateful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Drug Facts (continued)

quowsiuess may occur
 avoid alcoholic drinks

excitability may occur, especially in children

When using this product at do not exceed recommended dose

Ask a doctor or pharmacist before use if you are taking sedatives or

■ frouble urinating due to an enlarged prostate gland

s preathing problem such as emphysema or chronic bronchills

■ heart disease ■ thyroid disease ■ diabetes ■ glaucoma ■ high blood pressure Ask a doctor before use if you have

doctor or pharmacist before taking this product. drug. If you do not know if your prescription drug contains an MAOI, ask a conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional

Do not use if you are now taking a prescription monoamine oxidase Warnings

> ■ usasi congestion a sinus congestion and pressure

■ itchy, watery eyes ■ itching of the nose or throat Buizeeus ■ ■ runny nose orner upper respiratory allergies:

 temporarily relieves these symptoms due to hay fever (allergic rhinitis) or SƏSN

Masal decongestant

Phenylephrine HCI 10 mg. Chlorpheniramine maleate 4 mg.

Antihistamine Purpose

Active ingredients (in each tablet)

Sinus + Allergy

Maximum Strength

ty/ee

*Compare to the Active Ingredients of Sudafed PE® Sinus + Allergy

NDC 42507-810-24

Sinus + Allergy

CHLORPHENIRAMINE MALEATE, 4 mg ANTIHISTAMINE PHENYLEPHRINE HCI, 10 mg NASAL DECONGESTANT

Maximum Strength

Relieves:

- Sinus Pressure
- Sneezing
- Sinus & Nasal Congestion
 Itchy, Watery Eyes

24 Tablets



*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

> **KEEP OUTER CARTON FOR COMPLETE** WARNINGS AND PRODUCT INFORMATION



trademark Sudafed PE* Sinus + Allergy.

DISTRIBUTED BY HY-VEE, INC., WEST DES MOINES, IA 50266 SATISFACTION GUARANTEED, CALL 1-800-289-8343 www.hy-vee.com PLD-B FC001922

SINUS AND ALLERGY

chlorpheniramine maleate, phenylephrine hcl tablet

Product Information	duct Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-810	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	4 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg		

Inactive Ingredients			
Ingredient Name	Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
MINERAL OIL (UNII: T5L8T28FGP)			
STARCH, CORN (UNII: O8232NY3SJ)			
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)			
STEARIC ACID (UNII: 4ELV7Z65AP)			

Product Characteristics			
Color	white	Score	2 pieces
Shape	ROUND	Size	7mm
Flavor		Imprint Code	T127
Contains			

F	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:42507-810- 24	24 in 1 CARTON	02/28/2014	06/30/2024		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/28/2014	06/30/2024

Labeler - Hy-Vee (006925671)

Revised: 4/2024 Hy-Vee