ASPERFLEX ORIGINAL MAXIMUM STRENGTH- menthol patch Akron Pharma Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Asperflex Maximum Strength Tough on Pain Menthol 7.5% Original

DRUG FACTS

Active Ingredient

Menthol 7.5%

Purpose

Topical analgesic

Uses

for the temporary relief of minor aches and pains of muscles and joints associated with:

■ arthritis ■ simple backache ■ strains ■ sprains ■ bruises

Warnings

For external use only

Do not use

- on wounds, damaged, broken or irritated skin
- with a heating pad or apply local heat to the area of use

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- do not allow contact with
- the eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use
- do not use at the same time as other topical analgesics

- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds <do not use more than 4 patches at a time

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- severe burning sensation, redness or irritation develop

■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years of age and older:

■ gently fold the patch in half to remove center section of film backing. Apply the exposed adhesive portion to the site of pain.

- remove remaining film backing from both sides and finish applying to skin
- apply to affected area not more than 3 to 4 times daily

children under 12 years of age: consult a doctor

Other Information

store at room temperature 15°-30°C (59°-86°F).

Inactive ingredients

aluminum glycinate, propylene glycol, sodium acrylate/sodium acryloyldimethyl taurate copolymer, tartaric acid, 2,4-Imidazolidinedione, disodium edta, water, glycerin

Questions or Comments?

Call toll-free 1-877-255-6999.



AsperFlex

ASPERFLEX ORIGINAL MAXIMUM STRENGTH

menthol patch

Product Information					
Product Type	HUMAN OTC DRUG	Item Code	(Source)	NDC:713	399-4461
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingredient Name			Basis of Strength		Strength
MENTHOL (UNII: L7T10EIP3A) (MEN	THOL - UNII:L7T10EIP3A)		MENTHOL		210 mg
Inactive Ingredients					
	Ingredient Name	•			Strength
DIHYDROXYALUMINUM AMINOAC	CETATE ANHYDROUS (UN	II: 1K713C61	5K)		

PF	OPYLENE GLYC	DL (UNII: 6DC9Q167V3)		
sc	DIUM ACRYLATI	(UNII: 7C98FKB43H)		
TA	ARTARIC ACID (UI	III: W4888I119H)		
H١	DANTOIN (UNII: I	6208298TA)		
EC	DETATE DISODIU	M ANHYDROUS (UNII: 8NLQ36F6MM)		
w	ATER (UNII: 059Q	F0KO0R)		
GI	YCERIN (UNII: PD			
0.				
	ackaging			
		Package Description	Marketing Start Date	Marketing End Date
Pa	ackaging		-	-

Marketing InformationMarketing CategoryApplication Number or Monograph
CitationMarketing Start
DateMarketing End
DateOTC monograph not
finalpart34811/04/2021

Labeler - Akron Pharma Inc. (067878881)

Revised: 2/2023

Akron Pharma Inc.