

**CEPACOL EXTRA STRENGTH SORE THROAT HONEY LEMON- benzocaine and menthol lozenge**  
**RB Health (US) LLC**

-----  
**Cēpacol**®  
**Extra Strength Sore Throat honey lemon**

***Drug Facts***

<b><i>Active ingredients (in each lozenge)</i></b>	<b><i>Purposes</i></b>
Benzocaine 15 mg	Oral pain reliever
Menthol 2.6 mg	Oral pain reliever

**Uses**

**Uses:**

temporarily relieves occasional minor irritation and pain associated with:

- sore throat
- sore mouth
- canker sores

**Warnings**

**Methemoglobinemia warning**

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert**

Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other 'caine' anesthetics.

**Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by

fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- for teething
- in children under 5 years of age

**Stop use and ask a doctor or dentist if**

- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Do not exceed recommended dosage.**

**Directions**

- adults and children 5 years of age and older: allow one lozenge to dissolve slowly in the mouth; may be repeated every 2 hours as needed or as directed by a doctor or dentist.
- children under 5 years of age: do not use

**Other information**

- store at 20-25°C (68-77°F)
- protect contents from humidity

**Inactive ingredients**

D&C yellow no. 10, FD&C yellow no. 6, flavors, isomalt, maltitol, propylene glycol, purified water, sodium bicarbonate, sucralose

**Questions?**

**1-866-682-4639**

Dist. by: RB Health (US)  
Parsippany, NJ 07054-0224

Made in England

**PRINCIPAL DISPLAY PANEL - 16 Lozenge Blister Pack Carton**

NDC 63824-732-16

**Cēpacol®  
EXTRA STRENGTH**

**#1**

**DOCTOR**

**RECOMMENDED †**

**SORE THROAT**

**Benzocaine 15 mg • Menthol 2.6 mg | Oral Pain Relievers**

- **Relieves Sore Throat Pain**
- **Fast Acting**
- **Maximum Numbing\***

**16 Lozenges honey lemon flavor**

**\*based on amount of benzocaine per dose**



# Cēpacol<sup>®</sup>

**EXTRASTRENGTH**

**SORE THROAT**

honey lemon  
flavor



NDC 63824-732-16

# Cēpacol<sup>®</sup>

## EXTRASTRENGTH



Not actual size



## SORE THROAT

Benzocaine 15 mg • Menthol 2.6 mg | Oral Pain Relievers

- Relieves Sore Throat Pain
- Fast Acting
- Maximum Numbing\*

### 16 Lozenges

honey



lemon flavor

\*based on amount of benzocaine per dose

[www.cepacol.com](http://www.cepacol.com)

Dist. by: RB Health (US)  
Parsippany, NJ 07054-0224  
©2024 RB Health  
Made in England

† Cepacol is the #1 Doctor Recommended  
OTC Sore Throat Lozenge in the U.S. for  
the period of March 1, 2023 to February 29,  
2024  
(IQVIA ProVoice survey)



Patents: [www.reckitt.com/patents](http://www.reckitt.com/patents)

010325 50054227 3 63824 73016 5

**SORE THROAT**  
honey lemon  
flavor

**Cepacol**  
EXTRA STRENGTH

Tamper evident: Do not use if carton is damaged  
or if printed seal on blister is broken or missing.

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each lozenge) Purposes</b></p> <p>Benzocaine 15 mg.....Oral pain reliever</p> <p>Menthol 2.6 mg.....Oral pain reliever</p> <hr/> <p><b>Uses</b> temporarily relieves occasional minor irritation and pain associated with:</p> <p>■ sore throat    ■ sore mouth    ■ canker sores</p> <hr/> <p><b>Warnings</b></p> <p><b>Methemoglobinemia warning:</b></p> <p>Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:</p> <ul style="list-style-type: none"> <li>■ pale, gray, or blue colored skin (cyanosis)</li> <li>■ headache</li> <li>■ rapid heart rate</li> <li>■ shortness of breath</li> <li>■ dizziness or lightheadedness</li> <li>■ fatigue or lack of energy</li> </ul> <p><b>Allergy alert:</b> Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other 'caine' anesthetics.</p> <p><b>Sore throat warning:</b> If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.</p>	<p><b>Drug Facts (continued)</b></p> <hr/> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ for teething</li> <li>■ in children under 5 years of age</li> </ul> <hr/> <p><b>When using this product</b> do not exceed recommended dosage</p> <hr/> <p><b>Stop use and ask a doctor or dentist if</b></p> <ul style="list-style-type: none"> <li>■ sore mouth symptoms do not improve in 7 days</li> <li>■ irritation, pain, or redness persists or worsens</li> <li>■ swelling, rash, or fever develops</li> </ul> <hr/> <p><b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b></p> <p>In case of overdose, get medical help or contact a Poison Control Center right away</p> <hr/> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ adults and children 5 years of age and older: allow one lozenge to dissolve slowly in the mouth; may be repeated every 2 hours as needed or as directed by a doctor or dentist.</li> <li>■ children under 5 years of age: do not use</li> </ul> <hr/> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store at 20-25°C (68-77°F)</li> <li>■ protect contents from humidity</li> </ul> <hr/> <p><b>Inactive ingredients</b> D&amp;C yellow no. 10, FD&amp;C yellow no. 6, flavors, isomalt, maltitol, propylene glycol, purified water, sodium bicarbonate, sucralose</p> <hr/> <p><b>Questions? 1-866-682-4639</b></p>
---	---

## CEPACOL EXTRA STRENGTH SORE THROAT HONEY LEMON

benzocaine and menthol lozenge

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63824-732
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	2.6 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>ISOMALT</b> (UNII: S870P55O2W)	
<b>MALTITOL</b> (UNII: D65DG142WK)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	

SUCRALOSE (UNII: 96K6UQ3ZD4)

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	18mm
<b>Flavor</b>	HONEY (Honey-Lemon)	<b>Imprint Code</b>	S
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-732-16	2 in 1 CARTON	07/15/2013	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	07/15/2013	

**Labeler** - RB Health (US) LLC (081049410)

Revised: 3/2025

RB Health (US) LLC