

ACETAMINOPHEN- acetaminophen solution
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED

CVS 44-003

Active ingredient (in each 30 mL)

Acetaminophen 1,000 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - toothache
 - muscular aches
 - headache
 - backache
 - the common cold
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over
 - take 30 mL every 6 hours while symptoms last
 - do not take more than 90 mL in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 11 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium saccharin, sucralose

Questions or comments?

1-800-426-9391

Principal display panel

NDC 51316-303-19

♥CVS™

Cherry Flavor

Extra Strength

ACETAMINOPHEN

Pain Reliever, Fever Reducer, **1000 mg / 30 mL**

Contains No Aspirin

Ages 12 Years & Older

8 FL OZ (237 mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED NECK
WRAP IS BROKEN OR MISSING**

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2025 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

V-11112

**♥ 100% money back
guaranteed.**

CVS.com/returnpolicy

50844 ORG022300319

NDC 51316-303-19



Cherry Flavor

Extra Strength

ACETAMINOPHEN

Pain Reliever, Fever Reducer, **1000 mg / 30 mL**

Contains No Aspirin | Ages 12 Years & Older

8 FL OZ (237 mL)

F-003-19 ORG

#695051

FPO 80%
UPC# 050428164532

X XXXXXX XXXXXX X

TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each 30 mL)	Purpose
Acetaminophen 1,000 mg	Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- toothache ■ muscular aches ■ headache ■ minor pain of arthritis
- backache ■ the common cold ■ premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

50844
ORG022300319
B-003-19 ORG

No Print/No Varnish Lot & EXP

PEEL HERE FOR COMPLETE DRUG FACTS

Drug Facts (continued)

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ blisters ■ rash ■ skin reddening. If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if ■ redness or swelling is present
 ■ pain gets worse or lasts more than 10 days ■ new symptoms occur
 ■ fever gets worse or lasts more than 3 days
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

▶

Drug Facts (continued)

Directions ■ do not take more than directed

- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over
- take 30 mL every 6 hours while symptoms last
- do not take more than 90 mL in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor
- children under 12 years: do not use

Other information ■ each 30 mL contains: sodium 11 mg

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients
 anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium saccharin, sucralose

Questions or comments? 1-800-426-9391

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2025 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS
 V-11112

100% money back guaranteed.
 CVS.com/returnpolicy

CVS 44-003

ACETAMINOPHEN			
acetaminophen solution			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-303
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	1000 mg in 30 mL	

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-303-19	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/26/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/26/2024	

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(51316-303) , pack(51316-303)

Revised: 3/2025

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED