# DE LA CRUZ GENTIAN VIOLET- gentian violet tincture DLC Laboratories, Inc.

-----

## DE LA CRUZ ® GENTIAN VIOLET 1%

## **Drug Facts**

## **Active ingredient**

Gentian violet 1%

# Purpose

Antiseptic

# Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns
- insect bites

# Warnings

### For external use only

### Consult a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

### When using this product

- do not use in or near the eyes or over large areas of the body
- do not apply to an ulcerative lesion as this may result in tattooing of the skin

# Stop use and consult a doctor if

- redness, irritation, swelling or pain persists or increases, or if infection or rash occurs
- symptoms persist for more than 7 days, or clear up and occur again within a few days

**KEEP OUT OF THE REACH OF CHILDREN.** If swallowed, get medical help or contact a Poison Control Center immediately.

# Directions

clean the affected area

- apply a small amount of this product to the area using the enclosed applicator or a cotton-tipped applicator 1 to 2 times daily
- do not bandage

## **Other information**

medication will stain skin and clothing

# Inactive ingredients

alcohol, purified water

### Questions

1-800-858-3889

Manufactured by **DE LA CRUZ PRODUCTS** A DIVISION OF DLC LABORATORIES, INC. PARAMOUNT, CA 90723 USA

# PRINCIPAL DISPLAY PANEL





1 EL OZ (30 mL)

| Ingrediente activo<br>Violeta de genciana 1%  | Propósito<br>Antiséptico  |
|---|---|
| Usos Primeros auxilios para a<br>infecciones en:<br>cortaduras menores abras<br>quemaduras menores pic  | iones menores   |
| Advertencias Para uso extern<br>Consulte con un médico antes<br>heridas profundas o punzan<br>animales e quemaduras grave   | tes ■ mordeduras de   |
| Cuando use este producto I n<br>ni cerca de ellos I no aplicar e<br>cuerpo o en grandes cantidade<br>superficies de carne viva o sob<br>I no aplicar a lesiones ulceros<br>tatuar la piel | n áreas grandes del<br>s ■ no aplicar en<br>re áreas ampolladas       |
| Deje de usar y consulte con un<br>persiste o se incrementa el e<br>irritación, la hinchazón o el dolo<br>o salpullido I los síntomas per<br>días o desaparecen y reaparece                | nrojecimiento, la<br>ir, o si ocurre infección<br>sisten por más de 7 |
| MANTÉNGASE FUERA DEL ALC<br>Si se ingiere accidentalmente,<br>contáctese con un Centro de C<br>mientos in mediatamente.   | oida ayuda médica o   |
| Instrucciones Impie el área<br>este producto en cantidades pe<br>aplicador incluido o un aplicad<br>a 2 veces al día I no vendar  | queñas usando el  |
| Otra información  |   |

el medicamento manchará la piel y la ropa

Ingredientes inactivos alcohol, agua purificada

Drug Facts

#### Active ingredient Purpose Gentian violet 1%.....Antiseptic

#### Uses

First aid to help prevent infection in minor: cuts scrapes burns insect bites

Warnings For external use only Consult a doctor before use if you have a deep or puncture wounds a animal bites serious burns

When using this product I do not use in or near the eyes I do not apply in large quantities or over large areas of the body I do not apply over raw surfaces or blistered areas I do not apply to an ulcerative lesion as this may result in tattooing of the skin

Stop use and consult a doctor if ■ redness, irritation, swelling or pain persists or increases, or if infection or rash occurs ■ symptoms persist for more than 7 days, or clear up and occur again within a few days

KEEP OUT OF THE REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions** clean the affected area apply a small amount of this product to the area using the enclosed applicator or a cotton-tipped applicator 1 to 2 times daily do not bandage

#### Other information

medication will stain skin and clothing

Inactive ingredients alcohol, purified water



| Drug Facts<br>Active ingredient Purpos<br>Gentian violet 1%  | معلومات عن الدواء<br>المرض القسال بننسجية المنطبان 1%<br>المرض المحال البناسجية المناقل الألياة من<br>المرض إسمادات البنيطة على الوقابة من<br>المرض المحارجي فقط<br>عربي في المحداث المنطق<br>مربي منطق أو رحات من المبنى<br>عند استخدام في الألب من المبنى<br>عند استخدام في الألب من المبنى<br>المنشر وليات تعليم أو رائل التهجج أو الثرب أو<br>المنشر و رايد الأمرار أو التهجج أو الثربة أو<br>المناب أو رائا حمدات عدوى أو شاع ماية<br>المناب أو رائا حمدات عدوى أو أشع جليك<br>أو الم المنابة المنابة على أو الأحم المناب<br>الأم أو رائا حمدات عدوى أو شام ماين<br>معلوات المنتقد الماية ترجة حيث إذ الأربي أذا<br>والمنا المنابة المنابة على ماية من عالي الأم<br>المناب أو رائا حمدات عدوى أو شام ماين<br>معلوات أخرى من المنابة عن معرف أو المربة<br>الموات المربة المسرى في المدانة<br>موت عليها أحمان المنابة المنابة المنابة<br>المكورات غير القمالة |
|--|--|
| Dirts experimental and a second a secon | الم  |

| <b>DE LA CRUZ GENTIA</b><br>gentian violet tincture                                | N VIOLET       |                    |                 |           |                  |  |  |
|--|----------------|--------------------|-----------------|-----------|------------------|--|--|
| Product Information  |                |                    |                 |           |                  |  |  |
| Product Type   | HUMAN OTC DRUG | Item Code (Source) |                 | NDC:242   | NDC:24286-1531   |  |  |
| Route of Administration  | TOPICAL        |                    |                 |           |                  |  |  |
|  |                |                    |                 |           |                  |  |  |
| Active Ingredient/Active Moiety  |                |                    |                 |           |                  |  |  |
| Ingredient Name  |                |                    |                 | of<br>gth | Strength         |  |  |
| <b>GENTIAN VIOLET</b> (UNII: J4Z741D605) (GENTIAN VIOLET CATION - UNII:3GVJ31T6YY) |                |                    | GENTIAN VIOLET  |           | 1 g<br>in 100 mL |  |  |
|  |                |                    |                 |           |                  |  |  |
| Inactive Ingredients   |                |                    |                 |           |                  |  |  |
| Ingred   | lient Name     |                    | St              | rength    |                  |  |  |
| ALCOHOL (UNII: 3K9958V90M)   |                |                    | 10 mL in 100 mL |           |                  |  |  |
| WATER (UNII: 059QF0K00R)   |                |                    |                 |           |                  |  |  |
|  |                |                    |                 |           |                  |  |  |

| P                     | roduct Cha            | racteristics   |  |              |                         |                        |                       |
|-----------------------|-----------------------|--|--|--------------|-------------------------|------------------------|-----------------------|
| Co                    | olor                  |  | purple   | Score        |                         |                        |                       |
| Sł                    | nape                  |  |  | Size         |                         |                        |                       |
| Fla                   | avor                  |  |  | Imprint Code |                         |                        |                       |
| Co                    | ontains               |  |  |              |                         |                        |                       |
|                       |                       |  |  |              |                         |                        |                       |
| Packaging             |                       |  |  |              |                         |                        |                       |
| #                     | Item Code             | F  | Package Description  |              | Marketing Start<br>Date | Marketing End<br>Date  |                       |
| 1                     | NDC:24286-<br>1531-7  |  | 30 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product |              |                         | 12/13/2017             |                       |
| 2                     | NDC:24286-<br>1531-8  | 59 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product |  |              |                         | 01/20/2021             |                       |
|                       |                       |  |  |              |                         |                        |                       |
|                       |                       |  |  |              |                         |                        |                       |
| Marketing Information |                       |  |  |              |                         |                        |                       |
|                       | Marketing<br>Category | Applica  | tion Number or Mo<br>Citation  | onograph     | М                       | arketing Start<br>Date | Marketing End<br>Date |
| ОТ                    | C Monograph D         | Drug M003  |  |              | 11/0                    | 01/2012                |                       |
|                       |                       |  |  |              |                         |                        |                       |

Labeler - DLC Laboratories, Inc. (093351930)

Registrant - Pharma Nobis, LLC (118564114)

Revised: 12/2024

DLC Laboratories, Inc.