WELLY POLKA FIRST AID KIT- hydrocortisone, bacitracin zinc, neomycin sulfate, polymyxin b sulfate
Dongguan Shenglian Tins Products Co., Ltd.

-----

Welly Polka First Aid Kit

#### **Drug Facts**

#### **Active Ingredient**

Hydrocortisone 1%

#### **Purpose**

Anti-itch

#### Uses

For temporary relief of itching associated with minor skin irritations, inflammation, or rashes. Other uses of product should only be under the advice and supervision of a doctor.

#### Warnings

For external use only.

#### Do not use

• in the eyes • for treatment of diaper rash, consult a doctor.

# Stop use, ask a doctor

● if condition worsens, or if symptoms persist for more than 7 days or clears up and occurs again within a few days ● with use of any other hydrocortisone product

## Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

#### **Directions**

◆ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
 ◆ Children under 2 years of age: Do not use and ask a doctor.

#### Other Information

Store at 20° to 25°C (68° to 77°F).

Do not use open or torn packets.

#### **Inactive Ingredients**

Ceteareth-20, Cetearyl Alcohol, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Mineral Oil, Petrolatum, Phenoxyethanol, Water

#### Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

#### **Drug Facts**

#### Active Ingredients (each gram contains)

Bacitracin Zinc 400 units

Neomycin Sulfate 3.5 mg

Polymyxin B Sulfate 5,000 units

#### **Purposes**

First aid antibiotic

#### Uses

First aid to help prevent infection in minor: ● Cuts ● Scrapes ● Burns

#### Warnings

For external use only.

#### Do not use

● In the eyes ● Over large areas of the body ● If you are allergic to any of the ingredients

### Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns.

### Stop use and ask a doctor if

Condition persists or gets worse. ● You need to use longer than 1 week. ● A rash or other allergic reaction develops.

## Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

#### **Directions**

Clean affected area and dry thoroughly. ● Apply small amount of product (amount equal to the surface area of the tip of a finger) on the area not more than 1-3 times daily ● May be covered by sterile bandage. ● Children under 2 years of age: Do not use, consult a doctor.

#### Other information

- Store at 20° to 25°C (68° to 77°F).
- Do not use open or torn packets.

#### Inactive ingredients

Light Mineral Oil, White Petrolatum


#### **Questions or comments?**

Call 1-833-BE-WELLY (1-833-239-3559)

#### Package Labeling:Kit



Package Labeling:84956-011



Package Labeling:84956-007

# welly<sup>\*</sup>

Triple Antibiotic First Aid Ointment

Net Wt. 0.02 oz (0.5 g)

# Drug Facts

Active Ingredients Purposes (each gram contains)

Bacitracin Zinc 400 units......First aid antibiotic Neomycin Sulfate 3.5 mg...... First aid antibiotic Polymyxin B Sulfate 5,000 units..... First aid antibiotic

**Uses** First aid to help prevent infection in minor: • Cuts • Scrapes • Burns

Warnings

For external use only.

Do not use ● In the eyes ● Over large areas of the body • If you are allergic to any of the ingredients Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns. Stop use and ask a doctor if • Condition persists or gets worse. • You need to use longer than 1 week. A rash or other allergic reaction develops.

# **Drug Facts** (continued)

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions** • Clean affected area and dry thoroughly. • Apply small amount

of product (amount equal to the surface area of the tip of a finger) on the area not more than 1-3 times daily

 May be covered by sterile bandage. • Children under 2 years of age: Do not use, consult a doctor.

# Other information

- Store at 20° to 25°C (68° to 77°F).
- Do not use open or torn packets.

# Inactive ingredients Light Mineral Oil, White Petrolatum

Questions or comments:

Distributed by Welly Health PBC, Minneapolis, MN 55402 Product of China PKT TripleAntibiotic.03

#### WELLY POLKA FIRST AID KIT

hydrocortisone, bacitracin zinc, neomycin sulfate, polymyxin b sulfate kit

#### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:84956-009

#### **Packaging**

#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:84956-009-01	1 in 1 KIT	07/07/2025	

#### **Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	2 PACKET	1.8 g

#### Part 1 of 2

#### **HYDROCORTISONE**

hydrocortisone cream

#### **Product Information**

**Item Code (Source)** NDC:84956-011(NDC:43473-049)

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength

HYDROCORTISONE (LINII) WAYOY7RPI) (HYDROCORTISONE - LINII) WAYOY7RPI) HYDROCORTISONE

10 mg in 1 g

**HYDROCORTISONE** (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ) HYDROCORTISONE 10 mg in 1 g

# **Inactive Ingredients**

I	Ingredient Name	Strength
I	POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)

GLYCERIN (UNII: PDC6A3C0OX)

GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)

MINERAL OIL (UNII: T5L8T28FGP)

PETROLATUM (UNII: 4T6H12BN9U)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

WATER (UNII: 059QF0KO0R)

#### **Packaging**

ı		a cita gii i g			
ı	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:84956-011- 01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

# **Marketing Information**

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M017	03/03/2025	

# Part 2 of 2

#### **WELLY TRIPLE ANTIBIOTIC FIRST AID**

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

#### **Product Information**

**Item Code (Source)** NDC:84956-007(NDC:69571-888)

Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	400 [USP'U] in 1 g		
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	3.5 mg in 1 g		
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII: J2VZ 07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g		

Inactive Ingredients				
Ingredient Name	Strength			
LIGHT MINERAL OIL (UNII: N6K5787QVP)				
WHITE PETROLATUM (UNII: B6E5W8RQJ4)				

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:84956-007- 01	0.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	07/07/2025		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/07/2025	

# **Labeler -** Dongguan Shenglian Tins Products Co., Ltd. (527921279)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(84956-011)

Establishment			
Name	Address	ID/FEI	Business Operations
Dongguan Shenglian Tins Products Co., Ltd.		527921279	repack(84956-007, 84956-011) , pack(84956-009)

Revised: 4/2025 Dongguan Shenglian Tins Products Co., Ltd.