

**WELLY POLKA FIRST AID KIT- hydrocortisone, bacitracin zinc, neomycin sulfate, polymyxin b sulfate
Dongguan Shenglian Tins Products Co., Ltd.**

Welly Polka First Aid Kit

Drug Facts

Active Ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

For temporary relief of itching associated with minor skin irritations, inflammation, or rashes. Other uses of product should only be under the advice and supervision of a doctor.

Warnings

For external use only.

Do not use

● in the eyes ● for treatment of diaper rash, consult a doctor.

Stop use, ask a doctor

● if condition worsens, or if symptoms persist for more than 7 days or clears up and occurs again within a few days ● with use of any other hydrocortisone product

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

● Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. ● Children under 2 years of age: Do not use and ask a doctor.

Other Information

● Store at 20° to 25°C (68° to 77°F).

- Do not use open or torn packets.

Inactive Ingredients

Cetareth-20, Cetearyl Alcohol, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Mineral Oil, Petrolatum, Phenoxyethanol, Water

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Drug Facts

Active Ingredients (each gram contains)

Bacitracin Zinc 400 units

Neomycin Sulfate 3.5 mg

Polymyxin B Sulfate 5,000 units

Purposes

First aid antibiotic

Uses

First aid to help prevent infection in minor: ● Cuts ● Scrapes ● Burns

Warnings

For external use only.

Do not use

● In the eyes ● Over large areas of the body ● If you are allergic to any of the ingredients

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if

● Condition persists or gets worse. ● You need to use longer than 1 week. ● A rash or other allergic reaction develops.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Clean affected area and dry thoroughly.
- Apply small amount of product (amount equal to the surface area of the tip of a finger) on the area not more than 1-3 times daily
- May be covered by sterile bandage.
- Children under 2 years of age: Do not use, consult a doctor.

Other information

- Store at 20° to 25°C (68° to 77°F).
- Do not use open or torn packets.

Inactive ingredients

Mineral Oil, White Petrolatum

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Package Labeling:Kit

70 COUNT

welly[®]
First Aid Kit

FIRST AID KIT

27 COUNT - SMALL FLEX FABRIC BANDAGES
21 COUNT - STANDARD FLEX FABRIC BANDAGES
6 COUNT - STANDARD WATERPROOF BANDAGES
3 COUNT - TRIPLE ANTIBIOTIC FIRST AID OINTMENT PACKETS
2 COUNT - 1% HYDROCORTISONE CREAM PACKETS
4 COUNT - CLEANSING WIPES
1 COUNT - REUSABLE TIN
SEE BACK PANEL FOR SIZES

Product not made with natural rubber latex.
Bandages are made with latex.
For more information, please visit www.welly.com.
Please recycle this paper board outer package as opened.

Manufactured by: Welly Health, Inc.
Minneapolis, MN 55402
1-833-BE-WELLY
www.welly.com
1-800-239-3559
WELLY HEALTH, INC. 100% LATEX FREE
OUTER PACKAGE IS RECYCLED

WLY1128
3 75003 60071 1

First Aid Kit with everything you'll need and nothing you won't.

- Flex fabric bandages designed to stay on through playtime.
- Triple Antibiotic First Aid Ointment helps prevent infection in minor injuries.
- Durable metal case keeps it all together.

KIT INCLUDES

27 CT. SMALL FLEX FABRIC BANDAGES 1/2" x 2 1/4" IN (1.3" x 5.7 CM)	3 CT. TRIPLE ANTIBIOTIC FIRST AID OINTMENT PACKETS (NET WT. 0.02 OZ (0.6 g) PER PACKET)
21 CT. STANDARD FLEX FABRIC BANDAGES 1/2" x 3" IN (1.3" x 7.6 CM)	2 CT. 1% HYDROCORTISONE CREAM PACKETS (NET WT. 0.03 OZ (0.9 g) PER PACKET)
6 CT. STANDARD WATERPROOF BANDAGES 1" x 2 1/4" IN (2.5" x 6.1 CM)	4 CT. CLEANSING WIPES
6 CT. THICK STRIP FLEX FABRIC BANDAGES 2" x 4" IN (5.1" x 10.2 CM)	1 CT. REUSABLE TIN

BANDAGE DIRECTIONS
For use on minor cuts and scrapes. Apply bandage to clean, dry skin. Change daily or when pad becomes wet.

ACTIVE INGREDIENTS
Triple Antibiotic First Aid Ointment: Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate
1% Hydrocortisone Cream: 1% Hydrocortisone

Certified
B
Corporation

Package Labeling:84956-011

TEAR HERE

welly[®]

1% Hydrocortisone Cream

Net Wt. 0.03 oz (0.9 g)

Drug Facts

Active Ingredient Purpose
Hydrocortisone 1%.....Anti-itch

Uses For temporary relief of itching associated with minor skin irritations, inflammation, or rashes. Other uses of product should only be under the advice and supervision of a doctor.

Warnings

For external use only.

Do not use • in the eyes • for treatment of diaper rash, consult a doctor.

Stop use, ask a doctor • if condition worsens, or if symptoms persist for more than 7 days or clears up and occurs again within a few days • with use of any other hydrocortisone product

Keep out of the reach of children.

If swallowed, get medical help or contact ▶

Drug Facts (continued)

a Poison Control Center immediately.

Directions • Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. • Children under 2 years of age: Do not use and ask a doctor.

Other Information

- Store at 20° to 25°C (68° to 77°F).
- Do not use open or torn packets.

Inactive Ingredients

Ceteareth-20, Cetearyl Alcohol, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Mineral Oil, Petrolatum, Phenoxyethanol, Water

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Distributed by Welly Health PBC, Minneapolis, MN 55402
Product of China PKT_Hydrocortisone.03

welly[®]*

Triple Antibiotic First Aid Ointment

Net Wt. 0.02 oz (0.5 g)

Drug Facts

Active Ingredients (each gram contains)	Purposes
--	----------

Bacitracin Zinc 400 units.....	First aid antibiotic
Neomycin Sulfate 3.5 mg.....	First aid antibiotic
Polymyxin B Sulfate 5,000 units.....	First aid antibiotic

Uses First aid to help prevent infection in minor: • Cuts • Scrapes • Burns

Warnings

For external use only.

Do not use • In the eyes • Over large areas of the body • If you are allergic to any of the ingredients

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • Condition persists or gets worse. • You need to use longer than 1 week.

• A rash or other allergic reaction develops. ▶

Drug Facts (continued)

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • Clean affected area and dry thoroughly. • Apply small amount of product (amount equal to the surface area of the tip of a finger) on the area not more than 1-3 times daily • May be covered by sterile bandage. • Children under 2 years of age: Do not use, consult a doctor.

Other information

• Store at 20° to 25°C (68° to 77°F).
• Do not use open or torn packets.

Inactive ingredients

Mineral Oil, White Petrolatum

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Distributed by Welly Health PBC,
Minneapolis, MN 55402

Product of China

PKT_TripleAntibiotic.04

WELLY POLKA FIRST AID KIT

hydrocortisone, bacitracin zinc, neomycin sulfate, polymyxin b sulfate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84956-009
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84956-009-01	1 in 1 KIT	07/07/2025	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 PACKET	1.8 g

Part 2 3 PACKET

1.5 g

Part 1 of 2

HYDROCORTISONE

hydrocortisone cream

Product Information

Item Code (Source) NDC:84956-011(NDC:43473-049)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84956-011-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/03/2025	

Part 2 of 2

WELLY TRIPLE ANTIBIOTIC FIRST AID

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Item Code (Source) NDC:84956-007(NDC:69571-888)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84956-007-01	0.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/07/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/07/2025	

Labeler - Dongguan Shenglian Tins Products Co., Ltd. (527921279)

Registrant - Dongguan Shenglian Tins Products Co., Ltd. (527921279)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(84956-011)

Establishment

Name	Address	ID/FEI	Business Operations
Dongguan Shenglian Tins Products Co., Ltd.		527921279	repack(84956-007, 84956-011) , pack(84956-009)

Revised: 12/2025

Dongguan Shenglian Tins Products Co., Ltd.