

AUEBLISS- lidocaine cream
Jag Alliance, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

Lidocaine HCl 5%

Purpose

Topical analgesic/Anesthetic

Uses

For the temporary relief of minor pain, irritation and itching

Warnings

For external use only.

When using this product Avoid contact with eyes.

Do not apply to wounds or damaged, broken or irritated skin

Stop use and ask a doctor if • Condition worsens. • Irritation develops. Redness appears. • Symptoms persist for more than 7 days or clear up and occurs again within a few days.

Keep out of reach of children If product is swallowed, get medical help or contact a Poison Control Center right away. **Emergency Number:** 1-800-222-1222

IF PREGNANT OR BREASTFEEDING, ask a health professional before use

Directions

Adults and children over 12 years:

- Apply a thin layer to affected area every 6 to 8 hours.
- Wash hands with soap and water immediately after use.
- Children 12 years or younger: ask a doctor.

Other Information

Store at 15°-30° C (59°-86° F).

Inactive ingredients


Aqua, Caprylic/Capric Triglyceride, Butylene Glycol, Ethoxydiglycol, Ammonium

AcryloyldimethyltaurateNP Copolymer, Squalane, Aloe Barbadensis (Aloe Vera) Leaf Juice, Allantoin, Tocopherol (Vitamin E), Persea Gratissima (Avocado) Oil, Hydroxyethyl Acrylate, Sodium Acryloyldimethyl Tau rate Copolymer, Polyacrylate Crosspolymer-6, Phenoxyethanol, Xanthan Gum, Ethylhexylglycerin, Lecithin.

Questions and comments

855-700-0660


Product label



Auebliss


Topical Anesthetic Cream

with Aloe Vera, Avocado Oil, Vitamin E & Lecithin



Net Wt 2 oz / 56 g

Drug Facts	
Active Ingredients	Purpose
Lidocaine HCl 5%	Topical analgesic/Anesthetic
Use: For the temporary relief of minor pain, irritation and itching.	
Warnings For external use only.	
When using this product • Avoid contact with eyes. • Do not apply to wounds or damaged, broken or irritated skin.	
Stop use and ask a doctor if • Condition worsens, • Irritation develops, • Redness appears, • Symptoms persist for more than 7 days or clear up and occurs again within a few days.	
KEEP OUT OF REACH OF CHILDREN. If product is swallowed, get medical help or contact a Poison Control Center right away. Emergency Number: 1-800-222-1222	
IF PREGNANT OR BREASTFEEDING, ask a health professional before use.	
Directions Adults and children over 12 years: • Apply a thin layer to affected area every 6 to 8 hours. • Wash hands with soap and water immediately after use. • Children 12 years or younger: ask a doctor.	
Other Information Store at 15°-30° C (59°-86° F).	
Inactive ingredients: Aqua, Caprylic/Capric Triglyceride, Butylene Glycol, Ethoxydiglycol, Ammonium Acryloyldimethyltaurate/VP Copolymer, Squalane, Aloe Barbadensis (Aloe Vera) Leaf Juice, Allantoin, Tocopherol (Vitamin E), Persea Gratissima (Avocado) Oil, Hydroxyethyl Acrylate, Sodium Acryloyldimethyl Taurate Copolymer, Polyacrylate Crosspolymer-6, Phenoxyethanol, Xanthan Gum, Ethylhexylglycerin, Lecithin.	
Questions and Comments: 855-700-0660	



8 10110 87018 5

Distributed By: Auebliss
Jersey City, NJ, 07305 • United States

auebliss.com

★ MADE IN USA

customerservice@auebliss.com
855.700.0660

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73143-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A18X02B)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296Z G)	
SQUALANE (UNII: GW89575KF9)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALLANTOIN (UNII: 344S277G0Z)	
TOCOPHEROL (UNII: R0ZB2556P8)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
2-HYDROXYETHYL ACRYLATE (UNII: 25GT92NY0C)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRICAPRIN (UNII: O1PB8EU98M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73143-002-01	56 g in 1 TUBE; Type 0: Not a Combination Product	01/05/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/05/2023	

