

**POVIGEL- povidone iodine gel**  
**ELT SCIENCE CORP**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
Povidone Iodine

Carbomer 940, Hydrogenated Lecithin, Potassium Iodide, Sodium Hydroxide, Anhydrous Citric Acid, Sodium Phosphate Dibasic Anhydrous, Purified Water

To protect various wounds and potential infections for animals (dogs and cats, etc).

Keep out of reach of children

[How to Use]

1. Clean up the wounded area
2. Apply Povigel on the wounded area once or twice a day.

[Storing & Expiration]

1. How to store : Store in a dry place at room temperature(34~77°F) away from sunlight.
2. Expiration date : 18 months from manufactured date.

[Cautions]

1. Animal use ONLY.
2. Please read the cautions thoroughly before use.
3. Do not use on eyes or mucous membrane of the eye.
4. Do not use on an apparently infected wound (eg. festering wound, hot wound, severe redness, and pain) without veterinarian's instructions.
5. When skin hypersensitivity reaction occurs (eg. redness, edema, blister, itch) stop using or consult with veterinarian.
6. Consult with veterinarian if it is necessary to use Povigel on wider area for more than two weeks.
7. Do not let your pet lick or suck where Povigel is applied.
8. Keep it away from animals or children.
9. Please follow the storage instruction for it may affect product's stability and effectiveness.

For external use only

제품명 : Povigel

성분/함량 :

사용설명서:

## Povigel Wound Protection for Animals

Povigel is a hydrogel ointment-type wound treatment with 3% povidone-iodine to maintain a wet environment, speeding up wound healing and protecting various infections.

[Product Name] Povigel

[Item Name] Adhesive wound dressing agent(2)

[License No.] 217-003

[Purpose of Use] To protect various wounds and potential infections for animals (dogs and cats, etc).

[How to Use]

1. Clean up the wounded area
2. Apply Povigel on the wounded area once or twice a day.

[Storing & Expiration]

1. How to store : Store in a dry place at room temperature(34~77°F) away from sunlight.
2. Expiration date : 18 months from manufactured date.

[Cautions]

1. Animal use ONLY.
2. Please read the cautions thoroughly before use.
3. Do not use on eyes or mucous membrane of the eye.
4. Do not use on an apparently infected wound (eg. festering wound, hot wound, severe redness, and pain) without veterinarian's instructions.
5. When skin hypersensitivity reaction occurs (eg. redness, edema, blister, itch) stop using or consult with veterinarian.
6. Consult with veterinarian if it is necessary to use Povigel on wider area for more than two weeks.
7. Do not let your pet lick or suck where Povigel is applied.
8. Keep it away from animals or children.
9. Please follow the storage instruction for it may affect product's stability and effectiveness.

## **POVIGEL**

povidone iodine gel

### **Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:86200-0001
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	3 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>carbomer 940</b> (UNII: 4Q93RCW27E)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86200-0001-1	20 g in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/25/2024	

**Labeler** - ELT SCIENCE CORP (688405950)**Establishment**

Name	Address	ID/FEI	Business Operations
ELT SCIENCE CORP		688405950	api manufacture, manufacture

Revised: 3/2024

ELT SCIENCE CORP