

OPTASE- glycerin solution/ drops
Scope Health Inc

Optase MGD Advanced Dry Eye Drops

Glycerin 0.9%

Keep Out of Reach of Children

If swallowed, get medical help or contact a poison control center right away.

Eye Lubricant

Warning

- For external use only.
- To avoid contamination, do not touch tip of container to any surface. After use, shake the bottle downwards in order to remove any residual drop that may be left. Replace cap after using.
- Do not use the solution if it changes color or becomes cloudy

Stop use and ask doctor if

- You feel eye pain.
- Changes in vision occur.
- Redness or irritation of the eye lasts.
- Condition worsens or lasts more than 72 hours.

Uses

- For use as a lubricant to prevent further irritation.
- May be used as a protectant against further irritation.
- To relieve dryness of the eye.

Directions

Put one or two drops in the affected eyes as needed.

Citric Acid Monohydrate, Polyoxyethylenesorbitan Monooleate, Potassium Chloride, Purified Water, Saccha Inchi Seed Oil, Sodium Hyaluronate , Sorbitan Monooleate, Trehalose, Tromethamine

Insert/Instructions- Page 1

OPTASE® MGD Advanced Dry Eye Drops

Product Information Leaflet


What this is and what it is intended for

OPTASE® MGD Advanced Dry Eye Drops is a preservative-free microemulsion eye drop which relieves symptoms of dry eye such as discomfort and burning sensations. It may also be used as a protectant against further irritation associated with dry eye.


OPTASE® MGD Advanced Dry Eye Drops contains Glycerin. Glycerin is a humectant (moistening agent) that comes from plant sources. Glycerin is effective for relief of irritation due to dryness of the eye.

MGD Advanced Dry Eye Drops is a product with no alcohol, no preservatives and no ingredients of animal origin. MGD Advanced Dry Eye Drops can be used with contact lenses. MGD Advanced Dry Eye Drops is a clear solution that provides replenishing comfort as needed.


Instructions for use




Before use, please ensure the tamper evidence seal is intact.




Wash hands well with soap and water, and dry before use.



Tear off and discard the seal of the cap to open the bottle for the first time. Take off the protection cap, place cap on clean surface. Thanks to the patented DEMET technology, unlike other emulsion products, MGD does not require shaking. Hold the bottle upside down and gently squeeze to form and release first drop.




Tilt your head backwards and hold the bottle above your eye. Pull the lower eyelid down and look up. Squeeze the bottle gently and let a drop fall into your eye. Blink a few times so that the drop spreads over the eye. Gently squeeze the bottle in tip down position only. Squeeze the bottle with increasing force until a drop builds up at the tip and falls off. Put one or two drops in the affected eye(s) as needed. Only ever squeeze bottle in an upside-down position to release product.



Ensure you do not touch the eye or eyelids with the tip of the bottle.



After use, **shake the remaining drop off the tip. If there are spills of solution on the tip, dry the whole white tip area with a clean paper tissue and replace the cap.** A small liner pad inside the cap ensures that the next drop you take will be fresh and clean. **Do not put the cap on until the bottle has got its original round shape (replacement air is flowing in the bottle).** After use, leave the bottle without the cap for a moment (5-10 seconds) to allow replacement air to fill the bottle. Usually, the bottle returns to its original shape within a few seconds. If the bottle does not immediately become round again, do not squeeze it further, but leave it without the cap until it returns to its normal shape.



Close the cap only when the bottle has got its original round shape (replacement air is flowing in the bottle). When replacing the cap, do not squeeze the bottle. To avoid contamination when replacing the cap, do not touch, the tip of the nozzle.

Warnings

- For external use only.
- Please wash your hands before use.
- To avoid contamination, do not touch tip of container to any surface. After use, shake the bottle downwards to remove any residual drop that may be left. After application, replace the cap; however, do not replace the cap until the bottle's original round shape has returned (i.e. replacement air is flowing in the bottle).
- The bottle is for single person use only.
- Wait at least 15 minutes between possible applications of other ophthalmic medication.
- Keep out of the reach and sight of children.
- Discard appropriately any unused product after 3 months or if the bottle is empty.
- Stop use and ask doctor if you feel pain, changes in vision occur, redness or irritation of the eye lasts or if condition worsens or lasts more than 72 hours.

Do Not Use

- Do not use if you are sensitive to any of the ingredients.
- Do not use if the bottle is damaged, or the tamper evident seal is damaged.
- If this product changes color or becomes cloudy.
- If you puncture, pierce or otherwise tamper with the applicator tip or bottle.
- Do not touch the eye or contact lens with the tip of the bottle. Do not touch the tip of the bottle with fingers.
- Do not squeeze the bottle with cap on.
- Do not use after the expiry date shown on the bottle or after discard date (3 months from opening).
- Do not use if you are sensitive to any of the ingredients. If in doubt, consult a healthcare professional.

Other Information

- Store at 5 – 30 °C / 41 – 86 °F, protect from direct sunlight and heat. Store under recommended conditions at all times. Do not use the product in the event it has frozen, or it has been stored in hot conditions for a long time.

Composition

Active Ingredient: Glycerin 0.9%

Inactive Ingredients: Citric Acid Monohydrate, Polyoxyethylene Sorbitan Monooleate, Potassium Chloride, Purified Water, Sacha Inchi (*Plukenetia volubilis*) Seed Oil, Sodium Hyaluronate, Sorbitan Monooleate, Trehalose, Tromethamine.

Latest revision of text: 08/2025 • 2559-4



Manufactured for:

Scope Health Inc.
79 Madison Av, 8th Floor, New York,
NY, 10016

Phone: +1 917 795 4227
www.optase.com
hello@optase.com

OAD.PLU.2

Optase MGD Advanced Eye Drops

Use by the expiry date, see bottle

MGD **ADVANCED** DRY EYE DROPS

OPTASE®

Name: _____

Date of opening: / /

Drug Facts

Active Ingredient	Purpose
Glycerin 0.9%	Eye Lubricant

Uses

- To relieve dryness of the eye.
- For use as a lubricant or protectant to prevent further irritation.

Warnings

- For external use only.
- Once opened, use within 3 months and within the stated expiry date.
- To avoid contamination, do not touch tip of container to any surface. Replace cap after using.
- Discard any unused product after 3 months.

Do not use

- If this product changes color or becomes cloudy.
- If the bottle or the tamper evident seal is damaged.
- If you puncture, pierce or otherwise tamper with the applicator tip or bottle.
- If you are sensitive to any ingredient in this product.

When using this product

- Do not squeeze the bottle when removing and replacing the cap.

Stop use and ask doctor if

- You feel eye pain, changes in vision occur, continued redness or irritation of the eye occurs.
- Conditions worsen or persist for more than 72 hours.

Keep out of reach and sight of children. If swallowed get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- Before first use, remove the cap, hold the bottle upside down.
- To deliver the drop, gently squeeze and release the bottle once.
- Put one or two drops in the affected eye(s) as needed.
- After use, shake the remaining drop off the tip. To remove solution spills on the tip, dry the whole white tip area with a clean paper tissue. Replace cap after use. Do not put the cap on until the bottle has got its original round shape.
- For additional information, please refer to leaflet.

Other Information

- Use only if tamper evident seal on the lid is intact.
- Store in a clean dry place at 41 – 86 °F.
- Protect from direct sunlight and heat.
- Do not freeze.

Inactive ingredients:
 Citric Acid Monohydrate, Polyethylene Sorbitan Monooleate, Potassium Chloride, Purified Water, Saccha Inchi (Phloretin α-wolubil®) Seed Oil, Sodium Hyaluronate, Sorbitan Monooleate, Trehalose, Tromethamine

OPTASE®
 MGD **ADVANCED**
 DRY EYE DROPS



PRESERVATIVE FREE

Lubricant Eye Drops
 Extended relief for all types of dry eye

Moisture Protection Contact Lens Compatible

x300 DROPS

0.33 fl oz (10 ml)

SCOPE

Why Choose OPTASE MGD?

Triple Action: hydrate, protect, and relieve dry, irritated eyes with active glycerin. Contains Omega 3 & Hyaluronic Acid using advanced lipid technology.

Clinically Tested: backed by research for effective support of dry eye symptoms.

Replenishing Comfort: provides hydration throughout the day.

Discover our recommended 3-step regimen for eye comfort



QR Code

SCOPE

Manufactured for Scope Health Inc.
 79 Madison Ave. 8th Floor, New York, NY 10016, USA
 Questions: +1 917 2542227
 www.optase.com
 hello@optase.com

040-012 NOC77977-004-01

Step 1 HEAT Step 2 CLEANSE Step 3 HYDRATE


Product of Finland

2558-3

LOT

Barcode: 8 60004 00683 1

Immediate label



OPTASE

glycerin solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72972-004
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TREHALOSE (UNII: B8WCK70T7I)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
WATER (UNII: 059QF0KO0R)	
TROMETHAMINE (UNII: 023C2WHX2V)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
PLUKENETIA VOLUBILIS SEED OIL (UNII: 8ED72Z8J1Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72972-004-01	1 in 1 BOX	02/22/2022	
1		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	02/22/2022	

Labeler - Scope Health Inc (116778693)

Registrant - Oy Finnsusp Ab (369374137)

Revised: 1/2026

Scope Health Inc