

**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER NEUTRAL MEDIUM-  
titanium dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER MEDIUM TAN-  
titanium dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER LIGHT MEDIUM-  
titanium dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER RICH HONEY-  
titanium dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER MEDIUM- titanium  
dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER TAN- titanium  
dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER FAIR- titanium  
dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER RICH- titanium  
dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER NEUTRAL TAN-  
titanium dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER DEEP- titanium  
dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER FAIR LIGHT-  
titanium dioxide, zinc oxide cream**  
**ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER LIGHT- titanium  
dioxide, zinc oxide cream**  
**Beauty Manufacturing Solutions Corp.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **ITC Bye Bye Foundation Full Coverage Moisturizer**

Titanium Dioxide 9.0%

Zinc Oxide 6.3%

Purpose: Sunscreen

Sunscreen

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

on damaged or broken skin

keep out of eyes. Rinse with water to remove

rash occurs

If swallowed, get medical help or contact a Poison Control Center right away.

apply liberally 15 minutes before sun exposure

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk,

regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

protect the product in this container from excessive heat and direct sun

water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate,, stearic acid,, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, phenoxyethanol, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, disodium EDTA, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, punica granatum seed oil, vitis vinifera (grape) seed oil, cholesterol, cholesteryl oleyl carbonate, persea gratissima (avocado) oil, polymethylsilsesquioxane, anthemis nobilis flower water, lactobacillus/dipteryx odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, linalool, panax ginseng root extract, avena sativa (oat) kernel extract, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, cholesteryl isostearate, citral, cholesteryl chloride, cholesteryl nonanoate, curcuma longa (turmeric) root extract, perfluorohexane, glycerin, leuconostoc/radish root ferment filtrate, magnolia kobus bark extract, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, glycine soja (soybean) sprout extract, perfluorodecalin, silk extract, hydrolyzed silk, perfluoromethylcyclopentane, silica, steareth-20, citric acid, saccharum officinarum (sugarcane) extract, cocos nucifera (coconut) fruit extract, hydrolyzed collagen, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/torilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, sodium benzoate, chrysanthemum indicum flower extract, potassium sorbate, BHT, diamond powder, lactobacillus/honeysuckle flower/licorice root/morus alba root/pueraria lobata root/schisandra chinensis fruit/scutellaria baicalensis root/sophora japonica flower extract ferment filtrate, aloe barbadensis leaf extract, caprylhydroxamic acid, olea europaea (olive) leaf extract, artemisia princeps leaf extract, cinnamomum cassia bark extract, pueraria lobata root extract, diospyros kaki leaf extract, morus alba fruit extract, chlorhexidine digluconate,

n-hydroxysuccinimide, biotin, thiamine HCL, niacin, folic acid, retinyl palmitate, carnitine HCL, riboflavin, tocopherol, ascorbic acid, pantothenic acid, sodium citrate, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7; may contain: titanium dioxide, iron oxides

Call 800-620-3950

itcosmetics.com

**Drug Facts**  
**(continued)**

**Inactive ingredients**

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, phenoxyethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/dipteryx odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phosoluc

**IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.**

**TIP:** Apply 1-2 pumps to clean skin using your favorite **IT Cosmetics** brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.



**BYE BYE FOUNDATION**

**Full Coverage Moisturizer™**

Broad Spectrum  
**SPF 50+**  
**S UVA/UVB**  
Physical Sunscreen

**Drug Facts**

**Active ingredients Purpose**

Titanium dioxide 9% .....Sunscreen  
Zinc oxide 6.3% .....Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age

extract/ferment/marula, phascovus  
angularis seed extract, lactobacillus  
ferment, lactobacillus/centella  
asiatica/gleditsia sinensis  
thorn/houttuynia cordata  
extract/phellodendron amurense  
bark/polygonum cuspidatum  
root/prunella vulgaris/torilis japonica  
extract ferment filtrate,  
lactobacillus/rice ferment filtrate,  
xanthan gum, diamond powder, olea  
europaea (olive) leaf extract,  
chlorhexidine digluconate,  
n-hydroxysuccinimide, biotin, palmitoyl  
tripeptide-1, hydrolyzed hyaluronic  
acid, chrysin, palmitoyl tetrapeptide-7,  
may contain: iron oxides, titanium  
dioxide

**Questions or comments?**  
Call 800-620-3950

V283864/1

itcosmetics.com



IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93584 ST OUIEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients • 2300627

**Clinically Tested  
Hydrating &  
Anti-Aging\* with  
3D Skin Flex™**

2.53 US fl. oz. / 75 ml

\*Use with sun protection measures.  
See directions.

Use:  
Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

itcosmetics.com

IT COSMETICS PARTNERS  
WITH PLASTIC SURGEONS  
AND DERMATOLOGISTS  
TO DEVELOP  
SKIN-LOVING SOLUTIONS  
AND CLINICALLY TESTED  
FORMULAS.



**Drug Facts**

**Active ingredients Purpose**  
Titanium dioxide 9% .....Sunscreen  
Zinc oxide 6.3% .....Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see

**Drug Facts (continued)**

calcium stearate, caprylyl glycol,  
triethoxycaprylylsilane, ethyl  
hexanediol, ethylhexylglycerin,  
limonene, citrus limon (lemon) peel oil,  
sorbitan isostearate, tocopheryl  
acetate, phenoxyethanol,  
1,2-hexanediol, citrus aurantium

**TIP:** Apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.

# BYE BYE FOUNDATION

**Full Coverage Moisturizer™**

Broad Spectrum

**SPF 50+**  
**S UVA/UVB**

Physical Sunscreen

**Clinically Tested Hydrating & Anti-Aging\* with 3D Skin Flex™**

IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93684 ST OUIEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients • 2300658

itcosmetics.com



1.0 US fl. oz. / 30 ml

\*Use with sun protection measures. See directions.

**Directions**, decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate,

bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/dipteryx odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/tarilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

### Questions or comments?

Call 800-620-3950

V283864/1

**Drug Facts**  
**(continued)**

**Inactive ingredients**

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, phenoxyethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/dipteryx odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/poluquonium cuspidatum

**IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.**

**TIP:** Apply 1-2 pumps to clean skin using your favorite **IT Cosmetics** brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.



**BYE BYE FOUNDATION**

**Full Coverage Moisturizer™**

Broad Spectrum

**SPF 50+**  
**S UVA/UVB**

Physical Sunscreen

**Clinically Tested Hydrating & Anti-Aging\* with**

**Drug Facts**

**Active ingredients Purpose**

Titanium dioxide 9% .....Sunscreen  
Zinc oxide 6.3% .....Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age:  
Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

root/prunella vulgaris/torilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

**Questions or comments?**  
Call 800-620-3950

V283864/1

itcosmetics.com



IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93584 ST OUVEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients - 2300627

3D SKIN Flex™

2.53 US fl. oz. / 75 ml

\*Use with sun protection measures.  
See directions.

itcosmetics.com

IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.

TIP: Apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush, either on top or in

it

BYE BYE FOUNDATION

**Drug Facts**

**Active ingredients Purpose**  
Titanium dioxide 9% .....Sunscreen  
Zinc oxide 6.3% .....Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Drug Facts (continued)**

calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, phenoxethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane,

place at your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.

## Full Coverage Moisturizer™

Broad Spectrum  
**SPF 50+**  
S UVA/UVB  
Physical Sunscreen

Clinically Tested  
Hydrating &  
Anti-Aging\* with  
3D Skin Flex™

IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93694 ST OLIEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients • 2300658

itcosmetics.com



1.0 US fl. oz. / 30 ml

\*Use with sun protection measures. See directions.

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age. Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, ▶

lactobacillus/diptyerix odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/tarilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

### Questions or comments?

Call 800-620-3950

V283864/1



IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.

TIP: Apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.



# BYE BYE FOUNDATION

Full Coverage Moisturizer™

Broad Spectrum  
**SPF 50+**  
 S UVA/UVB  
 Physical Sunscreen

Clinically Tested Hydrating & Anti-Aging\* with 3D Skin Flex™

IT Cosmetics LLC, New York, NY 10001  
 14 rue Royale 75008 Paris FRANCE  
 TSA 75000 93584 ST OUIEN CEDEX FR  
 Imp. By: IT Cosmetics Canada,  
 Montreal H4T 1K5  
 LONDON W6 8AZ  
 Made in USA of US and/or  
 Imported Ingredients • Z3D0658

itcosmetics.com



## Drug Facts

### Active ingredients Purpose

Titanium dioxide 9% .....Sunscreen  
 Zinc oxide 6.3% .....Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

#### For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1

## Drug Facts (continued)

calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, phenoxyethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/dipteryx odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/torilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

### Questions or comments?

1.0 US fl. oz. / 30 ml  
\*Use with sun protection measures. See directions.

dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate,

Call 800-620-3950

V283864/1

itcosmetics.com

### Drug Facts (continued)

#### Inactive ingredients

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, phenoxyethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/dipteryx odorata seed ferment filtrate, lactobacillus/bumkin

IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.

**TIP:** Apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.

it

## BYE BYE FOUNDATION

Full Coverage Moisturizer™

Broad Spectrum  
SPF 50+  
S UVA/UVB  
Physical Sunscreen

### Drug Facts

Active ingredients	Purpose
Titanium dioxide 9%	Sunscreen
Zinc oxide 6.3%	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- For sunscreen use:
- apply liberally 15 minutes

ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/torilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

**Questions or comments?**  
Call 800-620-3950

V283864/1

itcosmetics.com



IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93584 ST OUIEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients - 2300627

Physical Sunscreen

**Clinically Tested  
Hydrating &  
Anti-Aging\* with  
3D Skin Flex™**

2.53 US fl. oz. / 75 ml

\*Use with sun protection measures.  
See directions.

- before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age:  
Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

itcosmetics.com

IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.

TIP: Apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.

it

## BYE BYE FOUNDATION

Full Coverage Moisturizer™

Broad Spectrum  
SPF 50+  
SUA/UVB  
Physical Sunscreen

Clinically Tested  
Hydrating &  
Anti-Aging\* with  
3D Skin Flex™

IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93684 ST OUIEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients • 2300658

itcosmetics.com



### Drug Facts

#### Active ingredients Purpose

Titanium dioxide 9% .....Sunscreen  
Zinc oxide 6.3% .....Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

##### For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

#### Other information

- protect the product in this container from excessive heat and direct sun

#### Inactive ingredients

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate,

### Drug Facts (continued)

calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopherol acetate, phenoxyethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/dipteryx odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/torilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

#### Questions or comments?

Call 800-620-3950

V283864/1

1.0 US fl. oz. / 30 ml  
\*Use with sun protection measures. See directions.

stearic acid, cyclohexasiloxane,  
dimethicone/vinyl dimethicone  
crosspolymer, hexyl laurate,

itcosmetics.com

**Drug Facts**  
**(continued)**

**Inactive ingredients**

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, phenoxyethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/diptyerx odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed

**IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.**

**TIP:** Apply 1-2 pumps to clean skin using your favorite **IT Cosmetics** brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.



**BYE BYE FOUNDATION**

**Full Coverage Moisturizer™**

Broad Spectrum

**SPF 50+**  
**S UVA/UVB**

Physical Sunscreen

**Drug Facts**

**Active ingredients Purpose**

Titanium dioxide 9% ..... Sunscreen  
Zinc oxide 6.3% ..... Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/torilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

**Questions or comments?**

Call 800-620-3950

V283864/1

itcosmetics.com



IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93584 ST OUEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients • 2300627

**Clinically Tested  
Hydrating &  
Anti-Aging\* with  
3D Skin Flex™**

2.53 US fl. oz. / 75 ml

\*Use with sun protection measures.  
See directions.

Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age:  
Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

itcosmetics.com

IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.

TIP: Apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.

it

## BYE BYE FOUNDATION

Full Coverage Moisturizer™

Broad Spectrum

SPF 50+  
S UVA/UVB  
Physical Sunscreen

Clinically Tested Hydrating & Anti-Aging\* with 3D Skin Flex™

IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93694 ST OLIEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients • Z300658

itcosmetics.com



1.0 US fl. oz. / 30 ml

\*Use with sun protection measures. See directions.

### Drug Facts

#### Active ingredients Purpose

Titanium dioxide 9% .....Sunscreen  
Zinc oxide 6.3% .....Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

##### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age. Ask a doctor

#### Other information

- protect the product in this container from excessive heat and direct sun

#### Inactive ingredients

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate,

### Drug Facts (continued)

calcium stearate, caprylyl glycol, triethoxycaprylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, phenoxyethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/dipterix odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/tarlis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

#### Questions or comments?

Call 800-620-3950

V283864/1

itcosmetics.com

### Drug Facts (continued)

#### Inactive ingredients

G2026415: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, phenoxyethanol, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, niacinamide, polymethylsilsesquioxane, lactobacillus/dipteryx odorata seed ferment filtrate, lactobacillus/pumpkin ferment extract, propylene glycol, saccharomyces/xylinum/black tea ferment, linalool, glycerin, eucalyptus globulus leaf oil, saccharomyces/rice ferment filtrate, lactobacillus/kelp ferment filtrate, citral, hydrolyzed collagen, leuconostoc/radish root ferment filtrate, panax ginseng root extract, cocos nucifera (coconut) fruit extract, hydroxyethylcellulose, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, camellia

IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS.

**TIP:** Apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush, either on top or in place of your skincare products. For best results, apply starting at the center of your face, then smooth and blend outward for complexion perfection.

it

## BYE BYE FOUNDATION

Full Coverage Moisturizer™

Broad Spectrum

SPF 50+  
S UVA/UVB

Physical Sunscreen

### Drug Facts

#### Active ingredients Purpose

Titanium dioxide 9% .....Sunscreen  
Zinc oxide 6.3% .....Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF



sinensis leaf extract, silk extract, hydrolyzed silk, sodium citrate, citric acid, steareth-20, potassium sorbate, saccharomyces/camellia sinensis extract ferment filtrate, bacillus/cordyceps sinensis/ganoderma lucidum/inonotus obliquus/lentinus edodes/phellinus linteus/schizophyllum commune/tricholoma matsutake extract ferment filtrate, phaseolus angularis seed extract, lactobacillus ferment, lactobacillus/centella asiatica/gleditsia sinensis thorn/houttuynia cordata extract/phellodendron amurense bark/polygonum cuspidatum root/prunella vulgaris/torilis japonica extract ferment filtrate, lactobacillus/rice ferment filtrate, xanthan gum, diamond powder, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxysuccinimide, biotin, palmitoyl tripeptide-1, hydrolyzed hyaluronic acid, chrysin, palmitoyl tetrapeptide-7, may contain: iron oxides, titanium dioxide

**Questions or comments?**

Call 800-620-3950

V283864/1

itcosmetics.com



IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93584 ST OUEN CEDEX FR  
Imp. By: IT Cosmetics Canada,  
Montreal H4T 1K5  
LONDON W6 8AZ  
Made in USA of US and/or  
Imported Ingredients • 2300627

**Clinically Tested  
Hydrating &  
Anti-Aging\* with  
3D Skin Flex™**

2.53 US fl. oz. / 75 ml





\*Use with sun protection measures.  
See directions.





value or is or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age:  
Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun





# ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER NEUTRAL MEDIUM

titanium dioxide, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-119
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)	

<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-119-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-119-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER MEDIUM TAN

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-120
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXYSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DROK5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX43802MRT)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	

ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-120-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-120-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER LIGHT MEDIUM

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-117
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
ADENOSINE (UNII: K72T3FS567)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIME OIL (UNII: UZH29XGA8G)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
WATER (UNII: 059QF0KO0R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	

<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DROK5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	



## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-117-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-117-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER RICH HONEY

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-124
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	

<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)
<b>COCONUT</b> (UNII: 3RT3536DHY)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>DIAMOND</b> (UNII: 6GRV67N0U2)
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>LEMON OIL</b> (UNII: I9GRO824LL)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:11090-124-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-124-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER MEDIUM

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-118
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	

<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)
<b>COCONUT</b> (UNII: 3RT3536DHY)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>DIAMOND</b> (UNII: 6GRV67N0U2)
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>LEMON OIL</b> (UNII: I9GRO824LL)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-118-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-118-02	1 in 1 CARTON	11/01/2020	

2

75 mL in 1 TUBE; Type 0: Not a Combination Product

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER TAN

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-122
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	

<b>DIAMOND</b> (UNII: 6GRV67N0U2)
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>LEMON OIL</b> (UNII: I9GRO824LL)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-122-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-122-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER FAIR

titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-114
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXYSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	

<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-114-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-114-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	



# ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER RICH

titanium dioxide, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-123
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	

<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-123-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-123-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER NEUTRAL TAN

titanium dioxide, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-121
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	

<b>STEARETH-20</b> (UNII: L0Q8IK9E08)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-121-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-121-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER DEEP

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-125
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>FERROSO-FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)	

<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)

--

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-125-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-125-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

--

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

--

## **ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER FAIR LIGHT**

titanium dioxide, zinc oxide cream

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-115
<b>Route of Administration</b>	TOPICAL		

--

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KOOR)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)	

<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-115-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-115-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

## ITC BYE BYE FOUNDATION FULL COVERAGE MOISTURIZER LIGHT

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-116
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	63 mg in 1 mL



## Inactive Ingredients

Ingredient Name	Strength
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PINE NEEDLE OIL (PINUS SYLVESTRIS)</b> (UNII: 5EXL5H740Y)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>COCONUT</b> (UNII: 3RT3536DHY)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ADZUKI BEAN</b> (UNII: 31GYU1X0FP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	

<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-116-01	1 in 1 CARTON	11/01/2020	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11090-116-02	1 in 1 CARTON	11/01/2020	
2		75 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/01/2020	

**Labeler** - Beauty Manufacturing Solutions Corp. (783200723)

**Registrant** - Beauty Manufacturing Solutions Corp. (783200723)

### Establishment

Name	Address	ID/FEI	Business Operations
Beauty Manufacturing Solutions Corp.		783200723	manufacture(11090-114, 11090-115, 11090-116, 11090-117, 11090-118, 11090-119, 11090-120, 11090-121, 11090-122, 11090-123, 11090-124, 11090-125)

Revised: 2/2022

Beauty Manufacturing Solutions Corp.