

**LANCOME PARIS RENERGIE LIFT MULTIACTION ULTRA LIFTING FIRMING DARK SPOT CORRECTING BROAD SPECTRUM SPF 30 SUNSCREEN- avobenzone, octisalate and octocrylene cream  
SICOS ET CIE**

-----

**Drug Facts**

**Active ingredients**

Avobenzone 3%

Octisalate 5%

Octocrylene 7%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable until dry.**

Do not use near fire, flame or heat.

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## Other information


- protect the product in this container from excessive heat and direct sun

## Inactive ingredients

water, glycerin, dimethicone, isononyl isononanoate, propanediol, vinyl dimethicone/methicone silsesquioxane crosspolymer, alcohol denat., bis-PEG-18 methyl ether dimethyl silane, polyglyceryl-6 distearate, jojoba esters, tocopherol, limnanthes alba (meadowfoam) seed oil, acacia decurrens flower wax, guanosine, cyathea medullaris leaf extract, sodium hyaluronate, hydrolyzed linseed extract, sodium hydroxide, sodium dodecylbenzenesulfonate, sodium benzoate, RED 33, sodium levulinae, phenoxyethanol, adenosine, PEG-8 laurate, helianthus annuus (sunflower) seed wax, polyglyceryl-3 beeswax, polyglycerin-3, ammonium acryloyldimethyltaurine/stearate-25 methacrylate crosspolymer, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, limonene, xanthan gum, benzyl alcohol, cinnamic acid, leontopodium alpinum flower/leaf extract, capryloyl salicylic acid, caprylyl glycol, geraniol, disodium stearyl glutamate, disodium EDTA, cetyl alcohol, citric acid, potassium sorbate, sculellaria baicalensis root extract, levulinic acid, styrene/acrylates copolymer, clyberyl caprylate, fragrance

## Questions or comments?

**1-800-LANCOME (1-800-526-2663)** Monday - Friday (9 a.m. - 5 p.m. EST)



**GAUFRAGE**

**Drug Facts (continued)**  
 a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. – 2 p.m.  
 • wear long-sleeved shirts, pants, hats and sunglasses  
 children under 6 months of age. Ask a doctor.

**Other information**  
 protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**  
 water, glycerin, dimethicone, isononyl isononanoate, propanediol, vinyl dimethacrylate/methyl methacrylate copolymer, alcohol denat., bis-PEG-18 methyl ether dimethyl siloxane polyglycolyl ether distearate, jojoba esters, tocopherol, linum catharticum (flaxseed) seed oil, sacca distans flower wax, guanoine, cistaceae medullaris leaf extract, sodium hyaluronate, hydrolyzed linseed extract, sodium hydroxide, sodium dodecylbenzenesulfonate, sodium benzoate, PEG-30, sodium lauryl sulfate, phenoxyethanol, glycerol, PEG-8 laurates, helianthus annuus (sunflower) seed wax, polyglyceryl-3 beeswax, polyglyceryl-3, ammonium acryloyldimethylammoniumethylmethacrylate/25-methacrylate copolymer, dimethacrylate/vinyl dimethacrylate copolymer, dimethylsiloxane, limonene, xanthan gum, benzyl alcohol, citric acid, leontopodium alpinum flower/leaf extract, caprylyl salicylic acid, caprylyl glycol, geraniol, disodium stearoyl glutamate, disodium EDTA, xylitol alcohol, citric acid, potassium sorbate, scutellaria baicalensis root extract, levulinic acid, amaranthaceae coccoloba, glyceryl caprylate, fragrance.

**Questions or comments?**  
 1-800-LANCÔME (1-800-528-2663) Monday - Friday (9 a.m. – 5 p.m. EST)  
 1-83607670 76158817

**LANCÔME**  
 PARIS

**RÉNERGIE LIFT  
 MULTI-ACTION ULTRA**  
 SUNSCREEN  
 BROAD SPECTRUM SPF30  
 LIFTING - FIRMING - DARK SPOT CORRECTING CREAM

50 ml .NET WT. 1.7 OZ.

**Lifting - Firming - Dark Spot Correcting Cream  
 Instant Melting Cream - All Skin Types - Face, Neck, Décolleté**

Lancôme Laboratories have created the next generation of Rénergie anti-aging cream. Enriched with Lissase extract, exclusively sourced in France and extracted through biotechnology, this melting lightweight cream delivers a triple efficacy: wrinkles look smoother - skin feels firmer - dark spots appear less visible.  
 Apply once a day on the face, neck and décolleté.  
 \*when used in direct with other sun protection measures.

**Mineral: let your beauty radiate with firmer feeling and brighter looking skin.**  
 Dermatologist tested for safety.

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS  
 LANCÔME PARIS: 14 rue Royale 75001 Paris  
 LANCÔME LUXURY PRODUCTS LLC, 10 HUDSON YARDS, NEW YORK, NY 10001  
 IMP. BY LANCÔME CANADA, MONTREAL, H4T 1G6  
 TSA 75000, 3658 ST. JULEN CEDEXER  
 MADE IN FRANCE

**LANCÔME**  
 Lancome.com  
 LA971 40

**Drug Facts**

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Cinoxalate 1%	Sunscreen
Octocrylene 7%	Sunscreen

**Uses**  
 • helps prevent sunburn  
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
**For external use only**  
 Flammable until dry. Do not use near fire, flame or heat.  
 Do not use on damaged or broken skin.  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.

**Keep out of reach of children.**  
 If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 • apply generously and evenly 15 minutes before sun exposure  
 • reapply at least every 2 hours  
 • use a water resistant sunscreen if swimming or sweating  
 • **Sun Protection Measures.** Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease this risk, regularly use

3614272727267

**RECTO**



# LANCÔME PARIS RÉNERGIE LIFT MULTI-ACTION ULTRA LIFTING FIRMLING DARK SPOT CORRECTING BROAD SPECTRUM SPF 30 SUNSCREEN

avobenzone, octisalate and octocrylene cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51150-726
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
<b>Octocrylene</b> (UNII: 5A68WGF6VM) (Octocrylene - UNII:5A68WGF6VM)	Octocrylene	70 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BIS-PEG-18 METHYL ETHER DIMETHYL SILANE</b> (UNII: OEB4R3WW9C)	
<b>POLYGLYCERYL-6 DISTEARATE</b> (UNII: Z35I17EQOP)	
<b>HYDROLYZED JOJOBA ESTERS (ACID FORM)</b> (UNII: UDR641JW8W)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MEADOWFOAM SEED OIL</b> (UNII: 412ZHA4T4Y)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	
<b>GUANOSINE</b> (UNII: 12133JR80S)	
<b>CYATHEA MEDULLARIS LEAF</b> (UNII: G65ROR2RKA)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SODIUM DODECYLBENZENESULFONATE</b> (UNII: 554127163Y)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>SODIUM LEVULINATE</b> (UNII: VK44E1MQU8)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNVQ)	
<b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>CINNAMIC ACID</b> (UNII: U14A832J8D)	
<b>LEONTOPODIUM NIVALE SUBSP. ALPINUM FLOWERING TOP</b> (UNII: QQC1AK06RK)	
<b>CAPRYLOYL SALICYLIC ACID</b> (UNII: 5F7PJF6AA4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)	
<b>LEVULINIC ACID</b> (UNII: RYX5QG61EI)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (500000 MW)</b> (UNII: 5Z4DPO246A)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:51150-726-01	1 in 1 CARTON	10/28/2019	
1		50 g in 1 JAR; Type 0: Not a Combination Product		
2	NDC:51150-726-02	5 g in 1 JAR; Type 0: Not a Combination Product	10/28/2019	01/31/2025
3	NDC:51150-726-03	1 g in 1 PACKET; Type 0: Not a Combination Product	10/28/2019	12/10/2024
4	NDC:51150-726-04	1 in 1 CARTON	10/28/2019	01/24/2026
4		75 g in 1 JAR; Type 0: Not a Combination Product		
5	NDC:51150-726-05	1 in 1 CARTON	10/28/2019	03/08/2026
5		30 g in 1 JAR; Type 0: Not a Combination Product		
6	NDC:51150-726-06	1 in 1 CARTON	10/28/2019	12/07/2025
6		15 g in 1 JAR; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M020		10/28/2019	

**Labeler -** SICOS ET CIE (276993581)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
SICOS ET CIE		276993581	manufacture(51150-726) , pack(51150-726)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
SOCOPLAN		276221405	pack(51150-726)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
BPS60		272259304	pack(51150-726)