

**ACID REDUCER- ranitidine tablet**  
**Premier Value**

-----

***Drug Facts***

***ACTIVE INGREDIENT (IN EACH TABLET)***

Ranitidine 150 mg (as ranitidine hydrochloride USP, 168 mg)

***PURPOSE***

Acid reducer

***USES***

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by certain foods and beverages

***WARNINGS***

**Allergy alert:** Do not use if you are allergic to ranitidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

Ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## ***DIRECTIONS***

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water
  - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

## ***OTHER INFORMATION***

- **TAMPER EVIDENT: DO NOT USE IF THE CARTON OR INDIVIDUAL BLISTER UNIT IS OPEN OR TORN.**
- store at 20° - 25° C (68° - 77° F)
- avoid excessive heat or humidity
- this product is sodium and sugar free

## ***INACTIVE INGREDIENTS***

Colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol, talc, titanium dioxide

## ***QUESTIONS?***

Call **1-800-406-7984**

## **PRINCIPAL DISPLAY PANEL**

**Premier Value<sup>®</sup>**

**NDC 68016-351-24**

**†Compare to the active ingredient of Zantac 150<sup>®</sup>**

**Maximum Strength**

**Ranitidine Tablets, USP 150 mg**


***Acid Reducer***

**Prevents & Relieves Heartburn Associated With Acid Indigestion & Sour Stomach**


***24 Tablets***

**DISTRIBUTED BY CHAIN DRUG CONSORTIUM**

**5097265/ R0712**



5097265



5097265

Read the directions, consumer information leaflet and warnings before use. Keep the carton. It contains important information.

**Drug Facts (continued)**

**Warnings**  
 Allergy alert: Do not use if you are allergic to ranitidine or other acid reducers.

**Do not use**  
 if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools.  
 These may be signs of a serious condition. See your doctor.  
 with other acid reducers  
 if you have kidney disease, except under the advice and supervision of a doctor.

**Ask a doctor before use if you have**  
 frequent chest pain  
 frequent wheezing, particularly with heartburn  
 unexplained weight loss  
 nausea or vomiting  
 stomach pain  
 had heartburn over 3 months. This may be a sign of a more serious condition  
 heartburn with lightheadedness, sweating or dizziness  
 chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

**Stop use and ask a doctor if**  
 your heartburn continues or worsens  
 you need to take this product for more than 14 days

**Other information**  
 TAMPER EVIDENT: DO NOT USE IF THE CARTON OR INDIVIDUAL BUSTER UNIT IS OPEN OR TORN.  
 store at 20° - 25° C (68° - 77° F)  
 avoid excessive heat or humidity  
 this product is sodium and sugar free

**Inactive ingredients**  
 colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, magnesium stearate, titanium dioxide

**Questions?** call 1-800-406-7984

**Drug Facts**

**Active ingredient (in each tablet)**  
 Ranitidine 150 mg (as ranitidine hydrochloride USP, 168 mg)

**Purpose**  
 Acid reducer

**Uses**  
 relieves heartburn associated with acid indigestion and sour stomach  
 prevents heartburn associated with acid indigestion and sour stomach brought on by certain foods and beverages



If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

DISTRIBUTED BY  
CHAIN DRUG CONSORTIUM  
3901 NW BOCA RATON BLVD  
SUITE 101, BOCA RATON, FL 33431  
MADE IN INDIA

NDC 68016-351-24

†Compare to the active ingredient of Zantac 150®

**Maximum Strength**

**Premier Value®**

**Ranitidine Tablets, USP 150 mg**

**Acid Reducer**

Prevents & Relieves Heartburn Associated with Acid Indigestion & Sour Stomach

**24 Tablets**





Expiration Date:

**NON VARNISH**

Batch No.



## ACID REDUCER

ranitidine tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-351
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7)	RANITIDINE	150 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	9R
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-351-24	24 in 1 CARTON		
1		1 in 1 BLISTER PACK		
2	NDC:68016-351-50	1 in 1 CARTON		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA200536	03/30/2012	

**Labeler** - Premier Value (101668460)**Establishment**

Name	Address	ID/FEI	Business Operations
Shasun Pharmaceuticals Limited		915786829	manufacture(68016-351)

Revised: 7/2012

Premier Value