

**COPPERTONE SUNSCREEN SPF 50- avobenzene 3%, homosalate 10%, octisalate 4.5%, octocrylene 8% lotion**  
**Beiersdorf Inc**

-----  
**Sport Lotion SPF 50**

***Drug Facts***

***Active ingredients***

Avobenzene 3%, Homosalate 10%, Octisalate 4.5%, Octocrylene 8%

***Purpose***

Sunscreen

***Use***

- helps prevent sunburn

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**Stop use and ask a doctor if** rash occurs

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure

- reapply:

- after 80 minutes of swimming or sweating

- immediately after towel drying

- at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

water, aluminum starch octenylsuccinate, styrene/acrylates copolymer, glycerin, polyester-27, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, neopentyl glycol diheptanoate, behenyl alcohol, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, fragrance, disodium EDTA

### ***Questions?***

1-866-288-3330

Coppertone<sup>®</sup> Sunscreen Lotion

Sport 50

4-IN-1 Performance

Stops up to 98% UV Rays

+Resists

Sweat+Heat+Water

Free of Oxybenzone, Octinoxate, PABA, Phthalates & Dyes

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

  
**Coppertone**<sup>®</sup>  
 SUNSCREEN LOTION



**50**  
**4-IN-1**  
**PERFORMANCE**

**Stops up to 98% UV Rays**  
**Resists Sweat + Heat + Water**

**Free of Oxybenzone, Octinoxate,  
 PABA, Phthalates & Dyes**

**Water Resistant (80 Minutes)**  
**Broad Spectrum SPF 50**

**3 FL OZ (89 mL)**

**Drug Facts**

**Active ingredients**

Avobenzone 3%, Homosalate 10%,  
 Octisalate 4.5%, Octocrylene 8%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

**Inactive ingredients** water, aluminum starch octenylsuccinate, styrene/acrylates copolymer, glycerin, polyester-27, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, neopentyl glycol diheptanoate, behenyl alcohol, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, fragrance, disodium EDTA


**Questions?** 1-866-288-3330

www.coppertone.com

48205.790.BA.97

**Beiersdorf**

Made in Mexico/Distributed by:  
 Beiersdorf Inc., Stamford, CT 06901  
 ©=reg. TM. of Beiersdorf AG, Germany



**COPPERTONE SUNSCREEN SPF 50**

avobenzone 3%, homosalate 10%, octisalate 4.5%, octocrylene 8% lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-4107
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	8 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)	
<b>PEG-20 STEARATE</b> (UNII: NBX892EA57)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVW35JOOJ)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FRAGRANCE FLORAL ORC0902236</b> (UNII: R66Z4YW3X0)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	

## Product Characteristics

<b>Color</b>	white (white to off-white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4107-3	89 g in 1 TUBE; Type 0: Not a Combination Product	11/02/2020	
2	NDC:66800-4107-7	207 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/02/2020	
3	NDC:66800-4107-8	259 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/02/2020	
4	NDC:66800-4107-9	269 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/02/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/02/2020	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc