

ARUBA SUN SPF 50 SUNSCREEN- avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% lotion
Derma Care Research Labs, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Aruba Sun SPF 50 Lotion

Active Ingredients

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin. **When using this product** keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs.

Keep Out of Reach of Children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun protection measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measure including:

- limit time in the sun, especially from 10 am to 2 pm

- wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: ask a doctor.

Inactive Ingredients

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Fragrance, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water

Label

The label features a red top section with a white pattern of sea turtles and the brand name 'Antigua Sun' in a white script font. Below this is a grey band with 'SUNSCREEN' in white. The middle section is white with black text: 'BROAD SPECTRUM SPF 50 LOTION', 'REEF FRIENDLY', 'MOISTURIZING', 'PARABEN FREE', and 'WATER RESISTANT (80 MINUTES)'. The bottom section has a blue and green wave pattern with 'BEACH IS LIFE' in white, 'SPF 50' in large white numbers, and 'WWW.ANTIGUASUN.NET' and 'NET WT 8 OZ (227 g)'. On the right side, there is a white box containing 'Drug Facts', 'Warnings', 'Directions', 'Sun Protection Measures', 'Other information', and 'Inactive ingredients'. At the bottom right, there is a barcode and distribution information for Beach is Life LLC.

Antigua Sun

SUNSCREEN

BROAD SPECTRUM SPF 50 LOTION

REEF FRIENDLY
MOISTURIZING
PARABEN FREE
WATER RESISTANT (80 MINUTES)

BEACH IS LIFE

SPF 50

WWW.ANTIGUASUN.NET

NET WT 8 OZ (227 g)

Let the sun caress your body. Antigua Sun Sunscreen Lotion with SPF 50 has the essential ingredients to give your skin the healthy, sexy glow you are looking for. Get your island vibe on while we got your back. Antigua Sun cares about you and is always reef friendly. Beach is Life.

Drug Facts

Active ingredients	Purpose
Avobenzene 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove
Stop use and ask a doctor if • rash or irritation develops and lasts
Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions • apply liberally 15 minutes before sun exposure and as needed. Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients water, sorbitol, aluminum starch octenylsuccinate, VP/eicosene copolymer, stearic acid, dimethicone, tocopherol, ethylhexylglycerin, phenoxyethanol, polyglyceryl-3 methylglucose distearate, sorbitan isostearate, carbomer, disodium EDTA, triethanolamine, benzyl alcohol, fragrance

Distributed by:
Beach is Life LLC
440 Fentress Blvd.
Daytona Beach, Florida 32114 USA

6 65871 02214 0

Curacao Sun

SUNSCREEN

BROAD SPECTRUM SPF 50
LOTION

REEF FRIENDLY
MOISTURIZING
PARABEN FREE
WATER RESISTANT (80 MINUTES)

BEACH IS LIFE

SPF

50

WWW.CURACAOSUN.COM

NET WT 8 OZ (227 g)

Let the sun caress your body. Curacao Sun Sunscreen Lotion with SPF 50 has the essential ingredients to give your skin the healthy sexy glow you are looking for. Get your island vibe on while we got your back. Curacao Sun cares about you and is always reef friendly. Beach is Life.

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if • rash or irritation develops and lasts

Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions • apply liberally 15 minutes before sun exposure and as needed. Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients water, sorbitol, aluminum starch octenylsuccinate, VP/eicosene copolymer, stearic acid, dimethicone, tocopherol, ethylhexylglycerin, phenoxyethanol, polyglyceryl-3 methylglucose distearate, sorbitan isostearate, carbomer, disodium EDTA, triethanolamine, benzyl alcohol, fragrance

Distributed by:
Beach is Life LLC
440 Fentress Blvd.
Daytona Beach, Florida 32114 USA



Bonaire Sun

Let the sun caress your body. Bonaire Sun Sunscreen Lotion with SPF 50 has the essential ingredients to give your skin the healthy sexy glow you are looking for. Get your island vibe on while we got your back. Bonaire Sun cares about you and is always reef friendly...Beach is Life.

SUNSCREEN

BROAD SPECTRUM SPF 50
LOTION

REEF FRIENDLY
MOISTURIZING
PARABEN FREE
WATER RESISTANT (80 MINUTES)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if • rash or irritation develops and lasts

Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions • apply liberally 15 minutes before sun exposure and as needed. Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients water, sorbitol, aluminum starch octenylsuccinate, VP/eicosene copolymer, stearic acid, dimethicone, tocopherol, ethylhexylglycerin, phenoxyethanol, polyglyceryl-3 methylglucose distearate, sorbitan isostearate, carbomer, disodium EDTA, triethanolamine, benzyl alcohol, fragrance

BEACH IS LIFE

SPF

50

WWW.BONAIRE SUN.COM

NET WT 8 OZ (227 g)

Distributed by:
Beach is Life LLC
440 Fentress Blvd.
Daytona Beach, Florida 32114 USA



Aruba Sun

SUNSCREEN

BROAD SPECTRUM SPF 50 LOTION

REEF FRIENDLY
MOISTURIZING
PARABEN FREE
WATER RESISTANT (80 MINUTES)

BEACH IS LIFE

SPF 50

Aruban Family Owned
WWW.ARUBASUN.COM

NET WT 8 OZ (227 g)

Let the sun caress your body. Aruba Sun Sunscreen Lotion with SPF 50 has the essential ingredients to give your skin the healthy sexy glow you are looking for. Get your island vibe on while we got your back. Aruba Sun cares about you and is always reef friendly...Beach is Life.

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if • rash or irritation develops and lasts

Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions • apply liberally 15 minutes before sun exposure and as needed. Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients water, sorbitol, aluminum starch octenylsuccinate, VP/eicosene copolymer, stearic acid, dimethicone, tocopherol, ethylhexylglycerin, phenoxethanol, polyglyceryl-3 distearate, sorbitan isostearate, carbomer, disodium EDTA, triethanolamine, benzyl alcohol, fragrance

Distributed by:
Aruba Sun International,
a Delaware Limited Liability Company.
440 Fentress Blvd.
Daytona Beach, Florida. 32114

0 93423 88018 2

ARUBA SUN SPF 50 SUNSCREEN

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72839-083
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TROLAMINE (UNII: 9O3K93S3TK)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	
CARBOMER 940 (UNII: 4Q93RCW27E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72839-083-08	227 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/25/2021	
2	NDC:72839-083-18	227 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/25/2021	
3	NDC:72839-083-28	227 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/25/2021	
4	NDC:72839-083-38	227 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/25/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/25/2021	

Labeler - Derma Care Research Labs, LLC (116817470)

Registrant - Derma Care Research Labs, LLC (116817470)

Establishment

Name	Address	ID/FEI	Business Operations
Derma Care Research Labs		116817470	manufacture(72839-083)