OXYGEN - oxygen gas Fox Welding Supply Inc

Oxygen Label

OXYGEN REFRIGERATED LIQUID, USP UN 1073 (CRYOGENIC LIQUID) Produced by Air Liquefaction ALWAYS KEP CONTAINER IN UPRIGHT POSITION.

WARNING

WARNING: EXTREMELY COLD OXIDIZING LIQDUI AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATED COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered b properly trained personnel for xogyen deficiency and resuscitation. For all other medical applications, RX only.

WARNING: Uninterrupted use of high concentrations of oxygen over long diruation, without monitoring its effects on oxygen content in arerial blood, may be harmful. Use only with pressure reducing equipment, and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

DO NOT REMOVE THIS PRODUCT LABEL.

FIRST AID

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION

Company Name:

Lot Number:

Contents:

Expiration Date:

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

OXYGEN REFRIGERATED LIQUID, U.S.P. UN 1073

OXYGEN

(CRYOGENIC LIQUID)

Produced by Air Liquefaction

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING

WARNING!
EXTREMELY COLD OXIDEZING
LIQUID AND RAS UNDER
PRESSURE:
VIGOROUSLY ACCELERATES
COMBUSTION, COMBUSTIBLES
IN CONTACT WITH LIQUID
OXYGEN MAY EXPLODE ON
IGNITION OR IMPACT. CAN
CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation, For all other medical applications, RX only. WARNING!

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

Uninterrupted use of high concentrations of oxygen over long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Meterial Sorter. The Store.

FIRSTAID

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

Company Name:

Lot Number:

Contents:

Expiration Date:

DO NOT REMOVE THIS PRODUCT LABEL

PART 100-USE

FIRST AID

MAH, OR EAV TO

OXYGEN

oxygen gas

D	1	T C	4
Pro	anct	Infori	mation

Product TypePRESCRIPTION ANIMAL DRUGItem Code (Source)NDC:50975-111

Route of Administration RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthoxygen (UNII: S88TT14065) (oxygen - UNII:S88TT14065)oxygen990 mL in 1 L

Packaging

1 uchuşurş				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50975-111-01	99 L in 1 CYLINDER		
2	NDC:50975-111-02	141 L in 1 CYLINDER		
3	NDC:50975-111-03	234 L in 1 CYLINDER		
4	NDC:50975-111-04	387 L in 1 CYLINDER		

5	NDC:50975-111-05	643 L in 1 CYLINDER	
6	NDC:50975-111-06	2540 L in 1 CYLINDER	
7	NDC:50975-111-07	7100 L in 1 CYLINDER	
8	NDC:50975-111-08	9401 L in 1 CYLINDER	
9	NDC:50975-111-09	18 18 50 L in 1 DEWAR	
10	NDC:50975-111-10	125783 L in 1 DEWAR	
11	NDC:50975-111-11	129379 L in 1 DEWAR	
12	NDC:50975-111-12	35962 L in 1 DEWAR	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NADA	NADA141396	0 1/0 1/19 6 0		

Labeler - Fox Welding Supply Inc (023385834)

Establishment				
Name	Address	ID/FEI	Business Operations	
Fox Welding Supply Inc		023385834	manufacture	

Revised: 5/2014 Fox Welding Supply Inc