

STOOL SOFTENER- docusate sodium capsule, liquid filled

Walgreen Co.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Stool Softener

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces a bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking mineral oil

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take softgels with a full glass (8oz) of water

adults and children 12 years and older	take 1 to 3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years	take 1 softgel daily or as directed by a doctor
children under 6 years	ask a doctor

Other information

- each softgel contains: sodium 5 mg
- store at room temperature 15°-30°C (59°-86°F)
- protect from excessive humidity

Inactive ingredients

anhydrous citric acid, FD&C red # 40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution and white edible ink

Questions or comments?

Call toll free: **1-855-215-8180**

PRINCIPAL DISPLAY PANEL - Carton

Stool Softener

DOCUSATE SODIUM 100 mg 30 SOFTGELS


Compare to Phillips' Stool Softener Liquid Gels active ingredient

NDC 0363-9944-20




Drug Facts							
Active ingredient (in each softgel) Docusate sodium 100 mg	Purpose Stool softener laxative						
Use <ul style="list-style-type: none"> for relief of occasional constipation (irregularity) this product generally produces a bowel movement in 12 to 72 hours 							
Warnings Ask a doctor before use if you have <ul style="list-style-type: none"> stomach pain, nausea, or vomiting a sudden change in bowel habits that lasts over 14 days Ask a doctor or pharmacist before use if you are presently taking mineral oil Stop use and ask a doctor if <ul style="list-style-type: none"> you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. you need to use a laxative for more than 1 week If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.							
Directions <ul style="list-style-type: none"> take softgels with a full glass (8 oz) of water <table border="1"> <tr> <td>adults and children 12 years and older</td> <td>take 1 to 3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.</td> </tr> <tr> <td>children 6 to under 12 years</td> <td>take 1 softgel daily or as directed by a doctor</td> </tr> <tr> <td>children under 6 years of age</td> <td>ask a doctor</td> </tr> </table>		adults and children 12 years and older	take 1 to 3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.	children 6 to under 12 years	take 1 softgel daily or as directed by a doctor	children under 6 years of age	ask a doctor
adults and children 12 years and older	take 1 to 3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.						
children 6 to under 12 years	take 1 softgel daily or as directed by a doctor						
children under 6 years of age	ask a doctor						
Other information <ul style="list-style-type: none"> each softgel contains: sodium 5 mg store at room temperature 15°-30°C (59°-86°F) protect from excessive humidity 							
Inactive ingredients anhydrous citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution, white ink.							
Questions or comments? Call toll free: 1-855-215-8180							

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

PHARMACIST

Trusted since 1901™
RECOMMENDED!
Health expertise
you rely on.™

I Walgreens Pharmacist Survey
II This product is not manufactured or distributed by Bayer HealthCare LLC., owner of the registered trademark Phillips® Stool Softener Liquid Gels.


COATED PAPER BOX PLASTIC BOTTLE
*Not recycled in all communities

ORG0820-F REV-0820
WG02-03


PRINCIPAL DISPLAY PANEL - Bottle

Stool Softener

DOCUSATE SODIUM 100 mg 30 SOFTGELS

Compare to Phillips' Stool Softener Liquid Gels active ingredient

NDC 0363-9944-20




NDC 0363-9944-20

Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER

SOFTGELS

30
SOFTGELS




ACTUAL SIZE

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	Purpose Stool softener laxative
Active ingredient (in each softgel) Docusate sodium 100 mg	Use <ul style="list-style-type: none"> for relief of occasional constipation (irregularity) this product generally produces a bowel movement in 12 to 72 hours
Warnings	Ask a doctor before use if you have <ul style="list-style-type: none"> stomach pain, nausea, or vomiting a sudden change in bowel habits that lasts over 14 days Ask a doctor or pharmacist before use if you are presently taking mineral oil Stop use and ask a doctor if <ul style="list-style-type: none"> you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. you need to use a laxative for more than 1 week If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued under label)
DISTRIBUTED BY: WALGREEN CO. ITEM# 489674
200 W. MITT RD., DEERFIELD, IL 60015 WY10130-0418-F
100% SATISFACTION GUARANTEED ORG0820-F
walgreens.com ©2013 Walgreen Co. WJ066-00
MADE IN CHINA

Let No. _____
Exp. Date: _____


Drug Facts (continued)	
Directions	take softlets with a full glass (8 oz) of water
adults and children 12 years and older	take 1 to 3 softlets daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years	take 1 softlet daily or as directed by a doctor
children under 6 years of age	ask a doctor
Other information	each softlet contains sodium 5 mg
	store at room temperature 15°-30°C (59°-86°F)
	protect from excessive humidity
Inactive ingredients	anhydrous citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution, white ink.
Questions or comments?	Call toll free: 1-855-215-4188

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey

STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9944
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	red (clear)	Score	no score
Shape	capsule (oval)	Size	13mm
Flavor		Imprint Code	PC1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9944-20	1 in 1 CARTON	03/29/2018	

1	30 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/29/2018	

Labeler - Walgreen Co. (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceutical (Wuhan) Co., Ltd.		421293287	manufacture(0363-9944) , analysis(0363-9944)

Revised: 12/2020

Walgreen Co.