

**SPORT SUNSCREEN SPF 50 TOPCARE- avobenzone 3.0% homosalate 10.0% octocrylene 6.0% lotion**

**Topco**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%.....	Sunscreen
Homosalate 10%.....	Sunscreen
Octocrylene 6%.....	Sunscreen

**Uses** • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes.

Rinse with water to remove.

**Stop use and ask a doctor if** • rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • Apply liberally 15 minutes before sun exposure and as needed. • Reapply:  
• after 80 minutes of swimming or sweating  
• immediately after towel drying • at least every 2 hours. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: ask a doctor.

**Other information**

• protect the product in this container from excessive heat and direct sun • may stain fabrics

**Inactive ingredients**

## Aluminum

Starch Octenylsuccinate, Benzyl Alcohol,  
Butyloctyl Salicylate, Carbomer, Dimethicone,  
Disodium EDTA, Methylparaben,  
Polyglyceryl-3 Distearate, Propylparaben,  
Sorbitan Isostearate, Sorbitol, Stearic Acid,  
Tocopherol, Triethanolamine, VP/Eicosene  
Copolymer, Water.



# TopCare. SPORT

sunscreen lotion

water resistant  
(80 minutes)

UVA/UVB  
protection

**Broad Spectrum  
SPF 50**

\*COMPARE TO THE ACTIVE  
INGREDIENTS IN BANANA BOAT\*

8 FL OZ (237 mL)

## Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octocrylene 6%	Sunscreen

**Uses** • helps prevent sunburn

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • Apply liberally 15 minutes before sun exposure • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

### Other information

• protect this product from excessive heat and direct sun • may stain fabrics.

**Inactive ingredients** Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Butyloctyl Salicylate, Carbomer, Dimethicone, Disodium EDTA, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water.

**Questions?** 1-888-423-0139

\*THIS PRODUCT IS NOT MANUFACTURED OR DISTRIBUTED BY EDGELL PERSONAL CARE BRANDS, LLC., DISTRIBUTOR OF BANANA BOAT\*.



DISTRIBUTED BY  
TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
©TOPCO PQU916  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com

## SPORT SUNSCREEN SPF 50 TOPCARE

avobenzone 3.0% homosalate 10.0% octocrylene 6.0% lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-867
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Avobenzon</b> (UNII: G63QQF2NOX) (AVOBENZON - UNII:G63QQF2NOX)	Avobenzon	3 g in 100 mL
<b>Homosalat</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	Homosalat	10 g in 100 mL
<b>Octocrylen</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	Octocrylen	6 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>Aluminum Starch Octenylsuccinate</b> (UNII: I9PJ0O6294)	
<b>Benzyl Alcohol</b> (UNII: LKG8494WBH)	
<b>Butyloctyl Salicylate</b> (UNII: 2EH13UN8D3)	
<b>CARBOMER HOMO POLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 4Q93RCW27E)	
<b>Dimethicon</b> (UNII: 92RU3N3Y1O)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>Methylparaben</b> (UNII: A2I8C7HI9T)	
<b>Polyglyceryl-3 Distearate</b> (UNII: ZIILK470XV)	
<b>Propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>Sorbitan Isostearate</b> (UNII: 01S2G2C1E4)	
<b>Sorbitol</b> (UNII: 506T60A25R)	
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>Tocopherol</b> (UNII: R0ZB2556P8)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>EICOSYL POVIDONE</b> (UNII: XQQ9MKE2BJ)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:36800-867-06	237 mL in 1 CONTAINER; Type 0: Not a Combination Product	12/29/2016	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part352	12/29/2016	

**Labeler** - Topco (006935977)**Registrant** - Product Quest Mfg (927768135)

## Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(36800-867) , label(36800-867)

Revised: 5/2018

Topco