

SUPER-STOP BLOODCLOTTER- blood clotter aerosol, spray
Cintas Corp

Xpect Super Stop BloodClotter

Active ingredients

Benzethonium Chloride 0.2% w/w

Lidocaine 4% w/w

Purpose

Topical Antiseptic

Topical Anesthetic

Uses

- for help in control of superficial bleeding
- for temporary relief of pain and to help protect against infection in
- minor cuts
- minor scrapes
- minor burns

Warnings

For external use only

Flammable

- keep away from fire or flame

Do not use

- in or near eyes or other mucus membranes
- on large portion of the body
- in case of deep or puncture wounds
- on raw surfaces
- on blistered areas
- on animal bites
- on serious burns

When using this product

- avoid spraying in eyes
- contents under pressure
- do not puncture or incinerate
- do not store at temperatures above 120°F
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents can be

harmful or fatal

Stop use and ask a doctor if

- redness, swelling, or irritation occurs
- infection occurs
- condition worsens or symptoms persist for more than 7 days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

▣ Directions

- shake can well before using
- hold 6-8 inches from moist injured area
- spray until area is covered
- scab-like cover will gradually disappear as healing takes place or may be removed with soap and water
- for adult institutional use only
- not intended for use on children

Inactive Ingredients

Isobutane, Isopropyl Myristate, Karaya, N-Butane, Propane, Silica, Sorbitan Monooleate, Talc, and Tragacanth

NDC Package Code 42961-210-01

Super-Stop™ BloodClotter

- Aids in control of superficial bleeding
- Antiseptic action helps prevent infection and promotes faster healing
- Use on minor cuts, scrapes and scratches

CAUTION! Extremely flammable. Contents under pressure. READ BACK PANEL CAREFULLY BEFORE USE.

3 oz. (85 gm)

Xpect™ First aid



SUPER-STOP BLOODCLOTTER

blood clotter aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42961-223
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 100 mg
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
KARAYA GUM (UNII: 73W9IQY50Q)	
BUTANE (UNII: 6LV4FOR43R)	
PROPANE (UNII: T75W9911L6)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
3-(TRIETHOXYSILYL)PROPYLAMINE (UNII: L8S6UBW552)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	

TALC (UNII: 7SEV7J4R1U)

TRAGACANTH (UNII: 2944357O2O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42961-223-01	85000 mg in 1 CAN; Type 0: Not a Combination Product	03/28/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/28/2022	

Labeler - Cintas Corp (056481716)

Establishment

Name	Address	ID/FEI	Business Operations
Dixon Investments INC.		115315822	manufacture(42961-223)

Revised: 12/2023

Cintas Corp