DR. C. TUNA SUNSCREEN SPF30 BROAD SPECTRUM- avobenzone, octinoxate, octocrylene, homosalate lotion Farmasi US LLC

Dr. C. Tuna Sunscreen SPF30 Broad Spectrum

Drug Facts

Active Ingredients

Butyl Methoxydibenzoylmethane 1.5% Ethylhexyl Methoxycinnamate 5%

Octocrylene 5%

Homosalate 7%

Purpose

Sunscreen

Uses

Helps prevent sunburn - if used as directed with other sun protection measures (see), decreases the risk of skin cancer and early skin aging casued by the sun. **Directions**

Warnings

For external use only.

-Do not use

on damaged or broken skin.

-When using this product

keep out of eyes. Rinse with water to remove.

- Stop use and ask doctor if

rash occurs.

- Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

For Suncreen Use:

-Apply generously 15 minutes before sun exposure.-Reapply; - after 80 minutes of swimming or sweating - immediately after towel drying - at least every 2 hours

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regullarly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m- 2 p.m. - wear long - sleeved shirts, pants, hats and sunglasses - children under 6 months of age: Ask a doctor - **Sun Protection Measures:**

Other Information

- protect this product from excessive heat and direct sun. - may stain some fabrics

Inactive Ingredients

Water/Aqua, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Glyceryl Stearate, Peg-100 Stearate, Glycerin, Ethylhexyl Palmitate, Ceteareth-20, Cyclopentasiloxane, Phenoxyethanol, Dimethicone, Acrylates, C10-30 Alkyl Acrylate Crosspolymer, Glycine Soja Oil, Daucus Carota Sativa Root Extract, Beta-Carotene, Tocopherol, Triethanolamine, Tocopheryl Acetate, Ethylhexylglycerin.

Questions or Comments?

info@farmasius.com **+1 (833) 432 76 27**Monday - Friday (9 a.m - 6p.m. EST)

Package Labeling





Drug Facts

Active Ingredients Butyl Methoxydibenzoylmethane 1,5%	PURPOSE Sunscreen
Ethylhexyl Methoxycinnamate 5%	
Octocrylene 5%	Sunscreen
Homosalate 7%	Sunscreen

Helps prevent sunburn - if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. - Do not use on damaged or broken skin. - When using this product keep out of eyes. Rinse with water to remove. - Stop use and ask doctor if rash occurs. - Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For Suncreen Use:

 Apply generously 15 minutes before sun exposure. Reapply; - after 80 minutes of swimming or sweating immediately after towel drying - at least every 2 hours -Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m.-2 p.m. - wear long - sleeved shirts, pants, hats and sunglasses - children under 6 months of age: Ask a doctor

Other Information

- protect this product from excessive heat and direct sun. - may stain some fabrics

Inactive Ingredients

Water/Aqua, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Glyceryl Stearate, Peg-100 Stearate, Glycerin, Ethylhexyl Palmitate, Ceteareth-20, Cyclopentasiloxane, Phenoxyethanol, Dimethicone, Acrylates, C10-30 Alkyl Acrylate Crosspolymer, Glycine Soja Oil, Daucus Carota Sativa Root Extract, Beta-Carotene, Tocopherol, Triethanolamine, Tocopheryl Acetate, Ethylhexylglycerin.

Questions or Comments?

info@farmasius.com +1 (833) 432 76 27 Monday - Friday (9 a.m - 6 p.m. EST)

Distributed By:

FARMASİ US LLC 2315 NW 107 TH AVE, STE 1B 12, DORAL , FL 33172.

4801178

8690131109899







Face & Body

UVA + UVB Protection

CLEAN FEEL LIGHT WEIGHT

75 ml — 2,5 fl.oz.

DR. C. TUNA SUNSCREEN SPF30 BROAD SPECTRUM

avobenzone, octinoxate, octocrylene, homosalate lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:74690-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	15 mg in 1 mL	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	70 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
SOYBEAN OIL (UNII: 241ATL177A)	
CARROT (UNII: L56Z1JK48B)	
BETA CAROTENE (UNII: 01YAE03M7J)	
TOCOPHEROL (UNII: ROZB2556P8)	
TROLAMINE (UNII: 903K93S3TK)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74690-001-	1 in 1 BOX	06/01/2020	
1		75 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M020	06/01/2020	

Labeler - Farmasi US LLC (113303351)

Revised: 12/2023 Farmasi US LLC