

EQUATE PAIN RELIEVING PATCHES- lidocaine 4% patch
WALMART, INC

EQUATE PAIN RELIEVING PATCH - LIDOCAINE 4%

ACTIVE INGREDIENTS

Lidocaine 4.0%

PURPOSE

Topical anesthetic

USES

Temporarily relieves minor pain

WARNINGS

For external use only

Do not use

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened

When using this product

- Use only as directed
- Read and follow all directions and warnings on this pack
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets
- Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch

Stop use and ask a doctor if

- Condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few

days

- You experience signs of skin injury, such as pain, swelling or blistering where the product was applied

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

DIRECTIONS

Adults and children over 12 years: Clean and dry affected area. Remove film from patch (see illustration). Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use

Children 12 years of age or younger: Consult a physician.

OTHER INFORMATION

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

INACTIVE INGREDIENTS

aluminum glycinat, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

QUESTIONS

CALL 1-888-287-1915

PRINCIPAL DISPLAY PANEL

equate™



MAXIMUM STRENGTH

LIDOCAINE PAIN RELIEVING PATCH Lidocaine 4%/Topical Anesthetic

Temporarily relieves pain

- Stay-put flexible patch
- Easy to apply and remove
- No-mess, single-use application
- Odor Free

6 PATCHES

LASTS UP TO **12**
HOURS

**3.93 IN X 5.5 IN
(10cm X 14cm)**



EQUATE PAIN RELIEVING PATCHES

lidocaine 4% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-106
Route of Administration	TRANSDERMAL, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	344 mg

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POVIDONE (UNII: FZ989GH94E)	
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-106-06	6 in 1 BOX	04/01/2022	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/01/2022	

