

PEROX-400- hydrogen peroxide liquid
ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Perox-400

Perox-400

Dilution Directions:

1 part of Perox-400™ to 3 parts of water will produce 4 parts of a 1.0% Hydrogen Peroxide

teat dip or spray with 5.0% skin conditioners.

1 part of Perox-400™ to 7 parts of water will produce 8 parts of a 0.5% Hydrogen Peroxide

teat dip or spray with 2.5% skin conditioners.

Directions For Use:

Before milking, dip or spray entire teat with DILUTED Perox-400™ solution. Teats should be

thoroughly dried before milking using a single service towel to prevent contamination of milk.

IMPORTANT: Do not mix Perox-400™ with any other teat spray, teat dip or other teat products. Perox-400™ is not intended to cure or help the healing of chapped or irritated teats. In case of teat irritation or chapping, have the condition examined.

Disposal Considerations

Handling of waste residue: Neutralize and dilute.

Methods of disposal: Dispose of residue according to federal, state and local regulations.

Disposing of contaminated packaging: To clean the container before final disposal, empty

the remaining contents from this container into application equipment. Fill the container ¼ full with water. Replace and tighten closures. Agitate vigorously or recirculate water for

30 seconds. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Follow Pesticide

Disposal

instructions for rinsate disposal.

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

Hazards not otherwise classified: None Known

FIRST AID:

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes

while removing contaminated clothing and shoes. Wash clothing before reuse.
 Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.
 Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.
 Inhalation of vapors: Should not occur with proper use of this product.
 Most important symptoms/effects, acute and delayed: None known
 Immediate medical attention and special treatment needed, if any: None known
AVOID FREEZING - If frozen, let thaw and shake thoroughly before using.

Perox-400



Perox-400™
 Sanitizing Hydrogen Peroxide Teat Dip Concentrate
 Dilute Before Use
 Active Ingredients: Hydrogen Peroxide.....4.0%
 Contains Skin Emollients

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN



CAUTION

Hazard statement(s):
 May be harmful if swallowed. May cause eye irritation.
 Precautionary statement(s):
 Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.
 Hazards not otherwise classified: None Known

FIRST AID:

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
 Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.
 Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.
 Inhalation of vapors: Should not occur with proper use of this product.
 Most important symptoms/effects, acute and delayed: None known
 Immediate medical attention and special treatment needed, if any: None known

AVOID FREEZING - If frozen, let thaw and shake thoroughly before using.



Dilution Directions:
 1 part of Perox-400™ to 3 parts of water will produce 4 parts of a 1.0% Hydrogen Peroxide teat dip or spray with 5.0% skin conditioners.
 1 part of Perox-400™ to 7 parts of water will produce 8 parts of a 0.5% Hydrogen Peroxide teat dip or spray with 2.5% skin conditioners.

Directions For Use:
 Before milking, dip or spray entire teat with DILUTED Perox-400™ solution. Teats should be thoroughly dried before milking using a single service towel to prevent contamination of milk.

IMPORTANT: Do not mix Perox-400™ with any other teat spray, teat dip or other teat products. Perox-400™ is not intended to cure or help the healing of chapped or irritated teats. In case of teat irritation or chapping, have the condition examined.

Disposal Considerations
 Handling of waste residue: Neutralize and dilute.
 Methods of disposal: Dispose of residue according to federal, state and local regulations.
 Disposing of contaminated packaging: To clean the container before final disposal, empty the remaining contents from this container into application equipment. Fill the container ¼ full with water. Replace and tighten closures. Agitate vigorously or recirculate water for 30 seconds. Empty the rinse into application equipment or a mix tank or store rinseate for later use or disposal. Repeat this procedure two more times. Follow Pesticide Disposal instructions for rinseate disposal.

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
 Case Contents: 4x1 gal (total: 4 gal.)

FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
 800.279.7761 www.proactivesolutionsusa.com





CAUTION

Hazard statement(s):
 May be harmful if swallowed. May cause eye irritation.
 Precautionary statement(s):
 Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.
 Hazards not otherwise classified: None Known

FIRST AID:

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
 Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.
 Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.
 Inhalation of vapors: Should not occur with proper use of this product.
 Most important symptoms/effects, acute and delayed: None known
 Immediate medical attention and special treatment needed, if any: None known

AVOID FREEZING - If frozen, let thaw and shake thoroughly before using.



Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
 Case Contents: 4x1 gal (total: 4 gal.)

Dilution Directions:
 1 part of Perox-400™ to 3 parts of water will produce 4 parts of a 1.0% Hydrogen Peroxide teat dip or spray with 5.0% skin conditioners.
 1 part of Perox-400™ to 7 parts of water will produce 8 parts of a 0.5% Hydrogen Peroxide teat dip or spray with 2.5% skin conditioners.

Directions For Use:
 Before milking, dip or spray entire teat with DILUTED Perox-400™ solution. Teats should be thoroughly dried before milking using a single service towel to prevent contamination of milk.

IMPORTANT: Do not mix Perox-400™ with any other teat spray, teat dip or other teat products. Perox-400™ is not intended to cure or help the healing of chapped or irritated teats. In case of teat irritation or chapping, have the condition examined.

Disposal Considerations
 Handling of waste residue: Neutralize and dilute.
 Methods of disposal: Dispose of residue according to federal, state and local regulations.
 Disposing of contaminated packaging: To clean the container before final disposal, empty the remaining contents from this container into application equipment. Fill the container ¼ full with water. Replace and tighten closures. Agitate vigorously or recirculate water for 30 seconds. Empty the rinseate into application equipment or a mix tank or store rinseate for later use or disposal. Repeat this procedure two more times. Follow Pesticide Disposal instructions for rinseate disposal.

FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
 800.279.7761 www.proactivesolutionsusa.com



REV Date: 2/9/2026

PEROX-400

hydrogen peroxide liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:63927-4326
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	4 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927-4326-3	59.92 kg in 1 DRUM		
2	NDC:63927-4326-4	219.71 kg in 1 DRUM		
3	NDC:63927-4326-5	1098.57 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/12/2009	

Labeler - ProActive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, pack, repack, label

Revised: 2/2026

ProActive Solutions USA, LLC