DAYTIME COLD AND FLU NON DROWSY- acetaminohpen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethoprhan HBr 10 mg

Phenlyephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves common cold and flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - nasal congestion
 - fever
 - cough due to minor throat and bronchial irritation

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure

whether a drug contains acetaminophen, ask a doctor or pharmacist.

• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product,

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

Other information

- store between 15-30°C (59-86°F)
- avoid excessive heat

Inactive ingredients

butylated hydroxyanisole*, butylated hydroxytoluene*, FD&C red #40, FD&C yellow#6, gelatin, glycerin, polyethylene glycol*, povidone, propylene glycol, purified water, sorbitan*, sorbitol, titanium dioxide*, white ink

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Vick® DayQuil® Cold & Flu LiquiCaps®†

Non-Drowsy

Daytime

Multi-Symptom Cold/Flu Relief

ACETAMINOPHEN - Pain reliever; fever reducer

DEXTROMETHORPHAN HBr - Cough Suppressant

PHENYLEPHRINE HCl - Nasal Decongestant

Relieves:

Aching & fever, sore throat, coughing, and congested-stuffy head so you can get through the day

Alcohol free

Antihistamine free

SOFTGELS**

(LIQUID-FILLED CAPSULES)

†This product is not manufactured or distributed by the Procter & Gamble Company. Vicks®, Dayquil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWING ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Distributed by: CVS Pharmacy, Inc

One CVS Drive, Woonsocket, RI 02895

CVS.com

1-800-SHOP-CVS

Package Label

16 SOFTGEL S** ("LIQUID-FILLED CAPSULES)

PHENYLEPHRINE HCI - Nasal decongestant

Aching & fever, sore throat, coughing, and congested-stuffy head so you can get through the day

Alcohol free

Relieves:

Antihistamine free

Non-Drowsy

CVSHealth

ACETAMINOPHEN - Pain reliever; Fever reducer DEXTROMETHORPHAN HBr - Cough suppressant

Daytime **Multi-Symptom Cold/Flu Relief**

Cold/Flu

Story Pung Facts

Compare to the active ingredients in Vicks® DayQuil® Cold & Flu LiquiCaps®†

(legitos rice in each softeel)

When using this product, do not exceed recommended dosage.	Guestions or comments?	
Ask a doctor or pharmacist before use if you are taking the blood thinning drug wartarin.	dioxide*, white ink *contains one or more of these ingredients	
erough that occurs with too much philegm (mucus) emphysema cough that occurs with too much philegm (mucus)	Inactive ingredients butylsted hydroxyanisole*, butylsted hydroxytoluene*, FD&C red #40*, FD&C yellow #6, gelatin, giycerin, polyethyl gyrcol, povidane, propylene glycol, purified water, sorbitan, sorbitan, titanium	
Ask a doctor before use if you have m liver disease m diabetes m heart disease m tryroid disease m high blood pressure m touble urinating due to an enlarged prostate gland	Other information asoid excessive heat a stoid excessive heat	
with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If you are now taking a prescription monoamine oxidase inhibitor (MAOI) if you are now taking a prescription monoamine oxidase inhibitor, or (sertain drugs for deprescription transmissions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	Directions may not take more than directed (see Overdose warning) m do not take more than 4 doses in 24 hours m do not take more than 4 doses in 24 hours m sublics and children 12 years and over, take 2 softgels with water every 4 hours m svallow whole; do not crush, chew, or dissolve m when using other Daytime or Nighttime products, carefully read each m when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing label to ensure correct dosing	
est ton of	even if you do not notice any signs or symptoms.	
may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away. Sore throat warming: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warming: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center damage. Unick medical attention is critical for adults as well as for children right away. Ouick medical attention is critical for adults as well as for children	
er warming: This product contains acetaminophen. Severe liver damage may sur if you take: nore than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 9 or more alcoholic drinks every day while using this product surgy alert. Acetaminophen may cause severe skin reactions. Symptoms	Stop use and ask a doctor if memory or lasts more than 7 days revousness, disziness, or sleeplessness occur revousness, disziness, or sleeplessness occur revousness dack or occurs with rash or headache that lasts. These could be redness or swelling is present mew symptoms occur redness or serious condition.	
Drug Facts (continued)	Drug Facts (continued)	
Phenylephrine HCI 5 mg	In resal congestion fever cough due to minor throat and bronchial irritation Drug Facts (continued) Stop use and ask a doctor if pain, cough, or nasal congestion gets worse or lasts more the stop use and ask a doctor fit	
Production 1990 Technologic Contraction Co	minor aches and pains in beadache is sore throat minor aches and pains in beadache is sore throat	

Sasu

(panuituoo) stora (continued)

sasodius

Actual Size

T23 M93-MA9 ysbin3-ysbnoM 8595-537-778-1 lls0

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING KEEP OUTER CARTON FOR COMPLETE WARMINGS AND PRODUCT INFORMATION

xp. Dat



CVS HEALTH Non-Drowsy Daytime Cold and Flu

DAYTIME COLD AND FLU NON DROWSY

acetaminohpen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Product Inform	ation						
Product T ype		HUMAN OTC DRUG	Item Code (S	Item Code (Source) NDC		DC:69842-742	
Route of Administ	ration	ORAL					
Active Ingredie	nt/Active Moi	ety					
	Ingre	dient Name		Basis of St	rength	Strengtl	
ACETAMINO PHEN	(UNII: 362O9ITL9I) (ACETAMINOPHEN - UNII:	362O9ITL9D)	ACETAMINOPHEN	I	325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9KYH)DEXTROMETHORPHAN(DEXTROMETHORPHAN - UNII:7355X3ROTS)HYDROBROMIDE						10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - PHENYLEPHRINE UNII:1WS297W6MV) HYDROCHLORIDE						5 mg	
Inactive Ingred	ients						
		Ingredient Name				Strength	
BUTYLATED HYDR	OXYANISOLE (U	0				0	
BUTYLATED HYDR	OXYTOLUENE (U	JNII: 1P9 D0 Z171K)					
FD&C RED NO. 40 (UNII: WZB9127XO	A)					
FD&C YELLOW NO).6 (UNII: H77VEI9	3A8)					
GELATIN (UNII: 2G8	86QN327L)						
GLYCERIN (UNII: PI	DC6A3C0OX)						
POLYETHYLENE G	LYCOL, UNSPEC	IFIED (UNII: 3WJQ0SDW1A)					
POVIDONE (UNII: FZ	Z989GH94E)						
PROPYLENE GLYC	OL (UNII: 6DC9Q	167V3)					
WATER (UNII: 059Q							
SORBITAN (UNII: 60							
SORBITOL (UNII: 5)							
TITANIUM DIO XIDI	E (UNII: 15FIX9V2J	P)					
Product Charac	teristics						
Color	ORANGE	Score		no score			
Shape	CAPSULE	Size		20 mm			
Flavor		Imprint Cod	e	P19;95A;AP0	16		

Packaging								
#	Item Code		Package Description	Marketing Start Date	Marketing End Date			
1	NDC:69842-742-16	16 in	1 CARTON	09/30/2018				
1		1 in 1	BLISTER PACK; Type 0: Not a Combination Product					
2	NDC:69842-742-24	24 in	1 CARTON	09/30/2018				
2		1 in 1	BLISTER PACK; Type 0: Not a Combination Product					
3	NDC:69842-742-48	48 in	1 CARTON	09/30/2018				
3		1 in 1	BLISTER PACK; Type 0: Not a Combination Product					
N	Aarketing Inf	orn	nation					
Marketing Category		ry	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	OTC MONOGRAPH FINA		part341	09/30/2018				

Labeler - CVS Pharmacy (062312574)

Revised: 10/2019

CVS Pharmacy