

MUCINEX D MAXIMUM STRENGTH- guaifenesin and pseudoephedrine hydrochloride tablet, extended release
RB Health (US) LLC

Mucinex® D
Maximum Strength

Drug Facts

Active ingredients (in each extended-release tablet) Purposes
Guaifenesin 1200 mg Expectorant
Pseudoephedrine HCl 120 mg Nasal Decongestant

<i>Active ingredients (in each extended-release tablet)</i>	<i>Purposes</i>
Guaifenesin 1200 mg	Expectorant
Pseudoephedrine HCl 120 mg	Nasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; FD&C yellow no. 6 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions?

1-866-MUCINEX (1-866-682-4639)

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

Made in England

PRINCIPAL DISPLAY PANEL - 24 Tablet Blister Pack Carton

MAXIMUM STRENGTH

NDC 63824-041-24

Mucinex®D

1200 mg guaifenesin & 120 mg pseudoephedrine HCl
extended-release bi-layer tablets

EXPECTORANT

& NASAL DECONGESTANT

12

HOUR[®]

- Clears Nasal/Sinus Congestion
- Thins and Loosens Mucus
- Immediate and Extended Release

24

EXTENDED-RELEASE TABLETS

Immediate-Release Layer →

Extended-Release Layer → Lasts 12 Hours

Bi-Layer Tablet



MAXIMUM STRENGTH

Mucinex[®]D

NDC 63824-041-24

Guaifenesin 1200 mg » Expectorant
Pseudoephedrine HCl 120 mg » Nasal Decongestant
Extended-Release Tablets

RELIEVES NASAL & CHEST CONGESTION



24 EXTENDED
RELEASE
TABLETS

- ✓ Clears Nasal & Sinus Congestion
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release



ACTUAL SIZE

MAXIMUM STRENGTH

Mucinex[®]D

RELIEVES NASAL & CHEST CONGESTION



3 63824 04124 7

MAXIMUM STRENGTH
Mucinex^D
RELIEVES NASAL
& CHEST CONGESTION

FOR DAY OR NIGHT



Scan for FAQs and instructions on proper disposal of medicines or visit www.mucinex.com/FAQs

Contains FD&C Yellow Dye no. 6

Please visit our website
www.mucinex.com

Patents: www.reckitt.com/patents



Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

082924
50058714
©2024 RB Health
Made in England

Drug Facts

Active ingredients (in each extended-release tablet)

Guaifenesin 1200 mg.....Expectorant
Pseudoephedrine HCl 120 mg.....Nasal Decongestant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

Warnings

- **Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Drug Facts (continued)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older:
1 extended-release tablet every 12 hours;
not more than 2 extended-release tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; FD&C yellow no. 6 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-866-MUCINEX (1-866-682-4639)

MUCINEX D MAXIMUM STRENGTH

guaifenesin and pseudoephedrine hydrochloride tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-041
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	1200 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	orange, white	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	Mucinex;1200
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-041-24	2 in 1 CARTON	06/26/2012	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:63824-041-71	24 in 1 CARTON	06/26/2012	07/10/2017
2		1 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:63824-041-36	3 in 1 CARTON	06/26/2012	09/12/2017
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:63824-041-12	1 in 1 CARTON	01/01/2020	12/31/2022
4		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021585	06/26/2012	

Labeler - RB Health (US) LLC (081049410)

Revised: 3/2025

RB Health (US) LLC