THERACARE ROLL-ON MENTHOL 16% PAIN RELIEF LIQUID- menthol liquid Veridian Healthcare

TheraCare Roll-on Menthol 16% Pain Relief Liquid

TheraCare Roll-on Menthol 16% Pain Relief Liquid

Active ingredient

Menthol 16%

Purpose

Topical analgesic

Uses

temporarily relieves minor pain associated with:

- arthritis
- simple backache
- muscle strains
- sprains
- bruises
- cramps

Warnings

For external use only

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use
- a transient burning sensation may occur upon application but generally disappears in several days
- if severe burning sensation occurs, discontinue use immediately
- do not expose the area treated with product to heat or direct sunlight
- avoid applying into skin folds

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

Flammable ■ Keep away from fire or flame

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

adults and children over 12 years:

- apply a thin layer to affected area
- massage into painful area until thoroughly absorbed into skin
- repeat as necessary, but no more than 3 to 4 times daily
- IF MEDICINE COMES IN CONTACT WITH HANDS, WASH WITH SOAP AND WATER

children 12 years or younger:ask a doctor

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer(60000 MPA.S), aminomethyl propanol, capsaicin, glycerin, isopropyl

myristate, propylene glycol, SD alcohol, water

Principal Display Panel



Drug Facis Active ingredient Purposs Topical analges Uses Temporarily relieves minor pain associated with: $\mathbf u$ arthrits $\mathbf u$ simple backache $\mathbf u$ muscles trains $\mathbf u$ sprains $\mathbf u$ bruises $\mathbf u$ cramps Wamings For external use only. Warmings for external use only. When mings in the product use only as directed, feed and billow all directions and wernings on this carbon interecases of serious burns have been reported within products of this type in do not bendage think or apply to call heat good and account and account and the product of the account mavoid contract with reys and mucous mentioners in do not apply to wound sor diamaged, proken or infliended share a transfert burning sensation may occur upon application but generally disappears an event days in its event burning sensation occurs, disconfinue use immediately in do not expose their senset leads with product to heat or direct surright. ■ avoid applying into skin folds maxima applying in our interest Stop use and last, a doctor into condition worsens in redness is present in interior develops in symptoms per six the more frant 7 days or dear up and occur again within a few days you deperience signs of stim injury, such as part, switting to his being where the productives applied. Raminable is likep away from the or fame. if pregnant or breast feeding, ask a health professional beforeuse. Keep out of reach of children and pets. If swallowed, get medical help or contact Poison Control Center (1-800-222-1222) right away. Directions Adults and children over 12 years; in apply a finity and baffacted area immassage into paintul area until forcupity absorbed into skin imagenet as necessary, button more than 3 to 4 times daily immerchance consension own and with Hawker what with examples and Children 12 years or younger; in ask a doobt. Other information a Store at room temperature .nac tive ingrediants arylates.C10-30 alkyl adylate dosspolymer (60000 MPAS), aminomethyl propend, capsach, glycerin, isopropyl myristate propyleneglycol, SD alcohol, water Questions or comments? Call 1-966-326-1313 "This podut is not manufactured or distributed by Chattern Inc., owner of the registered trademark. Light Not DO NOT USE IF TAMPER SEAL IS BROKEN OR MISSING. CLOSE CAP TIGHTLY BETWEEN USES. KEEP THIS OUTER CARTON AS IT CONTAINS IMPORTANT INFORMATION.

MODEL 19-935 Customer Care Help Line 1-866-326-1313

THERACARE ROLL-ON MENTHOL 16% PAIN RELIEF LIQUID

menthol liquid

Manufactured for: Veridian Healthcare, LLC 1175 Lakeside Drive Gurnee, L. 60031 USA www.VeridianHealthcare.com Made in China

92-19069 07/25 VC510047 ©2025 Veridian Healthcare, LLC

OTC DRUG	Item Code (Source)	NDC:71101-089
	item coue (source)	NDC:71101 003

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.16 g in 1 mL	

Inactive Ingredients				
Ingredient Name	Strength			
CAPSAICIN (UNII: S07044R1ZM)				
GLYCERIN (UNII: PDC6A3C0OX)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
ALCOHOL (UNII: 3K9958V90M)				
AMINOMETHYL PROPANOL (UNII: LU49E6626Q)				
WATER (UNII: 059QF0KO0R)				
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71101- 089-01	1 in 1 CARTON	09/01/2025	
1		73 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/01/2025	

Labeler - Veridian Healthcare (830437997)

Establishment				
Name	Address	ID/FEI	Business Operations	
Nantong Health & Beyond Hygienic Products Inc		421280161	manufacture(71101-089)	

Revised: 9/2025 Veridian Healthcare