# SIMETHICONE- simethicone tablet Cardinal Health

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## Simethicone Anti-Gas 80 mg Tablet

## **Active ingredient**

Each tablet contains 80 mg Simethicone

Mint Flavored chewable tablets

# Purpose

Anti-gas

## **Keep Out of Reach of Children**

Keep this and all drugs out of the reach of children.

#### Uses

Relieves pressure, bloating, and symptoms referred to as gas.

## Warnings

This package is intended for institutional use only.

Do not exceed six tablets in a 24 hour period except under the advice and supervision of a physician. In case of overdose get medical help or contact a Poison Control Center immediately.

#### **Directions**

Chew one or two tablets thoroughly as needed after meals and at bedtime.

# **Inactive ingredients**

Compressible sugar, dextrose, flavor, magnesium stearate, maltodextrin and sorbitol.

### Storage

STORE at Room Temperature. Avoid high humidity and excessive heat, above 40 C (104 F).

Mint Flavored chewable Tablets

Sky

Mfg. By: Guardian Drug Company

2 Charles Court

Dayton, NJ 08810

Distributed By

McKesson Packaging Services

a business unit of McKesson Corporation

7101 Weddington Road

Concord, NC 28027

Validated with McKesson's PROmanager-Rx Automated storage & dispensing system for Package-Ready Oral solids

www.PROmanager-Rx.com

Distributed by:

Cardinal Health

Dublin, OH 43017

L43456330318

# **Principal Display Panel**

Simethicone Anti-Gas

80 mg Tablets

10 Tablets



X86

# SIMETHICONE ANTI-GAS 80 mg TABLETS

10 TABLETS

Mint Flavored chewable Tablets

ACTIVE INGREDIENT: Each tablet contains 80 mg Simethicone.
USES: Relieves pressure, bloating, and symptoms referred to as gas.

WARNINGS: Do not exceed six tablets in a 24 hour period except under the advice and supervision of a physician.

In case of overdose get medical help or contact a Poison Control Center immediately.

DIRECTIONS: Chew one or two tablets thoroughly as needed after meals and at bedtime.

STORAGE: STORE at Room Temperature. Avoid high humidity and excessive heat, above 40° C (104° F).

INACTIVE INGREDIENTS: compressible sugar, dextrose, flavor, magnesium stearate, maltodextrin and sorbitol.

WARNING: This Unit Dose package is not child resistant and is Intended for Institutional Use Only. Keep this and all drugs out of the reach of children.

SKY

Mfg. By: Guardian Drug Company 2 Charles Court Dayton, NJ 08810 Distributed By McKesson Packaging Services a business unit of McKesson Corporation 7101 Weddington Road Concord, NC 28027

Validated with McKesson's PROmanager-Rx Automated storage & dispensing system for Package-Ready Cral solids www.PROmanager-Rx.com Distributed by Cardinal Health Dublin, OH 43017 L43456330318

LOT #: XXXXXXXXXX EXP. DATE: XX/XX/XX

## **SIMETHICONE**

simethicone tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55154-1480(NDC:63739-225)
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DIMETHICO NE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg	

#### **Inactive Ingredients**

Ingredient Name	Strength
SUCROSE (UNII: C151H8 M554)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9 XDZ35W2)	
MAGNESIUM (UNII: I38 ZP9992A)	
STEARYL STEARATE (UNII: 5WX2EGD0DK)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics				
Color	WHITE	Score	no score	
Shape	ROUND	Size	6mm	
Flavor		Imprint Code	GDC;103	
Contains				

l	Packaging				
	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date	
ı	1 NDC:55154-1480-0	10 in 1 BAG	06/06/2011		
	1	1 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
Unapproved drug other		06/06/2011			

# Labeler - Cardinal Health (603638201)

Revised: 12/2018 Cardinal Health