

**MULTI SYMPTOM SEVERE COLD- acetaminophen, dextromethorphan hbr, phenylephrine hcl powder, for solution**

**RARITAN PHARMACEUTICALS INC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRx Choice Multi-Symptom Severe Cold Green Tea and Honey Lemon Flavors 6 Packets**

***Active ingredients (in each packet)***

Acetaminophen 500 mg

Dextromethorphan hydrobromide 20 mg

Phenylephrine hydrochloride 10 mg

***Purposes***

Pain reliever/Fever reducer

Cough Suppressant

Nasal Decongestant

***Uses***

- temporarily relieves these symptoms due to a cold:
  - minor aches and pains
  - minor sore throat pain
  - headache
  - nasal and sinus congestion
  - cough due to minor throat and bronchial irritation
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert :** Acetaminophen may cause severe skin reactions, Symptoms may include:

- skin reddening
- blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly.

**Do not use**

- in a child under 12 years of age
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or a pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**When using this product**

**do not exceed recommended dosage**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- symptoms do not get better or worsen
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health care professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Directions**

- **do not use more than directed**
- take every 4 hours, while symptoms persist. do not take more than 6 packets in 24 hours unless directed by a doctor

Age	Dose
Adults and children 12 years of age and over	One packet
Children under 12 years of age	Do not use

- dissolve contents of one packet into 8 oz. hot water: sip while hot. Consume entire drink within 10-15 minutes.
- if using a microwave, add contents of one packet to 8 oz. of cool water: stir briskly before and after heating, Do not overheat.

## **Other information**

- **each packet contains:** potassium 6 mg
- store at room temperature. Protect from excessive heat and moisture.

## **Inactive ingredients**

citric acid, caramel, flavors, maltodextrin ,potassium chloride, silica, sucralose, sucrose,

## **Questions or Comments**

**1-866-467-2748**

## **Principal Display**

DRx Choice®

NDC# 68163-547-06

Compare to the active ingredients in Theraflu® Multi-Symptom Severe Cold\*

MULTI-SYMPTOM

**Severe Cold**

**ACETAMINOPHEN -**

Pain Reliever/ Fever Reducer

**DEXTROMETHORPHAN HBr -**

Cough Suppressant

**PHENYLEPHRINE HCl -**

Nasal Decongestant

- Aspartame Free
- Dye free
- Sodium free

Relieves

- Body ache
- Cough
- Fever
- Headache
- Nasal congestion
- Sore throat pain

Green Tea & Honey Lemon Flavors

Infused with Menthol & Green Tea Flavors

**6 PACKETS**

**TAMPER EVIDENT INNER UNIT: DO NOT USE IF SEALED PACKET IS TORN OR BROKEN.**

Manufactured by:

Raritan Pharmaceuticals

8 Joanna Court,

East Brunswick, NJ 08816

\*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Theraflu® Multi-Symptom Severe Cold.



## MULTI SYMPTOM SEVERE COLD

acetaminophen, dextromethorphan hbr, phenylephrine hcl powder, for solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68163-547
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

**Inactive Ingredients**

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARAMEL (UNII: T9D99G2B1R)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

**Product Characteristics**

Color		Score	
Shape		Size	
Flavor	HONEY (Green Tea and Honey Lemon)	Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68163-547-06	6 in 1 CARTON; Type 0: Not a Combination Product	04/10/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/10/2019	

**Labeler** - RARITAN PHARMACEUTICALS INC (127602287)

Revised: 8/2019

RARITAN PHARMACEUTICALS INC