

**NEUTROGENA WET SKIN SWIM HUMIDITY SWEAT SUNSCREEN BROAD SPECTRUM  
SPF85 PLUS- avobenzone, homosalate, octisalate, octocrylene, and oxybenzone aerosol, spray  
Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Neutrogena® wet skin SWIM.HUMIDITY.SWEAT SUNSCREEN Broad Spectrum SPF 85+**

***Drug Facts***

**Active ingredients**

Avobenzone 3%  
Homosalate 15%  
Octisalate 5%  
Octocrylene 10%  
Oxybenzone 6%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product**
  - keep away from face to avoid breathing it
  - keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.
- **Danger: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Directions**

- shake well before and frequently during use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4-6 inches from the skin to apply. Rub in.

- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

#### **Inactive ingredients**

alcohol denat., dimethyl ether, octyldodecyl citrate crosspolymer, butyloctyl salicylate, acrylates/octylacrylamide copolymer, ethyl methicone, dimethicone, acrylates/dimethicone copolymer, fragrance, tocopheryl acetate, nelumbo nucifera flower wax, diethylhexyl 2,6-naphthalate, cetyl dimethicone/bis-vinyldimethicone crosspolymer, ascorbyl palmitate, retinyl palmitate, tocopherol

#### **Questions?**

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free **800-299-4786** or **215-273-8755** (collect)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.**  
Skillman, NJ 08558

#### **PRINCIPAL DISPLAY PANEL - 141 g Can Label**

**Neutrogena®**

**wet skin**

**SWIM•HUMIDITY•SWEAT**

**SUNSCREEN**

**Broad  
Spectrum  
SPF 85+**

**helioplex®  
broad spectrum uva•uvb**

**full strength protection  
on wet or dry skin  
water resistant (80 minutes)**

**#1 DERMATOLOGIST  
RECOMMENDED SUNCARE**

**NET WT 5.0 OZ (141 g)**



|  |            |               |
|--|------------|---------------|
| <b>Avobenzon</b> e (UNII: G63QQF2NOX) (Avobenzon   | Avobenzon  | 30 mg in 1 g  |
| <b>Homosalat</b> e (UNII: V06SV4M95S) (Homosalat   | Homosalat  | 150 mg in 1 g |
| <b>Octisalat</b> e (UNII: 4X49Y0596W) (Octisalat   | Octisalat  | 50 mg in 1 g  |
| <b>Octocrylen</b> e (UNII: 5A68WGF6WM) (Octocrylen | Octocrylen | 100 mg in 1 g |
| <b>Oxybenzon</b> e (UNII: 95OOS7VE0Y) (Oxybenzon   | Oxybenzon  | 60 mg in 1 g  |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>Alcohol</b> (UNII: 3K9958V90M)                      |          |
| <b>Ascorbyl Palmitate</b> (UNII: QN83US2B0N)           |          |
| <b>Butyloctyl Salicylate</b> (UNII: 2EH13UN8D3)        |          |
| <b>Diethylhexyl 2,6-Naphthalate</b> (UNII: I0DQJ7YGXM) |          |
| <b>Dimethicone</b> (UNII: 92RU3N3Y1O)                  |          |
| <b>Dimethyl Ether</b> (UNII: AM13FS69BX)               |          |
| <b>Ethyl Methicone (8 Mpa.S)</b> (UNII: 3YWG8XYT8H)    |          |
| <b>Nelumbo Nucifera Flower Wax</b> (UNII: U01S6C427I)  |          |
| <b>Vitamin A Palmitate</b> (UNII: 1D1K0N0VVC)          |          |
| <b>Tocopherol</b> (UNII: R0ZB2556P8)                   |          |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69968-0176-5 | 141 g in 1 CAN; Type 0: Not a Combination Product | 10/16/2010           |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 10/16/2010           |                    |

**Labeler** - Johnson & Johnson Consumer Inc. (002347102)

Revised: 9/2019

Johnson & Johnson Consumer Inc.