

HYDROGEN PEROXIDE- hydrogen peroxide solution
Henry Schein Inc.

Hydrogen Peroxide

Drug Facts

Active Ingredient

Hydrogen Peroxide (stabilized) 3%

Purpose

First Aid Antiseptic/Oral Debriding Agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

First Aid Antiseptic

**Oral Debriding Agent (oral
rinse):**

Adults and children 2 years of
age & over:

- | | |
|---|---|
| <ul style="list-style-type: none">• clean the affected area• apply a small amount of product on the area 1 to 3 times a day• may be covered with a sterile bandage• if bandaged, let dry first | <ul style="list-style-type: none">• mix with an equal amount of water• swish around in the mouth over the affected area for at least 1 minute and then spit out• use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor |
|---|---|

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other Information

- Keep tightly closed in a cool dark place
- Do not shake bottle
- Hold away from face when opening

Inactive Ingredient

Purified Water

Questions or Comments?

1-800-472-4346

PRINCIPAL DISPLAY PANEL - 3.79 L Bottle Label

Item # 112-7070
NDC 0404-0001-01

HENRY SCHEIN®

3 % Hydrogen Peroxide Solution

U.S.P. FIRST AID ANTISEPTIC

Tamper evident cap for your protection. If ring-band is detached from cap or missing do not use.

Distributed by (in US Only):

HENRY SCHEIN INC.

135 Duryea Road
Melville, NY 11747 USA

Rev. Date 2018/06 Made in the USA

128 FL OZ (1 Gal.) • 3.79 L

Item # 112-7070

NDC 0404-0001-01



3% Hydrogen Peroxide Solution

U.S.P. FIRST AID ANTISEPTIC
 Tamper evident cap for your protection. If ring-band is detached from cap or missing do not use.

Distributed by (in US Only):
HENRY SCHEIN INC.
 135 Duryea Road
 Melville, NY 11747 USA
 Rev Date: 2018/06 Made in the USA

128 FL OZ (1 Gal.) • 3.79 L

+H658112707009



1-07A0013N05HSC

Drug Facts	
Active Ingredient	Purpose
Hydrogen Peroxide (stabilized) 3%	First Aid Antiseptic/Oral Debriding Agent
Uses • first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in removal of phlegm, mucous, or other secretions associated with occasional sore mouth	
Warnings For external use only	
Do not use • in the eyes or apply over large areas of the body • longer than 1 week • on deep or puncture wounds, animal bites, or on serious burns.	
Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.	
Stop use and ask a doctor if • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
Directions	
First Aid Antiseptic	Oral Debriding Agent (oral rinse):
• clean the affected area	Adults and children 2 years of age & over:
• apply a small amount of product on the area 1 to 3 times a day	• mix with an equal amount of water
• may be covered with a sterile bandage	• swish around in the mouth over the affected area for at least 1 minute and then spit out
• if bandaged, let dry first	• use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
• children under 12 years of age should be supervised in the use of this product	
• children under 2 years of age: consult a dentist or doctor	
Other Information • Keep tightly closed in a cool dark place	
• Do not shake bottle • Hold away from face when opening	
Inactive Ingredient Purified Water	
Questions or Comments? 1-800-472-4346	

HYDROGEN PEROXIDE

hydrogen peroxide solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0404-0001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0404-0001-01	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	
2	NDC:0404-0001-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	
3	NDC:0404-0001-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/01/2014	

Labeler - Henry Schein Inc. (012430880)

Revised: 11/2024

Henry Schein Inc.