# TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin, neomycin, polymyxin b, pramoxine hcl ointment Meijer Distribution Inc

-----

Meijer Distribution, Inc. Triple Antibiotic + Pain Relief Ointment Drug Facts

## Active ingredients (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

## **Purpose**

First aid antibiotic

External analgesic

#### Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

# Warnings

For external use only.

#### Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

# Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

## Stop use and ask a doctor if

you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

## Other information

store at 20-25°C (68-77°F)

## **Inactive ingredient**

white petrolatum

## **Questions or comments?**

1-800-719-9260

## **Principal Display Panel**

meijer<sub>®</sub>

MAXIMUM STRENGTH

Triple Antibiotic + Pain Relief Ointment

Long Lasting Infection Protection

FIRST AID ANTIBIOTIC + PAIN RELIEVING OINTMENT | PROTECTS AGAINST INFECTION


+ Pain Relief


Soothes Painful Cuts, Scrapes & Burns

COMPARE TO NEOSPORIN® + PAIN RELIEF ACTIVE INGREDIENTS

Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate, Pramoxine HCl

NET WT 0.5 OZ (14 g)





### **Drug Facts**

# Active ingredients (in each gram)

Purpose

 $\emph{Uses}$  first aid to help prevent infection and for temporary relief of pain  $\alpha$  discomfort in minor:

■ cuts ■ scrap es ■ bu ms

#### Warnin gs

For external use only.

#### Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

#### Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious bums

#### **Drug Facts** (continued)

### Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### Directions

- adults and children 2 years of age or older:
  - clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor


#### Other information

■ store at 20-25°C (68-77°F)

**Inactive ingredient** white petrolatum

Questions or comments? 1-800-719-9260

\*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.



## TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-679
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength 500 [USP'U] BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I) **BACITRACIN** in 1 g NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN -**NEOMYCIN** 3.5 mg in 1 g UNII:116QD7X297) POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B -10000 [USP'U] POLYMYXIN B UNII: J2VZ 07J96K) in 1 g PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE -PRAMOXINE 10 mg in 1 g UNII:068X84E056) **HYDROCHLORIDE**

Inactive Ingredients			
Ingredient Name	Strength		
PETROLATUM (UNII: 4T6H12BN9U)			

Product Characteristics				
Color	WHITE (Translucent)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:41250-679- 58	1 in 1 CARTON	03/17/2010		
1		14 g in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:41250-679- 16	2 in 1 CARTON	03/17/2010		
2	NDC:41250-679- 64	28 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M004	03/17/2010		

# Labeler - Meijer Distribution Inc (006959555)

Revised: 10/2024 Meijer Distribution Inc