

## **ISOPROPYL ALCOHOL- isopropyl alcohol liquid**

**Medline Industries, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **798 Medline 70 % Isopropyl Alcohol First Aid Antiseptic**

#### **Active ingredient**

Isopropyl Alcohol 70%

#### **Purpose**

First Aid Antiseptic

#### **Uses**

For first aid to help prevent the risk of infection in minor:

- Minor cuts
- scrapes
- burns

#### **Warnings**

**For external use only.**

**Flammable. Keep away from fire or flame, heat, spark, electrical**

**Ask a doctor before use if you have**

Deep or puncture wounds, animal bites or serious burns.

#### **When using this product**

- do not get into eyes
- Do not inhale
- Do not apply over large areas of the body
- Do not use longer than 1 week

Stop use and ask a doctor if condition persists or gets worse

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Caution**

Fumes can be acutely irritating to skin, eyes, and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product

#### **Directions**

- Clean the affected area.
- Apply a small amount of the product on the area 1 to 3 times daily.

- May be covered with a sterile bandage.
- If bandaged, let dry first.

### Other Information

- Does not contain, nor is intended as a substitute for grain or ethyl alcohol.
- Will produce serious gastric disturbances if taken internally.

### Inactive ingredients

Water

### Package Label

 <p>NDC: 53329-798-04</p> <p><b>70%</b></p> <p><b>ISOPROPYL ALCOHOL</b></p> <p>First aid antiseptic</p> <p><b>WARNING FLAMMABLE</b> </p> <p>Keep away from heat, spark, electrical fire or flame.</p> <p>Product sealed for your protection. Use only in a well-ventilated area; fumes can be harmful.</p> <p><b>4 FL OZ (118 mL)</b></p>	<p><b>Drug Facts</b></p> <table border="1"> <tr> <th>Active ingredient</th> <th>Purpose</th> </tr> <tr> <td>Isopropyl alcohol 70%.....</td> <td>First aid antiseptic</td> </tr> </table> <p><b>Uses</b> first aid to help prevent the risk of infection in:</p> <ul style="list-style-type: none"> <li>■ minor cuts ■ scrapes ■ burns</li> </ul> <p><b>Warnings</b></p> <p>For external use only</p> <p><b>Flammable</b> ■ keep away from fire or flame, heat, spark, electrical</p> <p><b>Ask a doctor before use if you have</b> deep or puncture wounds, animal bites or serious burns</p> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>■ do not get into eyes</li> <li>■ do not inhale</li> <li>■ do not apply over large areas of the body</li> <li>■ do not use longer than 1 week</li> </ul> <p><b>Stop use and ask a doctor if</b> condition persists or gets worse</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. ►</p>	Active ingredient	Purpose	Isopropyl alcohol 70%.....	First aid antiseptic	<p><b>Drug Facts (continued)</b></p> <p><b>Caution</b> – Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ clean the affected area</li> <li>■ apply a small amount of product on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> <li>■ if bandaged, let dry first</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ does not contain, nor is intended as a substitute for grain or ethyl alcohol</li> <li>■ will produce serious gastric disturbances if taken internally</li> </ul> <p><b>Inactive ingredient</b> water</p>
	Active ingredient	Purpose				
Isopropyl alcohol 70%.....	First aid antiseptic					
<p><b>REF</b> MDS098011</p> <p><b>www.medline.com</b> Made in US with US and foreign components for Medline Industries, Inc., Mundelein, IL 60060 USA.</p> <p><b>1-800-MEDLINE</b> RG15VJO L0015300SA</p> <div style="text-align: right;">   (01)10888277362291 </div>						



NDC: 53329-798-23

# 70% ISOPROPYL ALCOHOL

First aid antiseptic

**WARNING**  
**FLAMMABLE** 

Keep away from heat, spark,  
electrical fire or flame.

Product sealed for  
your protection.

Use only in a well-ventilated  
area; fumes can be harmful.

**32 FL OZ**  
**(1 QT) 946 mL**

L0015302FA

## Drug Facts

### Active ingredient

Isopropyl alcohol 70%

### Purpose

First aid antiseptic

**Uses** first aid to help prevent the risk of infection in:

■ minor cuts ■ scrapes ■ burns

### Warnings

For external use only

**Flammable** ■ keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use if you have** deep or puncture  
wounds, animal bites or serious burns

**When using this product** ■ do not get into eyes ■ do not  
inhale ■ do not apply over large areas of the body ■ do not  
use longer than 1 week

**Stop use and ask a doctor if** condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical  
help or contact a Poison Control Center right away.

**Caution** – Fumes can be acutely irritating to skin, eyes and  
the respiratory system. Do not apply to irritated skin or if  
excessive irritation develops. Avoid getting into the eyes or  
on mucous membranes. Avoid inhaling this product.

**Directions** ■ clean the affected area ■ apply a small  
amount of this product on the area 1 to 3 times daily ■ may  
be covered with a sterile bandage ■ if bandaged, let dry first

**Other information** ■ does not contain, nor is  
intended as a substitute for grain or ethyl alcohol ■ will  
produce serious gastric disturbances if taken internally

**Inactive ingredient** water

REF MDS098017

**www.medline.com** Made in US with US and  
foreign components for Medline Industries, Inc.,  
Three Lakes Drive, Northfield, IL 60093 USA.  
**1-800-MEDLINE** RE18VJO L0015302BA



(01)10888277362413





NDC: 53329-798-25

70%

# ISOPROPYL ALCOHOL

First aid antiseptic

**WARNING**  
**FLAMMABLE** 

Keep away from heat, spark, electrical  
fire or flame.

Product sealed for your protection.

Use only in a well-ventilated area;  
fumes can be harmful.

**128 FL OZ**  
**(1 GAL) 3.79 L**



## Drug Facts

### Active ingredient

Isopropyl alcohol 70%.....

### Purpose

First aid antiseptic

**Uses** first aid to help prevent the risk of infection in: ■ minor cuts ■ scrapes ■ burns

### Warnings

For external use only

**Flammable** ■ keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use if you have** deep or puncture wounds, animal bites or serious burns

**When using this product** ■ do not get into eyes ■ do not inhale ■ do not apply over large areas of the body ■ do not use longer than 1 week

**Stop use and ask a doctor if** condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** – Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.

**Directions** ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

**Other information** ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally

**Inactive ingredient** water



4G/Y20.2/S/17

USA/M5586

ISOPROPANOL

UN 1219

**REF** MDS098016

www.medline.com ©2017 Medline Industries, Inc., Made in  
US with US and foreign components for Medline Industries, Inc.,  
Mundelein, IL 60060 USA 1-800-MEDLINE RI17VJO



(01) 10080196176014

L00153035A

## ISOPROPYL ALCOHOL

isopropyl alcohol liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-798
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-798-03	29.57 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2015	
2	NDC:53329-798-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2015	
3	NDC:53329-798-23	946.35 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2015	
4	NDC:53329-798-25	3790 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2015	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333A	06/30/2015	

**Labeler** - Medline Industries, Inc. (025460908)

Establishment			
Name	Address	ID/FEI	Business Operations
Hydrox Laboratories		025164302	manufacture(53329-798)

Establishment			
Name	Address	ID/FEI	Business Operations
Vi-Jon, Inc.		088520668	manufacture(53329-798)