# RITE AID LAXATIVE SALINE LAXATIVE- sodium phosphate, dibasic, unspecified form and sodium phosphate, monobasic, unspecified form enema RITE AID

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## RITE AID LAXATIVE SALINE ENEMA LAXATIVE

#### **Drug Facts**

Active ingredients (in each 118 mL delivered dose)	Purpose
Dibasic Sodium Phosphate 7 g	Saline laxative
Monobasic Sodium Phosphate 19 g	Saline laxative

#### Use

- relieves occasional constipation
- this product generally produces bowel movement in 1 to 5 minutes

#### **Warnings**

For rectal use only.

## **Dosage warning**

Using more than one enema in 24 hours can be harmful.

#### Do not use

• on children under 2 years of age

## Ask a doctor before use if you

- have already used a laxative for more than 3 days
- have kidney disease, have heart problems, or are dehydrated
- are 55 years of age or older
- are on a sodium-restricted diet
- have abdominal pain, nausea, or vomiting
- have a sudden change in bowel habits lasting more than 2 weeks

**Ask a doctor or pharmacist before use if you** are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

#### When using this product

- do not use more than directed. Serious side effects may occur from excess dosage
- do not use for more than 3 days, without asking a doctor

#### Stop use and ask a doctor if

- you have rectal bleeding
- you have no bowel movement within 30 minutes of enema use
- you have symptoms of dehydration (thirstiness, dizziness, vomiting, urinating less often than normal)

These symptoms may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

**Directions (or as directed by a doctor)** 

Single daily dosage (per 24 hours)

Do not use if taking another sodium phosphate product.

Do not use more unless directed by a doctor. See Warnings.

Adults and children 12 years of	1 bottle once
age and older	daily
Children 2 to under 12 years of	Use Pediatric
age	Enema
Children under 2 years of age	DO NOT USE

#### Other information

- each 118 ml contains 4.3 g sodium
- store at 15 to 30°C (59 to 86°F)
- additional liquids by mouth are recommended while using this product
- Tamper Evident: DO NOT USE IF TOP OR BOTTOM FLAP OF CARTON IS TORN OR MISSING.

## **Inactive ingredients**

benzalkonium chloride, disodium EDTA, purified water

**Questions or comments?** 

866-323-0107

#### **DISTRIBUTED BY:**

RITE AID, 30 HUNTER LANE,

#### PRINCIPAL DISPLAY PANEL - 133 mL Bottle Carton

NDC 11822-0604-1

**FREE** 

**FROM** 

**PARABEN** 

**FREE** 

Compare to the active ingredients in Fleet® Enema\*

**LAXATIVE** 

**SALINE** 

**ENEMA** 

DIBASIC SODIUM PHOSPHATE 7 g MONOBASIC SODIUM PHOSPHATE 19 g

**READY TO USE** 

not made with natural rubber latex

for relief of occasional constipation

easy, soft squeeze bottle

2

**BOTTLES** 

4.5 FL OZ (133 mL) EACH

#### POSITIONS FOR USING THIS **ENEMA**

Left side position: Lie on left side with knees bent and arms resting comfortably.



Knee-chest position: Kneel, then lower head and chest forward until left side of face is resting on surface with left arm folded comfortably.



#### REMOVE PROTECTIVE SHIELD FROM ENEMA TIP BEFORE INSERTING:

Hold bottle upright, grasping bottle cap with fingers. Grasp protective shield with other hand and pull gently



#### ADMINISTERING ENEMA:

- · With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing toward navel. Insertion may be easier if person receiving enema bears down, as if having a bowel movement. Doing so helps relax muscles around anus.
- Do not force enema tip into rectum. Stop using if tip is hard to insert. Forcing the tip into the rectum can cause injury (especially if you have hemorrhoids). If enema tip causes rectal bleeding or pain, get immediate medical care.
- Squeeze bottle until nearly all liquid is gone. It is not necessary to empty bottle completely, as it contains more liquid than needed.
- Remove tip from rectum and stay in position until urge to evacuate is strong (usually 1 to 5 minutes). If no urge is felt after 5 minutes of using, try to empty bowel. Call a doctor promptly if no liquid comes out of the rectum after 30 minutes because dehydration could occur.

# **LAXATIVE** SALINE ENEMA

DIBASIC SODIUM PHOSPHATE 7 q MONOBASIC SODIUM PHOSPHATE 19 a

FREE F R M

**PARABEN** FREE

NDC 11822-0604-1

Compare to the active ingredients in Fleet® Enema\*

# LAXATIVE SALINE **ENEMA**

DIBASIC SODIUM PHOSPHATE 7 g MONOBASIC SODIUM PHOSPHATE 19 q

READY TO USE

not made with natural rubber latex for relief of occasional constipation easy, soft squeeze bottle



BOTTLES

4.5 FL OZ (133 mL) EACH

Lot# FPO Exp: FPO

#### COMPLETE ENEMA IN A DISPOSABLE SQUEEZE BOTTLE WITH SOFT, PRE-LUBRICATED TIP

Protective shield prevents contamination

Comfortable, lubricated tip for ease of insertion

One-way safety valve controls flow and prevents reflux

Easy, soft squeeze bottle



ALLERGIC REACTION TO MATERIALS CONTAINING LATEX IS A GROWING AND SERIOUS MEDICAL PROBLEM

#### Drug Facts

Active ingredients (in each 118 mL contains sodium 4.3 g) Purpose Dibasic Sodium Phosphate 7 g ........ Monobasic Sodium Phosphate 19 g ... .Saline laxative ..Saline laxative

relieves occasional constipation
 this product generally produces bowel movement in 1 to 5 minutes

Dosage warning: Using more than one enema in 24 hours can be harmful.

For rectal use only.

Do not use = on children under 2 years of age

- Ask a doctor before use if you

  have already used a laxative for more than 3 days
- have kidney disease, have heart problems, or are dehydrated
- are 55 years of age or older
   are on a sodium-restricted diet
- have abdominal pain, nausea, or vomiting
   have a sudden change in bowel habits lasting more than 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

#### When using this product

- do not use more than directed. Serious side effects may occur from excess
- do not use for more than 3 days, without asking a doctor

- Stop use and ask a doctor if
  you have rectal bleeding
  you have no bowel movement within 30 minutes of enema use
- you have symptoms of dehydration (thirstiness, dizziness, vomiting, urinating less often than normal)

These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

### Directions (or as directed by a doctor)

Single daily dosage (per 24 hours)
Do not use if taking another sodium phosphate product.
Do not use more unless directed by a doctor. See Warnings.

Adults and children 12 years of age and older	1 bottle once daily
Children 2 to under 12 years of age	Use Pediatric Enema
Children under 2 years of age	DO NOT USE

Other Information



### RITE AID LAXATIVE SALINE LAXATIVE

sodium phosphate, dibasic, unspecified form and sodium phosphate, monobasic, unspecified form enema

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0604	
Route of Administration	RECTAL			

Active Ingredient/Active Moiety				
Ingredient Name		<b>Basis of Strength</b>	Strength	
	BIC, UNSPECIFIED FORM (UNII: GR686LBA74) BK8HR, SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM	7 g in 118 mL	
	DBASIC, UNSPECIFIED FORM (UNII: - UNII:NK08V8K8HR, SODIUM CATION -	SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM	19 g in 118 mL	

Inactive Ingredients			
Ingredient Name	Strength		
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
WATER (UNII: 059QF0KO0R)			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822- 0604-1	2 in 1 CARTON	12/03/2019	
1		133 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:11822- 0604-2	6 in 1 CARTON	12/03/2019	
2		133 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:11822- 0604-3	12 in 1 CARTON	12/03/2019	
3		133 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part334	12/03/2019		

## **Labeler -** RITE AID (014578892)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Natureplex, LLC		062808196	MANUFACTURE(11822-0604)	

Revised: 7/2021 RITE AID