

# **ALUMIER MD INTENSIVE RECOVERY- hydrocortisone cream**

## **Alumier Labs**

-----

### **Alumier MD Intensive Recovery**

#### **Active Ingredient**

Hydrocortisone 1.0%

#### **Purpose**

Anti-itch cream

#### **Uses**

- adults and children 2 years of age and older: For the temporary relief of minor skin irritations, rashes, itching and redness due to eczema, insect bites, poison ivy, poison oak, poison sumac, contact dermatitis (e.g. caused by soaps, detergents, cosmetics and/or jewelry), seborrheic dermatitis, psoriasis.

#### **Warnings**

- **For external use only.**
- **do not use** for the treatment of diaper rash, except on the advice of a physician

#### **When using this product**

- avoid contact with eyes, do not use in or around the eyes

**Stop use and ask a doctor** if condition worsens or if symptoms persist for more than 7 days or clears up and occurs again within a few days. Do not begin use of any other hydrocortisone product unless directed by a physician.

**Keep out of reach of children.** If swallowed, call a Poison Control Centre or get medical help right away.

#### **Directions**

- adults and children 2 years of age and older, apply sparingly to affected area not more than three to four times daily
- **do not use** on children under 2 years of age, consult a physician

#### **Other Information**

- Do not use if security seal is broken or missing.
- You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., 945 Concord Street, Framingham, MA 01701

## **Non-medicinal ingredients**

Water/Aqua/Eau, Propanediol, Butyrospermum Parkii (Shea Butter), Simmondsia Chinensis (Jojoba) Seed Oil, Glycerin, Caprylic/Capric Triglyceride, Dimethicone, Propanediol, Theobroma Cacao (Cocoa) Seed Butter, Aloe Barbadensis Leaf Juice, Niacinamide, Resveratrol, Poria Cocos Sclerotium Extract, Boswellia Serrata Gum Extract, Honey Extract (Extrait de miel), Tetrapeptide-14, Copper Tripeptide-1, Aspalathus Linearis Extract, Ceramide NP, Ceramide NG, Squalane, Hydrogenated Lecithin, Sodium Acrylates Copolymer, Lecithin, Behenyl Alcohol, Xanthan Gum, Caprylic Acid, Sodium Methyl Stearoyl Taurate, Tricaprylin, Polymethyl Methacrylate, Sodium Hydroxide, Disodium EDTA, Caprylyl Glycol, Xylitol, Ethylhexylglycerin.

## **Product Labeling**



### Alumier.

ALUMIER EUROPE LTD.  
VISION EXCHANGE BUILDING  
TERRITORIALS STREET  
ZONE 1, CENTRAL BUSINESS DISTRICT  
BIRKIRKARA CBD 1070, MALTA

WWW.ALUMIERMD.COM

DISTRIBUTED IN CANADA BY  
DISTRIBUÉ AU CANADA PAR:  
ALUMIER LABS, INC.,  
436 LIMESTONE CRESCENT,  
TORONTO, ON, M3J 2S4

DISTRIBUTED IN THE USA BY  
DISTRIBUÉ AUX ÉTATS-UNIS PAR:  
ALUMIER LABS, INC.,  
945 CONCORD STREET,  
FRAMMINGHAM, MA 01701

MANUFACTURED IN CANADA UNDER  
LICENSE FROM ALUMIER EUROPE LTD.  
FABRIQUÉ AU CANADA SOUS LICENCE  
OBTENUE PAR ALUMIER EUROPE LTD.



#### Product Facts

**Active Ingredient** Purpose  
Hydrocortisone 1.0% Anti-Itch cream

**Uses**  
■ adults and children 2 years of age and older:  
For the temporary relief of minor skin irritations,  
rashes, itching and redness due to eczema,  
insect bites, poison ivy, poison oak, poison  
sumac, contact dermatitis (e.g. caused by  
soaps, detergents, cosmetics and/or jewelry),  
seborrheic dermatitis, psoriasis.

**Warnings**  
■ For external use only.  
■ do not use for the treatment of diaper rash,  
except on the advice of a physician

**When using this product**  
■ avoid contact with eyes, do not use in or  
around the eyes

**Stop use and ask a doctor** if condition worsens  
or if symptoms persist for more than 7 days or  
clears up and occurs again within a few days.  
Do not begin use of any other hydrocortisone  
product unless directed by a physician.

**Keep out of reach of children.** If swallowed,  
call a Poison Control Centre or get medical  
help right away.

**Directions**  
■ adults and children 2 years of age and older,  
apply sparingly to affected area not more than  
three to four times daily  
■ do not use on children under 2 years of age,  
consult a physician

**Other Information**  
■ Do not use if security seal on box is broken or  
missing  
■ You may report a serious adverse reaction  
event from using this product to: Alumier Labs  
Inc., 945 Concord Street, Frammingham,  
MA 01701

**Non-medicinal ingredients/  
Ingrédients non-médicinaux:**  
Water/Aqua/Eau, Butyrospermum Parkii (Shea  
Butter), Simmondsia Chinensis (Jojoba) Seed  
Oil, Glycerin Caprylic/Capric Triglyceride,  
Dimethicone, Propanediol, Theobroma Cacao  
(Cocoa) Seed Butter, Aloe Barbadosensis Leaf  
Juice, Niacinamide, Resveratrol, Poria Cocos  
Sclerotium Extract, Boswellia Serrata Gum  
Extract, Honey Extract (Extrait de miel),  
Tetrapeptide-4, Copper Tripeptide-1,  
Aspalathus Linearis Extract, Ceramide NP,  
Ceramide NG, Squalane, Hydrogenated  
Lecithin, Sodium Acrylates Copolymer,  
Lecithin, Behenyl Alcohol, Xanthan Gum,  
Caprylic Acid, Sodium Methyl Stearoyl Taurate,  
Tricaprylin, Polymethyl Methacrylate, Sodium  
Hydroxide, Disodium EDTA, Caprylyl Glycol,  
Xylitol, Ethylhexylglycerin.

See insert for important risk information.

## Intensive Recovery Crème Intensive Recovery Anti-Itch Cream Crème anti-démangeaisons

FOR PROFESSIONAL USE  
NOT FOR RETAIL SALE  
POUR USAGE PROFESSIONNEL SEULEMENT  
NON DESTINÉ À LA VENTE AU DÉTAIL

NPN 80065215

236 mL / 8 fl oz e

#### Notice

**Ingrédient actif** Utilisation  
Hydrocortisone 1,0 % Crème anti-démangeaisons

**Usages**  
■ adultes et enfants de 2 ans et plus : Pour  
soulager temporairement les irritations  
cutanées mineures, les éruptions, les  
démangeaisons et les rougeurs dues à  
l'eczéma, aux piqûres d'insectes, au sumac  
grimpeur, au sumac de l'Ouest, au sumac  
venéneux, à la dermatite de contact (par ex.  
causée par les savons, les lessives, les  
produits cosmétiques et/ou les bijoux), à la  
dermatite séborrhéique et au psoriasis.

**Avvertissements**  
■ Usage externe uniquement.  
■ ne pas utiliser ce produit pour traiter  
l'érythème fessier, sur avis d'un médecin

**Quand on utilise ce produit**  
■ Éviter le contact avec les yeux, ne pas utiliser  
dans ou autour des yeux

**Arrêtez l'utilisation et demandez à un docteur**  
si votre état s'aggrave ou si les symptômes  
persistent pendant plus de 7 jours ou s'ils  
s'estompent puis se manifestent de nouveau  
après quelques jours, arrêtez d'utiliser ce produit  
et ne commencez à utiliser aucun autre produit à  
base d'hydrocortisone, sauf indication d'un  
médecin

**Garder hors de portée des enfants.** En cas  
d'ingestion, contacter un centre antipoison ou  
appeler un médecin immédiatement.

**Conseils d'utilisation**  
■ chez les adultes et les enfants de 2 ans et  
plus, appliquer avec modération sur la zone  
sèchée, pas plus de trois à quatre fois par jour  
■ ne pas utiliser chez les enfants de moins de 2  
ans, consulter un médecin

**Autres information**  
■ Ne pas utiliser si le sceau de sécurité sur la  
boîte est endommagé ou manquant  
■ Vous pouvez signaler toute réaction indésirable  
liée à l'utilisation de ce produit à : Alumier Labs  
Inc., 945 Concord Street, Frammingham,  
MA 01701

Voir la notice pour les informations importantes relatives aux risques.

1482713

## ALUMIER MD INTENSIVE RECOVERY

hydrocortisone cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69473-017
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>CERAMIDE NG</b> (UNII: C04977SRJ5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>TRICAPRYLIN</b> (UNII: 6P92858988)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>RESVERATROL</b> (UNII: Q369O8926L)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>CAPRYLIC ACID</b> (UNII: OBL58JN025)	
<b>SODIUM METHYL STEAROYL TAURATE</b> (UNII: JFM219LJ55)	
<b>COPPER TRIPEPTIDE-1</b> (UNII: 6BJQ43T1I9)	
<b>WOLFIPORIA COCOS SCLEROTIUM</b> (UNII: MTD53229ZC)	
<b>BEHENYL ALCOHOL</b> (UNII: 9G10E216XY)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69473-017-01	1 in 1 CARTON	03/08/2022	
1		236 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/08/2022	

**Labeler** - Alumier Labs (079603173)

Revised: 8/2025

Alumier Labs