MEIJER SUSCREEN SPF 8 - octinoxate, oxybenzone lotion Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Octinoxate 7.5%

Oxybenzone 2.0%

Uses

- helps prevent suburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in water

Warnings

For external use only

When using this product

• keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

• rash or irritation develops and lasts

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

- apply generously and evenly before sun exposure and as needed
- children under 6 months of age: ask a doctor
- reapply frequently and after towel drying, swimming or perspiring

Other information

- may stain some fabrics
- Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer and other harmful effects of the sun

Inactive ingredients

Water, Ethylhexyl Palmitate, Propylene Glycol, Cetyl Phosphate, Triethanolamine, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Carbomer, Tocopherol, Disodium EDTA, Aloe Barbadensis Leaf Juice Powder, Diazolidinyl Urea, Methylparaben, Propylparaben, Fragrance.

Principal Display Panel

meijer Sunscreen lotion antioxidant enriched spf 8 Moisturizing 10 FL. OZ. (296 mL)



MEIJER SPF 8 FRONT : CLEAR LABEL BROWN BACKGROUND INDICATES BOTTLE PRINT ALL OVER WHITE WHERE POSSIBLE DIE LINE DOES NOT PRINT ON DISK 11/9/10

Drug Facts	
Active ingredier Octinoxate 7.5%, Org	
Uses • helps preve more sumburn prote- minutes of activity in	ent sunburn • higher SPF give chon • retains SPF after 80 i the water
Warnings For ext	ernal use only
When using this pro	dant inse with water to remove.
Stop use and ask a	daetar if
 rash or irritation de Keen out of the reach 	velops and lasts. I of children. If swallowed get
medical help or contac	t a Poison Control Center right awa
Directions • upp	y generously and evenly
	ind as needed + children under a doctor + reapply frequently an
	wimming or perspiring
 Sun Alert: Limiting clothing, and using s 	
 Sun Alert: Limiting clothing, and using s of skin aging, skin cu of the sun. Inactive ingredite Propylene Glycol, Ci Anylates/C10-30 Ally Tocopherol, Disodiu 	sun exposure, wearing protectiv unscreens may reduce the risks nacer, and other harmful effects wats: Water, Ethylhesyl Palmitats ethyl Phosphate, Tristhanolamin Hacrylate Crosspolymer, Carbony m EDTA, Alce Barbadensis m UTA, Alce Barbadensis ny Ursa, Methylpanaben,
 Sun Alert: Limiting clothing, and using s of skin aging, skin co of the sun. Inactive ingredite Propylene Glycol, C Acrylates/C10-30 Ally Tocopherol, Disodiu Leaf Juice, Disodiu 	sun explosure, wearing protectiv unscreans may reduce the risks nacer, and other harmful effects walls: Water, Ethylheoyl Palmitate etyl Phosphate, Triethan clamin I Acrylate Crosspolymer, Carbone m EUTA, Alce Barbadensis m EUTA, Alce Barbadensis
 Sun Alert: Limiting clothing, and using s of skin aging, skin co of the sun. Inactive ingredite Propylene Glycol, C Acrylates/C10-30 Ally Tooopherol, Disodiu Leaf Juice, Disodiu 	sun exposure, wearing protectiv unscreens may reduce the risks nacer, and other harmful effects wats: Water, Ethylhesyl Palmitats ethyl Phosphate, Tristhanolamin Hacrylate Crosspolymer, Carbony m EDTA, Alce Barbadensis m UTA, Alce Barbadensis ny Ursa, Methylpanaben,
 Sun Alert: Limiting clothing, and using s of skin aging, skin co of the sun. Inactive ingredite Propylene Glycol, C Acrylates/C10-30 Ally Tocopherol, Disodiu Leaf Juice, Disodiu 	sun exposure, wearing protectiv unscreens may reduce the risk nuccer, and other harmful effects wafs: Water, Ethylhesyl Palmitab ethyl Phosphate, Tristhanolamin Hacrylate Crosspolymer, Carborn m EDTA, Alce Barbadensis m UTA, Alce Barbadensis m UTa, Methylpanaben,

BACK : SILKSCREEN WHITE WHITE BOX-OVERPRINT BLACK BARS

Purpose

Sunscreen

Product Information	n					
Product Type	HUMAN OTC DRUG	Item Code (S	ource)	NDC:41250-023		
Route of Administration	n TOPICAL					
Active Ingredient/A	ctive Moiety					
Ingredient Name			Basis of Stre	ngth Stre	ngth	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)			OCTINOXATE	7.5 g in	100 g	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y) OXYBENZONE					2 g in 100 g	
Inactive Ingredients	3					
Ingredient Name				Strength		
WATER (UNII: 059QF0KO0R)						
ETHYLHEXYL PALMITA	TE (UNII: 2865993309)					
PROPYLENE GLYCOL (UNII: 6 DC9 Q 16 7 V3)					
CETYL PHO SPHATE (UN	II: VT07D6X67O)					
TROLAMINE (UNII: 903K	93S3TK)					
TOCOPHEROL (UNII: R0	ZB2556P8)					
EDETATE DISO DIUM (UN	NII: 7FLD91C86K)					
ALOE VERA LEAF (UNII:	ZY81Z83H0X)					
DIAZOLIDINYL UREA (U	NII: H5RIZ3MPW4)					
METHYLPARABEN (UNII:						
PROPYLPARABEN (UNII:	Z8IX2SC1OH)					
Packaging						
# Item Code	Package Description	Marketing St	Marketing Start Date M		Marketing End Date	
1 NDC:41250-023-57	286 g in 1 BOTTLE, PLASTIC					
Manhadara	4 ¹					
Marketing Infor Marketing Category	mation Application Number or Monogra		keting Start Date	Marketing En		

Labeler - Meijer Distribution Inc (006959555)

Revised: 7/2013

Meijer Distribution Inc