

**MECLIZINE HCL- meclizine hydrochloride tablet**  
**BluePoint Laboratories**

-----  
**MECLIZINE HYDROCHLORIDE TABLETS, USP 12.5 mg**

**Drug Facts**

**Active ingredient (in each tablet)**

Meclizine HCl, USP 12.5 mg

**Purpose**

Antiemetic

**Uses**

prevents and treats nausea, vomiting or dizziness associated with motion sickness.

**Warnings**

**Do not use** in children under 12 years of age unless directed by a doctor.

**Do not take this product, unless directed by a doctor, if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Do not take this product if you are**

taking sedatives or tranquilizers,  
without first consulting your doctor.

**When using this product**

- do not exceed recommended dosage
- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- dosage should be taken one hour before travel starts

---

adults and children 12 years and over	take 2 or 4 tablets once daily or as directed by a doctor
---------------------------------------	---

---

**Other Information**

- store at 20° to 25°C (68° to 77°F) [See USP Controlled Room Temperature].

**Inactive ingredients**

colloidal silicon dioxide, crospovidone, lactose monohydrate, magnesium stearate, microcrystalline cellulose

**Questions or comments?**

Call 1-844-474-7464 Monday to Friday 8 AM - 5 PM ET


**PRINCIPAL DISPLAY PANEL - 12.5 mg Tablet Label**

NDC 68001-528-00


**Meclizine Hydrochloride Tablets, USP**

**12.5 mg**

**100 Tablets**



Inside



Outside

Unvarnish Area  
(17 x 11 mm)

## MECLIZINE HCL

meclizine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68001-528
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	12.5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSPVIDONE</b> (UNII: 2S7830E561)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

## Product Characteristics

<b>Color</b>	white (White to Off White)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	AB;12
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68001-528-00	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/14/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	03/14/2022	

**Labeler** - BluePoint Laboratories (985523874)

**Registrant** - Unique Pharmaceutical Laboratories (917165052)

## Establishment

Name	Address	ID/FEI	Business Operations
Unique Pharmaceutical Laboratories		650434645	manufacture(68001-528)

Revised: 11/2023

BluePoint Laboratories